Sanity Check - Testsuite

Execution Environment

Host name	bogdan.eremia - ROECR-L013.roecr.ecrion.com
OS	Windows 10 64bit
Katalon version	6.3.0.1
Browser	Chrome 76.0.3809.100

Summary

ID	Test Suites/Sanity Check - Testsuite		
Description			
Total	4		
Passed	2	Failed	2
Error	0	Incomplete	0
Start	2019-08-13 12:49:04	End	2019-08-13 12:54:37
Elapsed	5m - 32.900s		

#	ID	Description	Status
1	Test Cases/TESTCASE COLLECTIONS/Sysadmin - Testcases		PASSED
2	Test Cases/TESTCASE COLLECTIONS/Admin - Testcases		FAILED
3	Test Cases/TESTCASE COLLECTIONS/Projects_Communications - Testcases		FAILED
4	Test Cases/TESTCASE COLLECTIONS/Search - Testcases		PASSED

Sysadmin - Testcases

Information

ID	Test Cases/TESTCASE COLLECTIONS/Sysadmin - Testcases
Description	
Tag	

Start	2019-08-13 12:49:04	End	2019-08-13 12:50:58
Elapsed	1m - 53.754s		
Status	PASSED		

Details

#	Description	Elapsed	Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Sysadmin Portal/Create Multiple Environments"), ["Develop_env":findTestData("Environment Names").getValue(1, 1), "Username":Username_Admin, "Experience_Env":findTestData("Environment Names").getValue(1, 2), ...], CONTINUE_ON_FAILURE)	49.661s	PASSED

Call Test Case 'Test Cases/Sysadmin Portal/Create Multiple Environments' successfully

#	Description	Elapsed	Status
2	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.005s	PASSED
3	callTestCase(findTestCase("Sysadmin Portal/Set_NoOfThreads"), ["EnvName":"QaTest", "Username":"Ere"], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Set_NoOfThreads' successfully	3.781s	PASSED
4	delay(3, CONTINUE_ON_FAILURE) NOT_RUN: delay(3, CONTINUE_ON_FAILURE)	0.001s	NOT_RUN
5	callTestCase(findTestCase("Sysadmin Portal/Domain/Run_PreProdTest"), [:], CONTINUE_ON_FAILURE) NOT_RUN: callTestCase(findTestCase("Sysadmin Portal/Domain/Run_PreProdTest"), [:], CONTINUE_ON_FAILURE)	0.002s	NOT_RUN

Sysadmin - Testcases

| #	Description	Elapsed	Status
6	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.004s	PASSED
7	callTestCase(findTestCase("Sysadmin Portal/Help/Sysadmin_Ask a question_Window"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Help/Sysadmin_Ask a question_Window' successfully	9.487s	PASSED
8	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.002s	PASSED
9	callTestCase(findTestCase("Sysadmin Portal/Domain/EmailConnection/Set_Email_Connection"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Domain/EmailConnection/Set_Email_Connection' successfully	6.978s	PASSED
10	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.003s	PASSED
11	callTestCase(findTestCase("Sysadmin Portal/Domain/AmazonConnection/Create_Amazon_Connection"), ["variable":url_sysadmin], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Domain/AmazonConnection/Create_Amazon_Connection' successfully	3.825s	PASSED
12	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.006s	PASSED
13	callTestCase(findTestCase("Sysadmin Portal/Edit Account/Edit Account"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Portal/Edit Account/Edit Account' successfully	7.666s	PASSED

Sysadmin - Testcases

#	Description	Elapsed	Status
14	delay(3, CONTINUE_ON_FAILURE) Delayed 3 second(s)	3.004s	PASSED
15	callTestCase(findTestCase("Sysadmin Login Page/Reset password"), [:], CONTINUE_ON_FAILURE) Call Test Case 'Test Cases/Sysadmin Login Page/Reset password' successfully	14.110s	PASSED
16	windowsCommands.taskKill.kill_service() windowsCommands.taskKill.kill_service is PASSED	0.014s	PASSED

Admin - Testcases

Information

ID	Test Cases/TESTCASE COLLECTIONS/Admin - Testcases			
Description				
Tag				
Start	2019-08-13 12:50:58	End	2019-08-13 12:53:25	
Elapsed	2m - 27.065s			
Status	FAILED			

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Admin/Admin_Settings"), [:], CONTINUE_ON_FAILURE)	1m - 19.667s	PASSED

Call Test Case 'Test Cases/Admin/Admin_Settings' successfully

#	Description	Elapsed	Status
2	delay(2, CONTINUE_ON_FAILURE)	2.001s	PASSED

Delayed 2 second(s)

#	Description	Elapsed	Status
3	callTestCase(findTestCase("Admin/ES_LIcensesTests"), [:], CONTINUE_ON_FAILURE)	43.565s	PASSED

Call Test Case 'Test Cases/Admin/ES_LIcensesTests' successfully

#	Description	Elapsed	Status
4	delay(2, CONTINUE_ON_FAILURE)	2.001s	PASSED

Delayed 2 second(s)

#	Description	Elapsed	Status
5	callTestCase(findTestCase("Contacts/Create_Contact"), [:], CONTINUE_ON_FAILURE)	7.171s	PASSED

Call Test Case 'Test Cases/Contacts/Create_Contact' successfully

#	Description	Elapsed	Status
6	delay(2)	2.001s	PASSED
	Delayed 2 second(s)		
7	callTestCase(findTestCase("Workspaces/Create_Workspace"), [:], STOP_ON_FAILURE)	5.460s	PASSED
	Call Test Case 'Test Cases/Workspaces/Create_Workspace' successfully		
8	delay(2, CONTINUE_ON_FAILURE)	2.001s	PASSED
	Delayed 2 second(s)		

Admin - Testcases

#	Description	Elapsed	Status
9	callTestCase(findTestCase("Groups_Users/Create Group_Users"), [:], CONTINUE_ON_FAILURE)	3.019s	FAILED

Unable to call Test Case 'Test Cases/Groups_Users/Create Group_Users' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Groups_Users/Create Group_Users' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at Admin - Testcases.run(Admin - Testcases:32)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:123)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
87)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text
'test@test.ro' of object 'Object Repository/Groups_Users/Page_Users - Settings -
EOS/input_emailTxtName'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
        at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:950)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$12.call (Unknown Source)

at Create Group_Users.run(Create Group_Users:33)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:114)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

... 20 more

Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable

 (Session info: chrome=76.0.3809.100)

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'

Driver info: com.kms.katalon.selenium.driver.CChromeDriver

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 76.0.3809.100, chrome: {chromedriverVersion: 76.0.3809.68 (420c9498db8ce..., userDataDir: C:\Users\BOGDAN~1.ERE\AppDa...}, goog:chromeOptions: {debuggerAddress: localhost:57284}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: XP, platformName: XP, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify}

Session ID: ef83f1820847d30182f1219519d3022a

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)

at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)

at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:20)

at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)

at org.openqa.selenium.remote.RemoteWebElement.clear(RemoteWebElement.java:124)

at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
... 35 more
)

| 10 | windowsCommands.taskKill.kill_service() | 0.002s | PASSED |

windowsCommands.taskKill.kill_service is PASSED

Projects_Communications - Testcases

Information

ID	Test Cases/TESTCASE COLLECTIONS/Projects_Communications - Testcases
Description	
Tag	

Start	2019-08-13 12:53:25	End	2019-08-13 12:53:57
Elapsed	31.816s		
Status	FAILED		

Details

#	Description	Elapsed	Status

Projects_Communications - Testcases

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Communications_Projects/Create_Projects"), [:], CONTINUE_ON_FAILURE)	4.145s	FAILED

Unable to call Test Case 'Test Cases/Communications_Projects/Create_Projects' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Communications_Projects/Create_Projects' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at Projects_Communications - Testcases.run(Projects_Communications -
Testcases:16)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:123)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
87)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to call Test Case
'Test Cases/Main Login Page/login_Enterprise' (Root cause: com.kms.katalon.core.
exception.StepFailedException: Call Test Case 'Test Cases/Main Login
Page/login_Enterprise' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)

#	Description	Elapsed	Status

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)

at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)

at Create_Projects.run(Create_Projects:23)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)

at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)

at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)

at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)

at Projects_Communications - Testcases.run(Projects_Communications -
Testcases:16)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)

at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:150)

at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:123)

at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
87)

at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:

#	Description	Elapsed	Status

157)
    at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
    at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'http://192.168.1.97:8094/'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:40)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call (Unknown Source)
    at login_Enterprise.run(login_Enterprise:22)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)
    at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
    ... 36 more
Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:14009
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:92)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:609)
    at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java: 452)
    at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver (DriverFactory.java:1189)
    at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser

#	Description	Elapsed	Status

(DriverFactory.java:261)
  at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:199)
  at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
  at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
  at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
  at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:40)
  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
  at Script1565618477088.run(Script1565618477088.groovy:22)
  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
  at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
  at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
  at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
  at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
  at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
  at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
  at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
  at Script1564394172148.run(Script1564394172148.groovy:23)
  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
  at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase

#	Description	Elapsed	Status

(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at Script1565689177880.run(Script1565689177880.groovy:16)
        ... 13 more
Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:14009
        at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:247)
        at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
        at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
        at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
        at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
        at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
        at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
        at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
(RetryAndFollowUpInterceptor.java:126)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
        at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
        at okhttp3.RealCall.execute(RealCall.java:77)
        at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:
103)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute

#	Description	Elapsed	Status

(HttpCommandExecutor.java:155)
       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
       ... 61 more
Caused by: java.net.ConnectException: Connection refused: connect
       at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)
       at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:245)
       at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
       at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
       at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
       at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
       at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
       at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
       at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
(RetryAndFollowUpInterceptor.java:126)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
       at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
       at okhttp3.RealCall.execute(RealCall.java:77)
       at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:
103)
       at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:155)
       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
       at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)
       at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:
452)
       at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver
(DriverFactory.java:1189)
       at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:261)
       at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:199)
       at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status

OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
         at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
         at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:40)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
         at login_Enterprise.run(login_Enterprise:22)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
         at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
         at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
         at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
         at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
         at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
         at Create_Projects.run(Create_Projects:23)
         at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
         at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
         at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
         at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
         at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
         at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
         at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.

#	Description	Elapsed	Status

java:233)

      at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)

      at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

      at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)

      at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)

      at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)

      at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)

      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)

      at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)

      at Projects_Communications - Testcases.run(Projects_Communications - Testcases:16)

      ... 13 more

)

      at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy:39)

      at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain. groovy)

      at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:70)

      at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)

      at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)

      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)

      at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)

      at Create_Projects.run(Create_Projects:23)

      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)

      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)

      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)

      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)

      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)

      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)

      at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)

      at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

      ... 20 more

Caused by: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Main Login Page/login_Enterprise' failed

      at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)

#	Description	Elapsed	Status

at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
    at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
    ... 34 more
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser
with url: 'http://192.168.1.97:8094/'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
    at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:40)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
    at login_Enterprise.run(login_Enterprise:22)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
    at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
    at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
    ... 36 more
Caused by: org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed
to connect to localhost/0:0:0:0:0:0:0:1:14009
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: RemoteWebDriver
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:92)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)
    at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:
452)
    at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver
(DriverFactory.java:1189)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:261)

at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:199)

at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)

at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:40)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)

at Script1565618477088.run(Script1565618477088.groovy:22)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)

at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)

at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)

at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)

at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)

at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)

at Script1564394172148.run(Script1564394172148.groovy:23)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)

#	Description	Elapsed	Status

        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at Script1565689177880.run(Script1565689177880.groovy:16)
        ... 13 more
Caused by: java.net.ConnectException: Failed to connect to localhost/0:0:0:0:0:0:0:1:14009
        at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:247)
        at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
        at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
        at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
        at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
        at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
        at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
        at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
(RetryAndFollowUpInterceptor.java:126)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
        at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
        at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
        at okhttp3.RealCall.execute(RealCall.java:77)
        at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:
103)

#	Description	Elapsed	Status

at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:155)
       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
       ... 61 more
Caused by: java.net.ConnectException: Connection refused: connect
       at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129)
       at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.
java:245)
       at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
       at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.
java:257)
       at okhttp3.internal.connection.StreamAllocation.findHealthyConnection
(StreamAllocation.java:135)
       at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.
java:114)
       at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.
java:42)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
       at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
       at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept
(RetryAndFollowUpInterceptor.java:126)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
147)
       at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:
121)
       at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
       at okhttp3.RealCall.execute(RealCall.java:77)
       at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:
103)
       at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:155)
       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
       at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:609)
       at org.openqa.selenium.remote.RemoteWebDriver.quit(RemoteWebDriver.java:
452)
       at com.kms.katalon.core.webui.driver.DriverFactory.closeWebDriver
(DriverFactory.java:1189)
       at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:261)
       at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:199)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
      at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.
openBrowser(OpenBrowserKeyword.groovy:81)
      at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute
(OpenBrowserKeyword.groovy:67)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser
(WebUiBuiltInKeywords.groovy:40)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call
(Unknown Source)
      at login_Enterprise.run(login_Enterprise:22)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
      at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
      at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
      at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
      at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
      at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
      at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
      at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
      at Create_Projects.run(Create_Projects:23)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)

#	Description	Elapsed	Status
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)		
	at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)		
	at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)		
	at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)		
	at Projects_Communications - Testcases.run(Projects_Communications - Testcases:16)		
	... 13 more)		
2	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.001s	PASSED

Projects_Communications - Testcases

#	Description	Elapsed	Status
3	callTestCase(findTestCase("Communications_Projects/Run_Communications"), [:], CONTINUE_ON_FAILURE)	14.739s	FAILED

Unable to call Test Case 'Test Cases/Communications_Projects/Run_Communications' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Communications_Projects/Run_Communications' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at Projects_Communications - Testcases.run(Projects_Communications -
Testcases:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:123)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
87)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to
'http://192.168.1.97:8094/' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to navigate to 'http://192.168.1.97:8094/'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute
(NavigateToUrlKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.

#	Description	Elapsed	Status

executeKeywordForPlatform(KeywordExecutor.groovy:56)

     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:164)

     at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$navigateToUrl$34.call(Unknown Source)

     at Run_Communications.run(Run_Communications:25)

     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)

     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)

     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)

     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)

     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)

     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)

     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)

     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

     at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)

     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)

     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)

     at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)

     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)

     at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)

     at Projects_Communications - Testcases.run(Projects_Communications - Testcases:20)

     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)

     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)

     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)

     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)

     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)

     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)

     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:150)

     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:123)

     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 87)

     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)

#	Description	Elapsed	Status

at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)

at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)

Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'

Driver info: driver.version: CChromeDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20)

at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.window (RemoteWebDriver.java:903)

at com.kms.katalon.core.webui.driver.DriverFactory.switchToAvailableWindow (DriverFactory.java:819)

at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:702)

at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685)

at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80)

at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83)

at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)

at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:164)

at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$navigateToUrl$34.call(Unknown Source)

at Script1564396657176.run(Script1564396657176.groovy:25)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)

at com.kms.katalon.core.keyword.builtin.

#	Description	Elapsed	Status

CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at Script1565689177880.run(Script1565689177880.groovy:20)
        ... 13 more
)
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.
groovy:39)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute
(NavigateToUrlKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl
(WebUiBuiltInKeywords.groovy:164)
        at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$navigateToUrl$34.call(Unknown Source)
        at Run_Communications.run(Run_Communications:25)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
        ... 20 more
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to
'http://192.168.1.97:8094/'
        ... 37 more
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using
WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch:

#	Description	Elapsed	Status

	'amd64', os.version: '10.0', java.version: '1.8.0_181'
	Driver info: driver.version: CChromeDriver
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)
	    at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20)
	    at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.window (RemoteWebDriver.java:903)
	    at com.kms.katalon.core.webui.driver.DriverFactory.switchToAvailableWindow (DriverFactory.java:819)
	    at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:702)
	    at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685)
	    at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80)
	    at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)
	    ... 35 more
	)		

4	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.003s	PASSED

#	Description	Elapsed	Status
5	callTestCase(findTestCase("Communications_Projects/PublishProject_NewEnv"), [:], CONTINUE_ON_FAILURE)	0.187s	FAILED

Unable to call Test Case 'Test Cases/Communications_Projects/PublishProject_NewEnv'
(Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test
Cases/Communications_Projects/PublishProject_NewEnv' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at Projects_Communications - Testcases.run(Projects_Communications -
Testcases:24)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:123)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
87)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to
'http://192.168.1.97:8094/'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute
(NavigateToUrlKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:164)

at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$navigateToUrl$34.call(Unknown Source)

at PublishProject_NewEnv.run(PublishProject_NewEnv:25)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

... 20 more

Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'

Driver info: driver.version: CChromeDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20)

at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.window (RemoteWebDriver.java:903)

at com.kms.katalon.core.webui.driver.DriverFactory.switchToAvailableWindow (DriverFactory.java:819)

at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:702)

at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685)

at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80)

at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

... 35 more

)

Projects_Communications - Testcases

#	Description	Elapsed	Status
6	delay(2, CONTINUE_ON_FAILURE)	2.001s	PASSED
	Delayed 2 second(s)		

Projects_Communications - Testcases

#	Description	Elapsed	Status
7	callTestCase(findTestCase("Communications_Projects/VerifyJobs"), [:], CONTINUE_ON_FAILURE)	0.150s	FAILED

Unable to call Test Case 'Test Cases/Communications_Projects/VerifyJobs' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Communications_Projects/VerifyJobs' failed
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)
        at Projects_Communications - Testcases.run(Projects_Communications - Testcases:28)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:123)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 87)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to 'http://192.168.1.97:8094/'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:164)

at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$navigateToUrl$34.call(Unknown Source)

at VerifyJobs.run(VerifyJobs:18)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

... 20 more

Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'

Driver info: driver.version: CChromeDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20)

at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.window (RemoteWebDriver.java:903)

at com.kms.katalon.core.webui.driver.DriverFactory.switchToAvailableWindow (DriverFactory.java:819)

at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:702)

at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685)

at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80)

at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

... 35 more

)

Projects_Communications - Testcases

#	Description	Elapsed	Status
8	delay(2, CONTINUE_ON_FAILURE)	2.000s	PASSED
	Delayed 2 second(s)		

#	Description	Elapsed	Status
9	callTestCase(findTestCase("Main Login Page/switch_Environments_Experience"), [:], CONTINUE_ON_FAILURE)	0.184s	FAILED

Unable to call Test Case 'Test Cases/Main Login Page/switch_Environments_Experience' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Main Login Page/switch_Environments_Experience' failed
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)
        at Projects_Communications - Testcases.run(Projects_Communications - Testcases:32)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:123)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 87)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Main Login Page/Select_MultipleEnvironments/Page_Welcome - EOS/droptdown_Environments_MainPage'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:86)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.

#	Description	Elapsed	Status

executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:604)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call
(Unknown Source)
        at switch_Environments_Experience.run(switch_Environments_Experience:16)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
        ... 20 more
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using
WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
        at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
        at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
        at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.window
(RemoteWebDriver.java:903)
        at com.kms.katalon.core.webui.driver.DriverFactory.switchToAvailableWindow
(DriverFactory.java:819)
        at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
(DriverFactory.java:702)
        at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:685)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:712)
        at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1093)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
        at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:77)
        at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)

#	Description	Elapsed	Status
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more)		
10	delay(2, CONTINUE_ON_FAILURE) Delayed 2 second(s)	2.003s	PASSED

Projects_Communications - Testcases

#	Description	Elapsed	Status
11	callTestCase(findTestCase("Communications_Projects/VerifyJobs"), [:], CONTINUE_ON_FAILURE)	0.068s	FAILED

Unable to call Test Case 'Test Cases/Communications_Projects/VerifyJobs' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Communications_Projects/VerifyJobs' failed
       at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
       at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
       at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
       at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)
       at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
       at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)
       at Projects_Communications - Testcases.run(Projects_Communications - Testcases:36)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:150)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:123)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 87)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
       at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to 'http://192.168.1.97:8094/'
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83)
       at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl
(WebUiBuiltInKeywords.groovy:164)
     at com.kms.katalon.core.webui.keyword.
WebUiBuiltInKeywords$navigateToUrl$34.call(Unknown Source)
     at VerifyJobs.run(VerifyJobs:18)
     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
     at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java:
114)
     at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)
     ... 20 more
Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using
WebDriver after calling quit()?
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch:
'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: driver.version: CChromeDriver
     at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
     at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
20)
     at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.window
(RemoteWebDriver.java:903)
     at com.kms.katalon.core.webui.driver.DriverFactory.switchToAvailableWindow
(DriverFactory.java:819)
     at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver
(DriverFactory.java:702)
     at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory.
java:685)
     at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80)
     at com.kms.katalon.core.webui.keyword.builtin.
NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
     ... 35 more
)

Projects_Communications - Testcases

#	Description	Elapsed	Status
12	delay(2, CONTINUE_ON_FAILURE)	2.001s	PASSED
	Delayed 2 second(s)		

Projects_Communications - Testcases

#	Description	Elapsed	Status
13	callTestCase(findTestCase("Communications_Projects/VerifyJobs - 2nd Workspace"), [:], STOP_ON_FAILURE)	0.144s	FAILED

Unable to call Test Case 'Test Cases/Communications_Projects/VerifyJobs - 2nd Workspace' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Communications_Projects/VerifyJobs - 2nd Workspace' failed
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin.
CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword
(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase
(CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute
(CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords.
groovy:334)
        at Projects_Communications - Testcases.run(Projects_Communications -
Testcases:40)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase
(TestSuiteExecutor.java:150)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:123)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
87)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown
Source)
        at TempTestSuite1565689740029.run(TempTestSuite1565689740029.groovy:35)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to navigate to
'http://192.168.1.97:8094/'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute
(NavigateToUrlKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:56)

| #	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:164)

at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords$navigateToUrl$34.call(Unknown Source)

at VerifyJobs - 2nd Workspace.run(VerifyJobs - 2nd Workspace:18)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

... 20 more

Caused by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()?

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'ROECR-L013', ip: '192.168.192.57', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'

Driver info: driver.version: CChromeDriver

at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:125)

at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)

at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)

at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 20)

at org.openqa.selenium.remote.RemoteWebDriver$RemoteTargetLocator.window (RemoteWebDriver.java:903)

at com.kms.katalon.core.webui.driver.DriverFactory.switchToAvailableWindow (DriverFactory.java:819)

at com.kms.katalon.core.webui.driver.DriverFactory.verifyWebDriver (DriverFactory.java:702)

at com.kms.katalon.core.webui.driver.DriverFactory.getWebDriver(DriverFactory. java:685)

at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:80)

at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)

at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)

... 35 more

)

Search - Testcases

Information

ID	Test Cases/TESTCASE COLLECTIONS/Search - Testcases
Description	
Tag	Search

Start	2019-08-13 12:53:57	End	2019-08-13 12:54:37
Elapsed	40.078s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Sysadmin Portal/Configure_Search"), ["EnvName":"QaTest", "Username":"Ere"], STOP_ON_FAILURE)	15.867s	PASSED

Call Test Case 'Test Cases/Sysadmin Portal/Configure_Search' successfully

#	Description	Elapsed	Status
2	delay(2)	2.003s	PASSED

Delayed 2 second(s)

#	Description	Elapsed	Status
3	callTestCase(findTestCase("Search/Search"), [:], STOP_ON_FAILURE)	22.106s	PASSED

Call Test Case 'Test Cases/Search/Search' successfully