Safety Data Sheet

Stop Mildew – mould & mildew preventative pouches

Version 1.0
Date of issue: 21 October 2026
Prepared to SANS 10234 (GHS)

1. Identification

Product name	Stop Mildew – the positive scientific mould & mildew preventative
Product form	Solid in draw-string pouches, sold in boxes of 24
Recommended use	Mildew inhibitor for closed storage spaces: closets, wardrobes, trunks, lockers, bookcases, boat hatches, gun and ammunition cases, cellars and attics
Uses advised against	Food storage, refrigerators and food containers; storing film or plastic articles; open or occupied living spaces
Supplier	Stop Mildew, a division of SAVAL Trading (Pty) Ltd 5 The Orchards, Augusta Country Estate, 88 Ashley Drive, Gillitts, KZN 3610, South Africa
Telephone	Office 087 378 1604 · Cell 079 085 4684
Email / web	richard@stopmildew.co.za · stopmildew.co.za
Emergency telephone	**Poison Information Helpline: 0861 555 777 (24 hours)** · Emergency services: 112 from a mobile

2. Hazard identification

Signal word

DANGER



GHS02 Flammable · **GHS05** Corrosive · **GHS07** Harmful / irritant · **GHS08** Health hazard

GHS classification	Hazard statement
Flammable solid, Cat. 2	H228 Flammable solid
Acute toxicity (oral), Cat. 4	H302 Harmful if swallowed
Acute toxicity (inhalation), Cat. 4	H332 Harmful if inhaled
Skin irritation, Cat. 2	H315 Causes skin irritation
Serious eye damage, Cat. 1	H318 Causes serious eye damage
Skin sensitisation, Cat. 1	H317 May cause an allergic skin reaction
Germ cell mutagenicity, Cat. 2	H341 Suspected of causing genetic defects
Carcinogenicity, Cat. 1B	H350 May cause cancer
STOT single exposure, Cat. 3	H335 May cause respiratory irritation
Acute aquatic hazard, Cat. 3	H402 Harmful to aquatic life

Precautionary statements

- P102 Keep out of reach of children.

- P201 Obtain special instructions before use.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing dust or vapour. Do not open or cut the pouch.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves and eye protection when handling loose product.
- P301+P312 IF SWALLOWED: call a Poison Information Centre or doctor if you feel unwell.
- P305+P351+P338+P310 IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a Poison Information Centre or doctor.
- P308+P313 IF exposed or concerned: get medical advice.
- P405 Store locked up.
- P501 Dispose of contents and container in line with local regulations.

Other hazards: the product releases formaldehyde vapour, which has a sharp, pungent smell and irritates the eyes, nose and throat.

Context for these hazards: the classifications above describe the raw paraformaldehyde itself. The main risk, including the cancer and genetic-defect classifications, comes from breathing formaldehyde vapour or dust repeatedly over long periods. That mainly concerns workers handling loose product, for example when filling pouches from bulk bags. Sealed pouches used as directed in closed cupboards, lockers and cases, and aired out before you work in the space (Section 7), keep exposure low.

3. Composition

Ingredient	CAS no.	Concentration	Classification
Paraformaldehyde (technical grade, 92%)	30525-89-4	100% of pouch contents	Flam. Sol. 2; Acute Tox. 4 (oral, inhalation); Skin Irrit. 2; Eye Dam. 1; Skin Sens. 1; Muta. 2; Carc. 1B; STOT SE 3; Aquatic Acute 3

The pouch holds the raw material as supplied, with nothing added. The grade is 92% paraformaldehyde; the remainder is water from manufacture.

4. First-aid measures

In every case, show this sheet to the doctor. Poison Information Helpline: **0861 555 777**.

Inhaled	Move to fresh air and keep at rest. If breathing is difficult or irritation continues, get medical attention.
Skin	Remove contaminated clothing. Wash skin with plenty of soap and water. If a rash or irritation develops, get medical advice.
Eyes	Rinse immediately with water for at least 15 minutes, holding the eyelids open. Remove contact lenses if easy to do. Get medical attention immediately.
Swallowed	Rinse the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Main symptoms: irritation of the eyes, nose, throat and airways; coughing; skin redness; possible allergic skin reaction. Eye contact can cause serious damage.

Note to doctor: treat symptomatically. The product releases formaldehyde.

5. Fire-fighting measures

- **Extinguishing media:** water spray, alcohol-resistant foam, dry chemical powder or carbon dioxide.

- **Specific hazards:** flammable solid. In a fire it releases formaldehyde gas and carbon oxides. Fine dust may form explosive mixtures with air.
- **Advice for fire-fighters:** wear self-contained breathing apparatus and full protective clothing. Keep containers cool with water spray. Keep run-off water out of drains and waterways.

6. Accidental release measures

- **Personal precautions:** ventilate the area. Avoid breathing dust or vapour. Wear gloves and eye protection. Remove ignition sources.
- **Environmental precautions:** do not let the product enter drains, soil or waterways.
- **Clean-up:** sweep or scoop up spilled material without raising dust, using non-sparking tools. Place it in a closed, labelled container for disposal (Section 13). Wash the area with water afterwards and ventilate well.
- **Damaged pouches:** place them in a sealed plastic bag and dispose of them as in Section 13.

7. Handling and storage

Safe use (consumers)

1. Use only in closed storage spaces, at 28 g of product for every 2.9 m^3. Keep doors and lids shut.
2. Do not open, cut or empty the pouch.
3. Garments must be completely dry before exposure.
4. Before working in a treated space, remove the pouch and air the space with the door open for several hours.
5. Not for storing film or plastic articles. Never place in refrigerators or food containers.
6. Keep out of reach of children and pets. Wash hands after handling.

Storage (trade and warehouse)

- Keep in the original closed packaging in a cool, dry, well-ventilated place.
- Keep away from heat, sparks, open flames and direct sunlight. No smoking.
- Store away from food, drink and animal feed, and away from strong acids, bases, amines and oxidising agents.
- Store locked up, out of reach of children.

8. Exposure controls and personal protection

Occupational exposure limit	Formaldehyde: see the Regulations for Hazardous Chemical Agents, 2021 (Annexure 2). For reference, ACGIH TLV: 0.1 ppm (8-hour TWA), 0.3 ppm (15-minute STEL).
Engineering controls	General ventilation where packs are stored or packed. Local exhaust ventilation when handling loose product during filling.
Eye protection	Safety goggles when handling loose product.
Hand protection	Nitrile or butyl rubber gloves when handling loose product or damaged pouches.
Respiratory protection	Not needed for normal use of closed pouches. When filling or cleaning spills: a respirator with a formaldehyde-rated filter.
Hygiene	Do not eat, drink or smoke while handling. Wash hands after handling.

Intact pouches used as directed need no personal protective equipment.

9. Physical and chemical properties

Values are for paraformaldehyde, the active ingredient.

Appearance	White solid

Odour	Sharp, pungent (formaldehyde)
Melting point	120–170 °C (decomposes)
Flash point	Not applicable
Flammability	Flammable solid
Solubility in water	Slowly soluble; breaks down to formaldehyde
Vapour	Slowly releases formaldehyde gas at room temperature (this is how the product works)

10. Stability and reactivity

- **Stability:** stable in closed packaging under normal storage conditions. Slowly releases formaldehyde.
- **Conditions to avoid:** heat, flames, sparks, moisture and raising dust.
- **Incompatible materials:** strong acids, bases, amines and strong oxidising agents. Violent reactions are possible.
- **Hazardous decomposition products:** formaldehyde and carbon oxides.

11. Toxicological information

Effect	Data (paraformaldehyde)
Acute oral toxicity	LD50 800 mg/kg (rat)
Acute inhalation toxicity	LC50 1.07 mg/l, 4 h (rat, dust/mist)
Acute dermal toxicity	LD50 10 000 mg/kg (rabbit)
Skin	Irritating; may cause an allergic skin reaction
Eyes	Causes serious eye damage
Respiratory	Vapour irritates the nose, throat and airways
Germ cell mutagenicity	Suspected of causing genetic defects (Cat. 2)
Carcinogenicity	May cause cancer (Cat. 1B). Formaldehyde, which the product releases, is classified by IARC as carcinogenic to humans (Group 1).

Context: the carcinogenicity and mutagenicity classifications relate mainly to repeated, long-term breathing of formaldehyde vapour, as can happen at work when handling loose product. Using sealed pouches as directed, keeping the space closed and airing it before you work in it (Section 7) keeps exposure low.

12. Ecological information

- Harmful to aquatic life (acute Cat. 3).
- Formaldehyde breaks down readily in the environment and is not expected to build up in living organisms.
- Do not release into drains, soil or waterways.

13. Disposal

- **Consumers:** put used or damaged pouches in a sealed plastic bag and dispose of them as your municipality requires for household hazardous waste. Do not burn them or put them down a drain.
- **Trade and bulk quantities:** dispose of them through a licensed hazardous-waste contractor, under the National Environmental Management: Waste Act 59 of 2008.
- **Packaging:** empty boxes may be recycled if they are not contaminated.

14. Transport information

UN number	UN 2213
Proper shipping name	PARAFORMALDEHYDE
Hazard class	4.1 (flammable solid)
Packing group	III
Road transport (South Africa)	SANS 10228 and SANS 10229
Marine pollutant	No

15. Regulatory information

- Occupational Health and Safety Act 85 of 1993, and the Regulations for Hazardous Chemical Agents, 2021.
- SANS 10234: classification and labelling of chemicals (GHS).
- Hazardous Substances Act 15 of 1973.

16. Other information

Prepared by	Stop Mildew, a division of SAVAL Trading (Pty) Ltd
Version	1.0, 21 October 2026

Abbreviations: GHS = Globally Harmonized System; LD50/LC50 = dose or concentration fatal to 50% of test animals; TWA = time-weighted average; STEL = short-term exposure limit; IARC = International Agency for Research on Cancer.

The information in this sheet is based on current knowledge and is given in good faith. It describes the product's safety requirements and does not guarantee its properties. Users must make sure the product suits their purpose and follow all applicable laws.