Cleardeals Odoo HRMS — Entity Relationship Diagram

PostgreSQL 17 · database odoo_hrms_db · Odoo 19 · employee master, document vault, document templates and recruitment · 20 tables · 616 columns · IE (Crow's Foot) notation
Generated from the live production schema · PK = primary key, FK = foreign key, U = unique, N = nullable

Legend — IE (Crow's Foot) notation	
PK	primary key
FK	foreign key (enforced by the database)
U	unique constraint
N	nullable
‖ —	exactly one → many (mandatory FK)
○—	zero or one → many (nullable FK)
Subsystems	
■	employee master & org structure
■	employee document vault
■	document template manager
■	recruitment pipeline
■	Odoo framework (boundary)
Column ownership	
□	column declared by **hr_employee_cleardeals**
□	column declared by **document_template_manager**
□	column declared by **oh_employee_documents_expiry**
□	column declared by **hr_employee_updation**
□	column declared by **custom_recruitment_fix**
Notes	
• Column tint marks the module that declared the field. Untinted columns are stock Odoo 19.	
• hr.employee carries 63 columns declared by hr_employee_cleardeals — Indian statutory identifiers, banking detail, issued assets and the onboarding document slots exposed by the HR API.	
• Odoo 19 has no hr_contract table. Contract and salary data live on hr_version, which versions a single employee over time.	



document_category
template category · self-parenting hierarchy

PK	id	integer
	sequence	integer N
	color	integer N
FK	parent_id	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	name	jsonb
	create_date	timestamp N
	write_date	timestamp N

document_template
HTML template with {{variable}} placeholders · renders to PDF

PK	id	integer
FK	category_id	integer N
	variable_count	integer N
FK	company_id	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	name	varchar
	summary	text N
	html_content	text N
	has_pdf	boolean N
	active	boolean N
	favorite	boolean N
	create_date	timestamp N
	write_date	timestamp N
	print_mode	varchar
	header_html	text N
	show_header	boolean N
	margin_top	float8 N
	margin_bottom	float8 N
	margin_left	float8 N
	margin_right	float8 N

document_template_variable
typed placeholder definition · one row per {{variable}}

PK	id	integer
FK	template_id	integer
	sequence	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	name	varchar
	label	varchar
	variable_type	varchar
	default_value	varchar N
	selection_options	varchar N
	required	boolean N
	create_date	timestamp N
	write_date	timestamp N

document_tag_document_template_rel
template ⇄ tag

PK	**document_template_id**	integer
PK	**document_tag_id**	integer

document_tag
free-form template label

PK	id	integer
	color	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	name	jsonb
	create_date	timestamp N
	write_date	timestamp N

hr_employee
employee master · 63 of its columns come from hr_employee_cleardeals

PK	id	integer	FK	saturday_location_id	integer N
FK	resource_id	integer	FK	sunday_location_id	integer N
FK	company_id	integer		today_location_name	varchar N
FK	message_main_attachment_id	integer N		hourly_cost	numeric N
FK	current_version_id	integer N		personal_mobile	varchar N
FK	user_id	integer N		joining_date	date N
FK	work_contact_id	integer N		id_expiry_date	date N
FK	country_of_birth	integer N		passport_expiry_date	date N
FK	parent_id	integer N		resign_date	date N
FK	coach_id	integer N		resigned	boolean N
	color	integer N		fired	boolean N
FK	create_uid	integer N		cibil_score	integer N
FK	write_uid	integer N		employee_id	varchar N
	name	varchar N		employee_status	varchar
	work_phone	varchar N		blood_group	varchar N
	mobile_phone	varchar N		emergency_contact_relationship	varchar N
	work_email	varchar N		pan_number	varchar(10) N
	legal_name	varchar N		passport_photo_filename	varchar N
	private_phone	varchar N		bank_name	varchar N
	private_email	varchar N		bank_acc_number	varchar N
	lang	varchar N		ifsc_code	varchar N
	place_of_birth	varchar N		account_type	varchar N
	permit_no	varchar N		name_as_per_bank	varchar N
	visa_no	varchar N		bank_document_type	varchar N
	certificate	varchar N		bank_document_filename	varchar N
	study_field	varchar N		relieving_letter_filename	varchar N
	study_school	varchar N		experience_letter_filename	varchar N
	emergency_contact	varchar N		salary_slip_1_filename	varchar N
	emergency_phone	varchar N		salary_slip_2_filename	varchar N
	barcode	varchar N		salary_slip_3_filename	varchar N
	pin	varchar N		resume_doc_filename	varchar N
	private_car_plate	varchar N		offer_letter_filename	varchar N
	birthday	date N		appointment_letter_filename	varchar N
	visa_expire	date N		bond_document_filename	varchar N
	work_permit_expiration_date	date N		contract_document_filename	varchar N
	salary_distribution	jsonb N		nda_document_filename	varchar N
	employee_properties	jsonb N		address_proof_type	varchar N
	active	boolean N		address_proof_filename	varchar N
	birthday_public_display	boolean N		passport_doc_filename	varchar N
	work_permit_scheduled_activity	boolean N		pan_card_doc_filename	varchar N
	create_date	timestamp N		appraisal_doc_filename	varchar N
	write_date	timestamp N		increment_letter_filename	varchar N
FK	attendance_manager_id	integer N		notice_period_doc_filename	varchar N
FK	last_attendance_id	integer N		date_of_joining	date N
	last_check_in	timestamp N		current_address	text N
	last_check_out	timestamp N		education_background	text N
FK	expense_manager_id	integer N		skill_set_summary	text N
FK	leave_manager_id	integer N		asset_laptop	boolean N
FK	monday_location_id	integer N		asset_sim	boolean N
FK	tuesday_location_id	integer N		asset_phone	boolean N
FK	wednesday_location_id	integer N		asset_pc	boolean N
FK	thursday_location_id	integer N		asset_physical_id	boolean N
FK	friday_location_id	integer N		same_as_permanent	boolean N

U (barcode)
U (user_id, company_id)

hr_employee_family
dependant / family member records · EMPTY IN PRODUCTION

PK	id	integer
FK	employee_id	integer N
FK	relation_id	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	member_name	varchar N
	member_contact	varchar N
	birth_date	date N
	create_date	timestamp N
	write_date	timestamp N

hr_department
org unit · parent_path materialised hierarchy

PK	id	integer
FK	company_id	integer N
FK	parent_id	integer N
FK	manager_id	integer N
	color	integer N
FK	master_department_id	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	parent_path	varchar N
	name	jsonb
	note	text N
	active	boolean N
	create_date	timestamp N
	write_date	timestamp N

hr_job
job position · shared by employee master and recruitment

PK	id	integer
	sequence	integer N
	no_of_recruitment	integer N
FK	user_id	integer N
FK	department_id	integer N
FK	company_id	integer N
FK	contract_type_id	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	name	jsonb
	description	text N
	requirements	text N
	active	boolean N
	create_date	timestamp N
	write_date	timestamp N
FK	alias_id	integer
FK	address_id	integer N
FK	manager_id	integer N
	color	integer N
FK	industry_id	integer N
FK	expected_degree	integer N
	no_of_hired_employee	integer N
	job_properties	jsonb N
	applicant_properties_definition	jsonb N
FK	survey_id	integer N

U (name, company_id, department_id)

hr_version
contract / job version history · Odoo 19 replaces hr.contract with this

PK	id	integer		marital	varchar
FK	company_id	integer N		spouse_complete_name	varchar N
FK	employee_id	integer N		employee_type	varchar
FK	last_modified_uid	integer		job_title	varchar N
FK	country_id	integer N		date_version	date
FK	private_state_id	integer N		passport_expiration_date	date N
FK	private_country_id	integer N		spouse_birthdate	date N
	distance_home_work	integer N		departure_date	date N
	km_home_work	integer N		contract_date_start	date N
	children	integer N		contract_date_end	date N
FK	department_id	integer N		trial_date_end	date N
FK	job_id	integer N		departure_description	text N
FK	address_id	integer N		additional_note	text N
FK	work_location_id	integer N		wage	numeric N
FK	departure_reason_id	integer N		active	boolean N
FK	resource_calendar_id	integer N		is_custom_job_title	boolean N
FK	contract_template_id	integer N		is_flexible	boolean N
FK	structure_type_id	integer N		is_fully_flexible	boolean N
FK	contract_type_id	integer N		last_modified_date	timestamp
FK	hr_responsible_id	integer		create_date	timestamp N
FK	create_uid	integer N		write_date	timestamp N
FK	write_uid	integer N	FK	ruleset_id	integer N
	name	varchar N	FK	struct_id	integer N
	identification_id	varchar N		schedule_pay	varchar N
	ssnid	varchar N		hra	numeric N
	passport_id	varchar N		travel_allowance	numeric N
	sex	varchar N		da	numeric N
	private_street	varchar N		meal_allowance	numeric N
	private_street2	varchar N		medical_allowance	numeric N
	private_city	varchar N		other_allowance	numeric N
	private_zip	varchar N	FK	analytic_account_id	integer N
	distance_home_work_unit	varchar	FK	journal_id	integer N

hr_recruitment_stage
pipeline stage

PK	id	integer
	sequence	integer N
FK	template_id	integer N
	rotting_threshold_days	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	name	jsonb
	legend_blocked	jsonb
	legend_waiting	jsonb
	legend_done	jsonb
	legend_normal	jsonb
	requirements	text N
	fold	boolean N
	hired_stage	boolean N
	create_date	timestamp N
	write_date	timestamp N

hr_applicant_refuse_reason
rejection reason · drives the refusal mail that custom_recruitment_fix patches

PK	id	integer
	sequence	integer N
FK	template_id	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	name	jsonb
	active	boolean N
	create_date	timestamp N
	write_date	timestamp N

hr_applicant
job application · the busiest table in scope

PK	id	integer		partner_name	varchar N
FK	campaign_id	integer N		email_from	varchar(128) N
FK	source_id	integer N		partner_phone	varchar(32) N
FK	medium_id	integer N		partner_phone_sanitized	varchar N
	message_bounce	integer N		linkedin_profile	varchar N
FK	message_main_attachment_id	integer N		priority	varchar N
	sequence	integer N		salary_proposed_extra	varchar N
FK	partner_id	integer N		salary_expected_extra	varchar N
FK	type_id	integer N		kanban_state	varchar
	color	integer N		availability	date N
FK	employee_id	integer N		applicant_properties	jsonb N
FK	stage_id	integer N		applicant_notes	text N
FK	last_stage_id	integer N		active	boolean N
FK	company_id	integer N		create_date	timestamp N
FK	user_id	integer N		date_closed	timestamp N
FK	job_id	integer N		date_open	timestamp N
FK	department_id	integer N		date_last_stage_update	timestamp N
FK	refuse_reason_id	integer N		refuse_date	timestamp N
FK	pool_applicant_id	integer N		write_date	timestamp N
FK	create_uid	integer N		probability	float8 N
FK	write_uid	integer N		salary_proposed	float8 N
	phone_sanitized	varchar N		salary_expected	float8 N
	email_normalized	varchar N		delay_close	float8 N
	email_cc	varchar N			

res_partner
contact record · backs employees, companies and applicants · 6 of 73 columns shown

PK	id	integer
	name	varchar N
	email	varchar N
	phone	varchar N
FK	company_id	integer N
FK	parent_id	integer N

res_users
login user · create_uid / write_uid on every table · 5 of 26 columns shown

PK	id	integer
	login	varchar
FK	partner_id	integer
FK	company_id	integer
	active	boolean N

U (login)

ir_attachment
binary store · files behind vault documents and generated PDFs · 7 of 22 columns shown

PK	id	integer
	name	varchar
	res_model	varchar N
	res_id	integer N
	mimetype	varchar N
	file_size	integer N
	store_fname	varchar N

res_company
company · multi-company boundary (2 rows) · 5 of 131 columns shown

PK	id	integer
	name	varchar
FK	partner_id	integer
FK	parent_id	integer N
FK	currency_id	integer

U (name)

document_type
vault document classification

PK	id	integer
FK	create_uid	integer N
FK	write_uid	integer N
	name	varchar
	create_date	timestamp N
	write_date	timestamp N

hr_employee_document
document vault record · one row per issued document, with expiry

PK	id	integer
FK	employee_ref_id	integer N
FK	document_type_id	integer N
	before_days	integer N
FK	create_uid	integer N
FK	write_uid	integer N
	name	varchar
	notification_type	varchar N
	expiry_date	date N
	issue_date	date N
	description	text N
	create_date	timestamp N
	write_date	timestamp N

doc_attach_rel
vault record ⇄ attachment

PK	**doc_id**	integer
PK	**attach_id3**	integer