


Square Yards → Cleardeals

Lead Webhook — Integration Guide

Audience: Square Yards engineering team
Purpose: Push real-time buyer leads from Square Yards into the Cleardeals CRM.
Status: Ready for integration. The endpoint is live once Cleardeals provisions your API key.

1. Overview

When a buyer submits an enquiry on a Cleardeals property listed on Square Yards, Square Yards sends that lead to Cleardeals via a single HTTPS `POST` request. Cleardeals creates the lead, matches it to the property, and assigns it to the right Relationship Manager (RM) automatically.



2. Endpoint

Property	Value
Method	POST
Production URL	https://<PROD_HOST>/api/v1/squareyards_webhook
Content-Type	application/json

The exact `PROD_HOST` value is shared with you separately by the Cleardeals team along with your API key.

3. Authentication

Every request must include a shared secret in the `apikey` HTTP header:

```
apikey: <YOUR_SHARED_SECRET>
```

- The secret is provisioned by Cleardeals and delivered to you out-of-band (not in this document). Treat it as a credential.
- Requests with a missing or wrong key are rejected with `401`.
- If Cleardeals has not yet configured the integration on their side, requests return `503` — in that case, retry later or contact Cleardeals.
- Key rotation: contact your Cleardeals technical contact (Section 9). A rotated key takes effect immediately; coordinate the switch to avoid a gap.

4. Request schema

Two kinds of leads are supported. **Only `mobile` and `propertyId` are required** in both; everything else is optional.

Field	Type	Required	Notes
mobile	string	Yes	Buyer's mobile number. 10-digit Indian, or +91-prefixed — both accepted.
propertyId	string	Yes	Square Yards' internal listing ID. The key Cleardeals uses to match the lead to the property. See Section 5.
name	string	No	Buyer's name. Absent for WhatsApp-button leads — Cleardeals stores a default name in that case.
email	string	No	Buyer's email.
source	string	No	Constant "SquareYards". Informational; Cleardeals tags the source regardless.
projectName	string	No	Project / society name.
cityName	string	No	Stored for reference.
sublocalityName	string	No	Stored for reference.
propertyTypeName	string	No	e.g. Apartment. Stored for reference.
unitType	string	No	e.g. 3bhk. Stored for reference.
availArea	number	No	Stored for reference.
totalPrice	number	No	Stored for reference.
listingType	string	No	rent or sale. Stored for reference.

Two lead flows (for context):

- **Standard form lead** — includes `name`, `mobile`, `email`, `propertyId`.
- **WhatsApp-button lead** — includes only `mobile` and `propertyId` (no name/email).

All fields not explicitly consumed are stored verbatim by Cleardeals for reference, so sending extra/unknown fields is safe (they are ignored, never rejected).

Note — which ID to send. Your upload API lets a partner store their own property identifier (a "Unique PID", e.g. the Cleardeals website's ID) against a listing. Cleardeals currently onboards its Square Yards listings **manually**, so **no Cleardeals Unique PID is stored against them** — the only identifier that exists is **Square Yards' own listing ID**. Send that Square Yards listing ID in `propertyId`; that is the value Cleardeals registers and matches on. Do **not** send a Unique PID. (If Cleardeals moves to API-based uploads later and a Unique PID is stored, we will revisit this guidance.)

5. How property matching works

`propertyId` must be the **same listing ID Cleardeals has registered for that property under the "SquareYards" portal**. When it matches, the lead is linked to the property and assigned to that property's RM. When it does not match (or the property has not been registered yet), the lead is still accepted and routed to a default fallback RM — no lead is ever dropped.

6. Sample requests

Standard form lead:

```
curl -X POST "https://<PROD_HOST>/api/v1/squareyards_webhook" \
-H "Content-Type: application/json" \
-H "apikey: <YOUR_SHARED_SECRET>" \
-d '{
  "name": "Sy User",
  "mobile": "9876543210",
  "email": "sy.user@example.com",
  "source": "SquareYards",
  "projectName": "DLF",
  "cityName": "Gurgaon",
  "sublocalityName": "Sector 55",
  "propertyTypeName": "Apartment",
  "unitType": "3bhk",
  "availArea": 100,
  "totalPrice": 50000,
  "listingType": "rent",
  "propertyId": "123456"
}'
```

WhatsApp-button lead (minimal):

```
curl -X POST "https://<PROD_HOST>/api/v1/squareyards_webhook" \
-H "Content-Type: application/json" \
-H "apikey: <YOUR_SHARED_SECRET>" \
-d '{
  "mobile": "9876543210",
  "propertyId": "123456",
  "source": "SquareYards"
}'
```

7. Responses

The response body is plain text; **rely on the HTTP status code**.

Status	Meaning	Your action
200	Lead accepted. Also returned for a duplicate lead (silently de-duplicated).	Treat as success.
400	Missing a required field (<code>mobile</code> / <code>propertyId</code>) or malformed JSON.	Fix the payload; do not retry unchanged.
401	Missing or wrong <code>apikey</code> .	Check the credential; do not retry unchanged.
405	Wrong HTTP method (must be <code>POST</code>).	Use <code>POST</code> .
503	Integration not yet configured on the Cleardeals side.	Retry later / contact Cleardeals.
5xx	Temporary server error.	Retry with backoff (Section 8).

Sample success (200):

```
Success: Lead punched in the CRM
```

Sample validation error (400):

```
Failed to push lead: Missing required fields.
```

8. Idempotency & retries

- **Duplicates are safe.** If you resend the same lead (same mobile + same property within the suppression window), Cleardeals de-duplicates it and still returns `200`. Re-sending never creates a duplicate lead.
- **Retry only on 5xx and network errors**, using exponential backoff (e.g. 1s, 5s, 30s). Because duplicates are de-duplicated, a retry after an uncertain outcome is safe.
- **Do not retry 400 / 401** without changing the request — the outcome will be identical.

9. Contacts & change log

Cleardeals technical contact: Nirat Patel / tech@cleardeals.in

Date	Version	Change
2026-07-01	1.0	Initial integration guide.