

Overview.

This is a personal finance tracker, built using C.  
It it barebones run in the terminal.

Here are the commands.

### On launch

You must use **make** in the folder of the file, and **make clean** to clean up all residual runs of it.

```
Welcome to your Personal Finance Tracker!

Would you like to resume your previous session? (y/n): y

Resuming from last session...
Previous transactions loaded.

Current Balance: -$39995.00
Budget Status: Over Budget!

Enter command: █
```

Entering y will read from the transaction logs.txt

Entering n will begin a new node without reading and parsing any of the transaction logs.

### add income

asks you for an income description, a dollar amount, and a specific index position. It inserts a positive financial transaction into your list and updates your net balance.

```
Current Balance: -$39995.00
Budget Status: Over Budget!

Enter command: ls

Enter command: add income
Enter income description: money form praying
Enter amount: 10000
Insert at position (Enter 0 to append to end): 0
INC added.

Current Balance: -$29995.00
Budget Status: Over Budget!

Enter command: print
[ Transactions ]
1. Freelance Project      +250.00    (saved)
2. Phone Bill             -45.00    (saved)
3. Salary                 +1200.00  (saved)
4. Internet Bill         -50.00    (saved)
5. Rent                   -800.00   (saved)
6. Groceries              -150.00   (saved)
7. Car Payment            -400.00   (saved)
8. oh no                  -40000.00 (saved)
9. money form praying     +10000.00 (new)
```

### add expense

Asks you for an expense description, a dollar amount, and an index position. It inserts a negative financial transaction to deduct funds from your tracking balance.

```
Enter command: add expense
Enter expense description: oh no
Enter amount: 10000
Insert at position (Enter 0 to append to end): 0
EXP added.
```

```
Current Balance: -$39995.00
Budget Status: Over Budget!
```

```
Enter command: print
[ Transactions ]
1. Freelance Project      +250.00      (saved)
2. Phone Bill             -45.00      (saved)
3. Salary                 +1200.00     (saved)
4. Internet Bill          -50.00      (saved)
5. Rent                   -800.00     (saved)
6. Groceries              -150.00     (saved)
7. Car Payment            -400.00     (saved)
8. oh no                  -40000.00   (saved)
9. money form praying     +10000.00   (new)
10. oh no                 -10000.00   (new)
```

**For both income and expense, you are able to press 0 in the position to append the transaction to the end of the list!**

### print

Shows the user what transactions have been logged.

This includes the description, type, and amount.

It will also show when the user has marked a transaction for deletion with —

And inserted a transaction in the middle of the list shown with +++i

Appended new ones are marked as (new) and

Old, saved transactions are marked as (saved)

```
Enter command: add expense
Enter expense description: sanwitched money
Enter amount: 5
Insert at position (Enter 0 to append to end): 5
EXP added at position 5.
```

```
Current Balance: -$40000.00
Budget Status: Over Budget!
```

```
Enter command: print
[ Transactions ]
1. Freelance Project      +250.00      (saved)
2. Phone Bill             -45.00       (saved)
3. Salary                 +1200.00     (saved)
4. Internet Bill          -50.00       (saved)
5. sanwitched money       -5.00        +++ i
6. Rent                   -800.00      (saved)
7. Groceries              -150.00      (saved)
8. Car Payment            -400.00      (saved)
9. oh no                  -40000.00    (saved)
10. money form praying    +10000.00    (new)
11. oh no                 -10000.00    (new)
```

## Delete

Marks the transaction for deletion. On save, that node will be ignored, therefore deleting it upon open, given that the **quit** command was used to exit the progrm.

```
Enter command: delete
position to delete: 6
Transaction at position 6 marked for deletion
```

```
Current Balance: -$39200.00
Budget Status: Over Budget!
```

```
Enter command: print
[ Transactions ]
1. Freelance Project      +250.00      (saved)
2. Phone Bill             -45.00       (saved)
3. Salary                 +1200.00     (saved)
4. Internet Bill          -50.00       (saved)
5. sanwitched money       -5.00        +++ i
6. Rent                   -800.00      --- d
7. Groceries              -150.00      (saved)
8. Car Payment            -400.00      (saved)
9. oh no                  -40000.00    (saved)
10. money form praying    +10000.00    (new)
11. oh no                 -10000.00    (new)
```

## Quit

This exits the program. It saves all relevant transactions into the correct format in a transaction\_log.txt file (which is parsed/interpreted in and out during the running of the program, very cool :D).

```
Enter command: quit
Data saved successfully. Quitting program.
[clementgandossi@Clements-MacBook-Pro 6680002-ICCS121-A2 % ./release/fintrack
Welcome to your Personal Finance Tracker!
```

```
Would you like to resume your previous session? (y/n): y
```

```
Resuming from last session...
Previous transactions loaded.
```

```
Current Balance: -$39200.00
Budget Status: Over Budget!
```

```
Enter command: print
[ Transactions ]
1. Freelance Project      +250.00    (saved)
2. Phone Bill             -45.00    (saved)
3. Salary                 +1200.00   (saved)
4. Internet Bill          -50.00    (saved)
5. sanwitched money       -5.00     (saved)
6. Groceries              -150.00   (saved)
7. Car Payment            -400.00   (saved)
8. oh no                  -40000.00 (saved)
9. money form praying     +10000.00 (saved)
10. oh no                 -10000.00 (saved)
```

```
Enter command: █
```