

Not Waterproof. Submersible.

Sealed silicone, end to end. No seams, no glued joints, no ingress path. Every Orenara system is rated IP68 across the strip, connectors and end caps — built for pool edges, water features and coastal exposure, and cut to your measured lengths before it leaves us.

IP68 END TO END — strip, connectors and end caps all rated

NO FIELD JOINS — factory-sealed runs, cut to length

2-YEAR SUBMERGED WARRANTY

Pool Perimeter - East Village, Level 21

Stevie Strano

South Brisbane, QLD

stevie.strano@anthonyjohnsgroup.com.au

0411495661

PART NO	DESCRIPTION	QTY	UNIT
OR-STRIP-24V-TBC	Factory-sealed submersible run — North Edge, 12m	12.00	1/m
OR-STRIP-24V-TBC	Factory-sealed submersible run — South Edge, 12m	12.00	1/m
OR-STRIP-24V-TBC	Factory-sealed submersible run — Left Wall, 5.5m	5.50	1/m
OR-STRIP-24V-TBC	Factory-sealed submersible run — Right Wall, 5.5m	5.50	1/m
OR-DRV-150W	Driver — Mean Well IP67, 0-10V dimmable, one per run - each side independently serviceable	4.00	ea
OR-CON-IP68	IP68 connector and end cap set	4.00	set
OR-PLG-240V	Mains plug — 240V	4.00	ea
OR-CHN-SS	Option — marine-grade stainless recessed channel, full perimeter: +\$740 ex GST if existing channel is not reusable	35.00	ea

SYSTEM PRICE **\$5,940 ex GST**

Valid until 31 July 2026

Every system is built to order — allow up to 20 business days from order confirmation.

ORENARA

TERMS

Every system is built to order — allow up to 20 business days from order confirmation.

System warranty: 2 years (submerged application)

50% deposit on confirmation, balance before dispatch.

Supply only. Installation by the customer's licensed electrician. Every run arrives sealed, tested and labelled per zone.

Quote valid 14 days from issue.