

# Your Reports Summary

This is an overview of your 23andMe reports. It provides brief descriptions of your results but does not provide detailed information that may be important for understanding your results. 23andMe reports do not include all possible variants or account for other factors related to these conditions and traits.

Log into your 23andMe account for more details about each of your results. **If you have concerns about your results, talk to a healthcare professional.**



## Health Predisposition Reports 50+ reports available

Genetic factors that may influence your chances of developing certain health conditions. **Consider talking to a healthcare professional if you have a personal or family history of one of these conditions or have concerns about your results.**

Our reports do not include all possible genetic variants that could affect these conditions. Other factors can also affect your risk of developing these conditions, including lifestyle, environment, and family history.

|                                                 |                                                |
|-------------------------------------------------|------------------------------------------------|
| Age-Related Macular Degeneration                | Variant detected, not likely at increased risk |
| Celiac Disease                                  | Slightly increased risk                        |
| Gestational Diabetes                            | Increased likelihood                           |
| Hashimoto's Disease                             | Increased likelihood                           |
| High Blood Pressure                             | Increased likelihood                           |
| Lupus                                           | Increased likelihood                           |
| Nonalcoholic Fatty Liver Disease                | Increased likelihood                           |
| Restless Legs Syndrome                          | Increased likelihood                           |
| Skin Cancer (Melanoma)                          | Increased likelihood                           |
| Alpha-1 Antitrypsin Deficiency                  | Variants not detected                          |
| Anxiety                                         | Typical likelihood                             |
| Asthma                                          | Typical likelihood                             |
| Atrial Fibrillation                             | Typical likelihood                             |
| Attention-Deficit/Hyperactivity Disorder (ADHD) | Typical likelihood                             |
| Breast Cancer                                   |                                                |
| BRCA1/BRCA2 (Selected Variants)                 | Variants not detected                          |
| Breast Cancer (Powered by 23andMe Research)     | Typical likelihood                             |
| Chronic Kidney Disease (APOL1-Related)          | Variants not detected                          |
| Colorectal Cancer                               |                                                |
| MUTYH-Associated Polyposis                      | Variants not detected                          |
| Colorectal Cancer (Powered by 23andMe Research) | Typical likelihood                             |
| Coronary Artery Disease                         | Typical likelihood                             |

|                                                  |                       |
|--------------------------------------------------|-----------------------|
| Depression                                       | Typical likelihood    |
| Diverticulitis                                   | Typical likelihood    |
| Eczema (Atopic Dermatitis)                       | Typical likelihood    |
| Familial Hypercholesterolemia                    | Variants not detected |
| Fibromyalgia                                     | Typical likelihood    |
| G6PD Deficiency                                  | Variants not detected |
| Gallstones                                       | Typical likelihood    |
| Glaucoma                                         | Typical likelihood    |
| Gout                                             | Typical likelihood    |
| HDL Cholesterol                                  | Typical likelihood    |
| Hereditary Amyloidosis (TTR-Related)             | Variants not detected |
| Hereditary Hemochromatosis (HFE-Related)         | Variants not detected |
| Hereditary Prostate Cancer (HOXB13-Related)      | Variant not detected  |
| Hereditary Thrombophilia                         | Variants not detected |
| Insomnia                                         | Typical likelihood    |
| Irritable Bowel Syndrome                         | Typical likelihood    |
| Kidney Stones                                    | Typical likelihood    |
| LDL Cholesterol                                  | Typical likelihood    |
| Late-Onset Alzheimer's Disease                   | Variant not detected  |
| Migraine                                         | Typical likelihood    |
| Obstructive Sleep Apnea                          | Typical likelihood    |
| Panic Attacks                                    | Typical likelihood    |
| Parkinson's Disease                              | Variants not detected |
| Polycystic Ovary Syndrome                        | Typical likelihood    |
| Preeclampsia                                     | Typical likelihood    |
| Psoriasis                                        | Typical likelihood    |
| Rosacea                                          | Typical likelihood    |
| Severe Acne                                      | Typical likelihood    |
| Skin Cancer (Basal and Squamous Cell Carcinomas) | Typical likelihood    |
| Triglycerides                                    | Typical likelihood    |
| Type 2 Diabetes                                  | Typical likelihood    |
| Uterine Fibroids                                 | Typical likelihood    |

Learn whether you have specific genetic variants that may influence how your body processes certain medications. **Please talk to a healthcare professional if you are interested in learning more about how DNA variants may impact processing of some medications, or if you have concerns about your results.**

|                                        |                                         |
|----------------------------------------|-----------------------------------------|
| <b>SLCO1B1 Drug Transport</b>          | <b>Predicted decreased function</b>     |
| <b>Simvastatin (Flolipid®, Zocor®)</b> | <b>Increased chance of side effects</b> |
| <b>CYP2C19 Drug Metabolism</b>         | <b>Predicted normal metabolizer</b>     |
| <b>Citalopram (Celexa®)</b>            | <b>Likely typical response</b>          |
| <b>Clopidogrel (Plavix®)</b>           | <b>Likely typical response</b>          |
| <b>DPYD Drug Metabolism</b>            | <b>Predicted normal metabolizer</b>     |

Learn whether you have specific genetic variants that may not affect your health, but could affect your children's health. **Consider talking to a healthcare professional before making any major lifestyle changes or if you have any concerns about your results.**

If you see "Variant not detected" for a Carrier Status report, it means you're not a carrier of the tested variant(s). Keep in mind that while our Carrier Status reports cover many variants, they don't include all possible variants associated with each condition. **So it's still possible to be a carrier of a variant not included in our test.**

|                                                                     |                             |
|---------------------------------------------------------------------|-----------------------------|
| <b>ARSACS</b>                                                       | <b>Variant not detected</b> |
| <b>Agenesis of the Corpus Callosum with Peripheral Neuropathy</b>   | <b>Variant not detected</b> |
| <b>Autosomal Recessive Polycystic Kidney Disease</b>                | <b>Variant not detected</b> |
| <b>Beta Thalassemia and Related Hemoglobinopathies</b>              | <b>Variant not detected</b> |
| <b>Bloom Syndrome</b>                                               | <b>Variant not detected</b> |
| <b>Canavan Disease</b>                                              | <b>Variant not detected</b> |
| <b>Congenital Disorder of Glycosylation Type 1a (PMM2-CDG)</b>      | <b>Variant not detected</b> |
| <b>Cystic Fibrosis</b>                                              | <b>Variant not detected</b> |
| <b>D-Bifunctional Protein Deficiency</b>                            | <b>Variant not detected</b> |
| <b>Dihydrolipoamide Dehydrogenase Deficiency</b>                    | <b>Variant not detected</b> |
| <b>Familial Dysautonomia</b>                                        | <b>Variant not detected</b> |
| <b>Familial Hyperinsulinism (ABCC8-Related)</b>                     | <b>Variant not detected</b> |
| <b>Familial Mediterranean Fever</b>                                 | <b>Variant not detected</b> |
| <b>Fanconi Anemia Group C</b>                                       | <b>Variant not detected</b> |
| <b>GRACILE Syndrome</b>                                             | <b>Variant not detected</b> |
| <b>Gaucher Disease Type 1</b>                                       | <b>Variant not detected</b> |
| <b>Glycogen Storage Disease Type Ia</b>                             | <b>Variant not detected</b> |
| <b>Glycogen Storage Disease Type Ib</b>                             | <b>Variant not detected</b> |
| <b>Hereditary Fructose Intolerance</b>                              | <b>Variant not detected</b> |
| <b>Leigh Syndrome, French Canadian Type</b>                         | <b>Variant not detected</b> |
| <b>Limb-Girdle Muscular Dystrophy Type 2D</b>                       | <b>Variant not detected</b> |
| <b>Limb-Girdle Muscular Dystrophy Type 2E</b>                       | <b>Variant not detected</b> |
| <b>Limb-Girdle Muscular Dystrophy Type 2I</b>                       | <b>Variant not detected</b> |
| <b>MCAD Deficiency</b>                                              | <b>Variant not detected</b> |
| <b>Maple Syrup Urine Disease Type 1B</b>                            | <b>Variant not detected</b> |
| <b>Mucopolidosis Type IV</b>                                        | <b>Variant not detected</b> |
| <b>Neuronal Ceroid Lipofuscinosis (CLN5-Related)</b>                | <b>Variant not detected</b> |
| <b>Neuronal Ceroid Lipofuscinosis (PPT1-Related)</b>                | <b>Variant not detected</b> |
| <b>Niemann-Pick Disease Type A</b>                                  | <b>Variant not detected</b> |
| <b>Nijmegen Breakage Syndrome</b>                                   | <b>Variant not detected</b> |
| <b>Nonsyndromic Hearing Loss and Deafness, DFNB1 (GJB2-Related)</b> | <b>Variant not detected</b> |

|                                                           |                      |
|-----------------------------------------------------------|----------------------|
| Pendred Syndrome and DFNB4 Hearing Loss (SLC26A4-Related) | Variant not detected |
| Phenylketonuria and Related Disorders                     | Variant not detected |
| Pompe Disease                                             | Variant not detected |
| Primary Hyperoxaluria Type 2                              | Variant not detected |
| Pyruvate Kinase Deficiency                                | Variant not detected |
| Rhizomelic Chondrodysplasia Punctata Type 1               | Variant not detected |
| Salla Disease                                             | Variant not detected |
| Severe Junctional Epidermolysis Bullosa (LAMB3-Related)   | Variant not detected |
| Sickle Cell Anemia                                        | Variant not detected |
| Sjögren-Larsson Syndrome                                  | Variant not detected |
| Tay-Sachs Disease                                         | Variant not detected |
| Tyrosinemia Type I                                        | Variant not detected |
| Usher Syndrome Type 1F                                    | Variant not detected |
| Usher Syndrome Type 3A                                    | Variant not detected |
| Zellweger Spectrum Disorder (PEX1-Related)                | Variant not detected |

 **Wellness Reports** 12+ reports available

Find out how your DNA may affect your body's response to diet, exercise, and sleep. **Consider talking to a healthcare professional before making any major lifestyle changes or if you have any concerns about your results.**

|                          |                                        |
|--------------------------|----------------------------------------|
| Alcohol Flush Reaction   | Unlikely to flush                      |
| Caffeine Consumption     | Likely to consume less                 |
| Cat Allergy              | Typical likelihood                     |
| Deep Sleep               | Less likely to be a deep sleeper       |
| Dog Allergy              | Typical likelihood                     |
| Muscle Composition       | Common in elite power athletes         |
| Nearsightedness          | Typical likelihood                     |
| Seasonal Allergies       | Typical likelihood                     |
| Sleep Movement           | Likely average or less movement        |
| Genetic Weight           | Predisposed to weigh less than average |
| Lactose Intolerance      | Likely tolerant                        |
| Saturated Fat and Weight | Likely similar weight                  |

Discover the story of your ancient ancestors, your origins, and your ancestral background.

## Ancestry Composition

|                                          |                                                         |
|------------------------------------------|---------------------------------------------------------|
| <b>European</b>                          | <b>55.9%</b>                                            |
| <b>Southern European</b>                 | <b>55.2%</b>                                            |
| Spanish & Portuguese                     | 53.4%                                                   |
| Broadly Southern European                | 1.8%                                                    |
| Ashkenazi Jewish                         | 0.3%                                                    |
| Broadly European                         | 0.4%                                                    |
| <b>Indigenous American</b>               | <b>37.5%</b>                                            |
| Indigenous American                      | 37.5%                                                   |
| <b>Sub-Saharan African</b>               | <b>3.0%</b>                                             |
| West African                             | 1.9%                                                    |
| Senegambian & Guinean                    | 1.5%                                                    |
| Nigerian                                 | 0.4%                                                    |
| Congolesse & Southern East African       | 0.9%                                                    |
| Angolan & Congolesse                     | 0.9%                                                    |
| Northern East African                    | 0.2%                                                    |
| Sudanese                                 | 0.2%                                                    |
| <b>Western Asian &amp; North African</b> | <b>1.4%</b>                                             |
| North African                            | 0.6%                                                    |
| Arab, Egyptian & Levantine               | 0.5%                                                    |
| Egyptian                                 | 0.4%                                                    |
| Broadly Arab, Egyptian & Levantine       | 0.1%                                                    |
| Broadly Western Asian & North African    | 0.3%                                                    |
| <b>Central &amp; South Asian</b>         | <b>0.2%</b>                                             |
| Broadly Central & South Asian            | 0.2%                                                    |
| <b>East Asian</b>                        | <b>0.2%</b>                                             |
| Broadly East Asian                       | 0.2%                                                    |
| <b>Unassigned</b>                        | <b>1.8%</b>                                             |
| <b>Maternal Haplogroup</b>               | <b>A2g</b>                                              |
| <b>Neanderthal Ancestry</b>              | <b>Fewer Neanderthal variants than 67% of customers</b> |
| <b>Paternal Haplogroup</b>               | <b>See report</b>                                       |



Explore the genetics behind your appearance and senses.

|                                |                                                             |
|--------------------------------|-------------------------------------------------------------|
| Ability to Match Musical Pitch | About a 50/50 chance of being able to match a musical pitch |
| Asparagus Odor Detection       | Likely can smell                                            |
| Bitter Taste                   | Likely can taste                                            |
| Bunions                        | Less likely than average to have had a bunion               |
| Cheek Dimples                  | Likely no dimples                                           |
| Cilantro Taste Aversion        | Odds of disliking cilantro not increased                    |
| Cleft Chin                     | Likely no cleft chin                                        |
| Dandruff                       | About a 50/50 chance of getting dandruff                    |
| Earlobe Type                   | Likely detached earlobes                                    |
| Earwax Type                    | Likely wet earwax                                           |
| Eye Color                      | Likely brown or hazel eyes                                  |
| Fear of Heights                | More likely than average to be afraid of heights            |
| Fear of Public Speaking        | More likely to have a fear of public speaking               |
| Finger Length Ratio            | Likely index finger longer                                  |
| Flat Feet                      | Less likely than average to have flat feet                  |
| Freckles                       | Likely little freckling                                     |
| Hair Photobleaching            | More likely to experience hair photobleaching               |
| Hair Texture                   | Likely straight or wavy                                     |
| Hair Thickness                 | More likely to have thick hair                              |
| Ice Cream Flavor Preference    | More likely to prefer chocolate over vanilla ice cream      |
| Light or Dark Hair             | Likely dark                                                 |
| Misophonia                     | More likely to hate chewing sounds                          |
| Mosquito Bite Frequency        | Likely bitten more often than others                        |
| Motion Sickness                | More likely to experience motion sickness                   |
| Newborn Hair                   | Likely little baby hair                                     |
| Photic Sneeze Reflex           | Likely no photic sneeze reflex                              |
| Red Hair                       | Likely no red hair                                          |
| Skin Pigmentation              | Likely lighter skin                                         |
| Stretch Marks                  | More likely to have stretch marks                           |
| Sweet vs. Salty                | Likely prefers salty                                        |
| Toe Length Ratio               | Likely big toe longer                                       |
| Unibrow                        | Likely at least a little unibrow                            |
| Wake-Up Time                   | Likely to wake up around 9:04 am                            |
| Widow's Peak                   | Likely no widow's peak                                      |

