

MUNGUIA-FLORES, HANNAH

DOB: 08/19/1995 | Sex: F | Specimen: WC768033P | Report Status: FINAL / SEE REPORT |
Collected Date: 04/02/2024 16:16



POST COVID-19 EXPANDED PANEL FINAL

Result

Ferritin 28
Desired Range: 16-154 ng/mL

TSH W/REFLEX TO FT4 1.50
Unit of Measure: mIU/L

Reference Range

> or = 20 Years 0.40-4.50

Pregnancy Ranges

First trimester 0.26-2.66

Second trimester 0.55-2.73

Third trimester 0.43-2.91

C-REACTIVE PROTEIN 5.9
Desired Range: <8.0 mg/L

▲ VITAMIN B12 1439 HIGH
Desired Range: 200-1100 pg/mL

Complete Blood Count (CBC)

Result

White Blood Cell Count 6.5
Desired Range: 3.8-10.8 Thousand/uL

Red Blood Cell Count 4.18
Desired Range: 3.80-5.10 Million/uL

▲ Hemoglobin 11.5 LOW
Desired Range: 11.7-15.5 g/dL

Hematocrit 35.1
Desired Range: 35.0-45.0 %

Mean RBC Volume 84.0
Desired Range: 80.0-100.0 fL

Mean RBC Iron 27.5
Desired Range: 27.0-33.0 pg

Mean RBC Iron Concentration 32.8
Desired Range: 32.0-36.0 g/dL

▲ RBC Distribution Width 15.5 HIGH
Desired Range: 11.0-15.0 %

Platelets 353
Desired Range: 140-400 Thousand/uL

MPV 10.5
Desired Range: 7.5-12.5 fL

Absolute Neutrophils 2756
Desired Range: 1500-7800 cells/uL

Absolute Lymphocytes	3165.5
Desired Range: 850-3900 cells/uL	

Absolute Monocytes	488
Desired Range: 200-950 cells/uL	

Absolute Eosinophils	20
Desired Range: 15-500 cells/uL	

Absolute Basophils	72
Desired Range: 0-200 cells/uL	

BASIC METABOLIC PANEL

	Result
Glucose (Blood Sugar)	86
Desired Range: 65-139 mg/dL	
Non-fasting reference interval	

Urea Nitrogen (BUN)	8
Desired Range: 7-25 mg/dL	

Creatinine	0.66
Desired Range: 0.50-0.96 mg/dL	

EGFR	122
Desired Range: > OR = 60 mL/min/1.73m2	

BUN/Creatinine Ratio	SEE NOTE:
Desired Range: 6-22 (calc)	
Not Reported: BUN and Creatinine are within reference range.	

 Sodium	133 LOW
Desired Range: 135-146 mmol/L	

Potassium	3.9
Desired Range: 3.5-5.3 mmol/L	

Chloride	99
Desired Range: 98-110 mmol/L	

Carbon Dioxide	26
Desired Range: 20-32 mmol/L	

Calcium	9.2
Desired Range: 8.6-10.2 mg/dL	

HEPATIC FUNCTION PANEL

	Result
Protein, Total	7.6
Desired Range: 6.1-8.1 g/dL	

Albumin	4.2
Desired Range: 3.6-5.1 g/dL	

Globulin	3.4
Desired Range: 1.9-3.7 g/dL (calc)	

Albumin/Globulin Ratio	1.2
Desired Range: 1.0-2.5 (calc)	

Bilirubin, Total Desired Range: 0.2-1.2 mg/dL	0.2
BILIRUBIN, DIRECT Desired Range: < OR = 0.2 mg/dL	0.0
BILIRUBIN, INDIRECT Desired Range: 0.2-1.2 mg/dL (calc)	0.2
Alkaline Phosphatase Desired Range: 31-125 U/L	43
Aspartate Aminotransferase Desired Range: 10-30 U/L	19
Alanine Aminotransferase Desired Range: 6-29 U/L	21

Urine Analysis

	Result
Color Desired Result: YELLOW	DARK YELLOW
Appearance Desired Result: CLEAR	CLEAR
Specific Gravity Desired Range: 1.001-1.035	1.024
 pH Desired Range: 5.0-8.0	8.5 HIGH
Glucose (Blood Sugar) Desired Result: NEGATIVE	NEGATIVE
Bilirubin Desired Result: NEGATIVE	NEGATIVE
Ketones Desired Result: NEGATIVE	NEGATIVE
Occult Blood Desired Result: NEGATIVE	NEGATIVE
Protein Desired Result: NEGATIVE	NEGATIVE
Nitrite Desired Result: NEGATIVE	NEGATIVE
Leukocyte Esterase Desired Result: NEGATIVE	NEGATIVE
WBC Desired Range: < OR = 5 /HPF	NONE SEEN
RBC Desired Range: < OR = 2 /HPF	NONE SEEN
Squamous Epithelial Cells Desired Range: < OR = 5 /HPF	0-5

Bacteria

Desired Range: NONE SEEN /HPF

NONE SEEN

Hyaline Cast

Desired Range: NONE SEEN /LPF

NONE SEEN

Note

This urine was analyzed for the presence of WBC, RBC, bacteria, casts, and other formed elements. Only those elements seen were reported.

Vitamin D**Result****Vitamin D,25**

55

Desired Range: 30-100 ng/mL

Vitamin D Status 25-OH Vitamin D:

Deficiency: <20 ng/mL

Insufficiency: 20 - 29 ng/mL

Optimal: > or = 30 ng/mL

For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).

COMMENT

See Note 1

VITAMIN DEFICIENCY PANEL, VEGETARIAN

FINAL

Result**Calcium**

9.2

Desired Range: 8.6-10.2 mg/dL

IODINE, SERUM/PLASMA

67

Desired Range: 52-109 mcg/L

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Iron, Total

84

Desired Range: 40-190 mcg/dL

VITAMIN B1 (THIAMINE), BLOOD, LC/MS/MS

Test Not Performed

Unit of Measure: nmol/L

TEST NOT PERFORMED

Test cancelled for reorder purposes.

VITAMIN B12

1439 HIGH

Desired Range: 200-1100 pg/mL

VITAMIN B6, PLASMA

8.7

Desired Range: 2.1-21.7 ng/mL

Vitamin supplementation within 24 hours prior to blood draw may affect the accuracy of the results.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

▲ ZINC

37 LOW

Desired Range: 60-130 mcg/dL

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

OMEGA 3 AND 6 FATTY ACIDS

Result

OMEGA 3 (EPA+DHA) INDEX

2.8

Desired Range: 1.4-4.9 %

Risk: Optimal > 3.2%; Moderate 2.2-3.2%; High < 2.2%

Cardiovascular event risk category cut points for Omega3 index (optimal, moderate, high) are based on quartiles of adult U.S reference population. Association between Omega3 index and cardiovascular events is based on Albert et al. NEJM. 2002;346:1113.

RISK

Moderate

The Omega-3 Index is associated with a moderate risk of cardiovascular disease because it is in the central two population quartiles. The Omega-3 Index categories are based on the top (75th percentile) and bottom (25th percentile) quartiles of the reference population. Consumption of foods high in omega-3 fatty acids (EPA and DHA) or supplements containing omega-3 fatty acids can increase the Omega-3 Index.

Index <2.2: High
Index 2.2-3.2: Moderate
Index >3.2: Optimal

OMEGA 6/OMEGA 3 RATIO

6.9

Desired Range: 5.7-21.3

EPA/ARACHIDONIC ACID RATIO

0.1

Desired Range: 0.2 OR LESS

▲ ARACHIDONIC ACID

4.0 LOW

Desired Range: 5.2-12.9 %

EPA

0.4

Desired Range: 0.2-1.5 %

DHA2.4

Desired Range: 1.2-3.9 %

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Vitamin D

		Result
Vitamin D,25		55
Desired Range: 30-100 ng/mL		
Vitamin D Status	25-OH Vitamin D:	
Deficiency:	<20 ng/mL	
Insufficiency:	20 - 29 ng/mL	
Optimal:	> or = 30 ng/mL	
For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).		

COMMENT

See Note 1

Note 1

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ199> (This link is being provided for informational/ educational purposes only.)

! PFAS (FOREVER CHEMICALS) 9 PANEL FINAL

		Result
! NASEM Recommended Summation		3.85
Unit of Measure: ng/mL		
MeFOSAA		NOT DETECTED
Desired Range: <0.1 ng/mL		
PFHxS		0.89
Desired Range: <0.1 ng/mL		
Linear PFOA (n PFOA)		1.45
Desired Range: <0.1 ng/mL		
Branched PFOA (Sb PFOA)		NOT DETECTED
Desired Range: <0.1 ng/mL		
PFDA		NOT DETECTED
Desired Range: <0.1 ng/mL		
PFUnDA		NOT DETECTED
Desired Range: <0.1 ng/mL		
Linear PFOS (n PFOS)		0.60
Desired Range: <0.1 ng/mL		
Branched PFOS (Sm PFOS)		0.43
Desired Range: <0.1 ng/mL		
PFNA		0.20
Desired Range: <0.1 ng/mL		

PFAS 9-Panel Comments:

Polyfluorinated alkyl substances (PFAS) are man-made forever chemicals used in industry and consumer products. They have been used in nonstick cookware, water-repellent clothing, stain resistant fabrics and carpets, and some cosmetics and firefighting foams. PFAS do not break down.

For additional information, please refer to <https://www.questdiagnostics.com/faq295>
(This link is being provided for informational/educational purposes only .)

The National Academies of Science, Engineering, and Medicine (NASEM) Guidance on PFAS Exposure, Testing and Clinical Follow-up (2022) report (NASEM Report) recommends the following guidance related to calculating a sum concentration of these 9 PFAS compounds: MeFOSAA, PFHxS, PFOA (linear and branched isomers), PFDA, PFUnDA, PFOS (linear and branched isomers), and PFNA. The NASEM Recommended Summation is composed of the sum of the results for each PFAS compound and also includes a 0.07 ng/mL value assigned by NASEM for PFAS analytes that were not detected because they were below the assay's 0.1 ng/mL cutoff. This approach aligns with the CDC-NHANES study, median population results below. This test does not identify all PFAS in existence. For more information, see NASEM Report.

NASEM health risk assessment based on the NASEM Recommended Summation:

< 2 ng/mL	Risk of adverse health effects related to PFAS are not expected
2 - 20 ng/mL	Potential risk of PFAS-related adverse health effects, especially in sensitive populations
> 20 ng/mL	Increased risk of PFAS-related adverse health effects

For more clinical guidance information please see NASEM guidance report "Guidance on PFAS Exposure, Testing, and Clinical Follow-Up," Figure S-6. The guidance provided by NASEM is not a substitute for medical consultation.

CDC-NHANES US population medians (2017-2018, n=1929)

MeFOSAA	0.1 ng/mL
PFHxS	1.1 ng/mL
Linear n-PFOA	1.3 ng/mL
Branched Sb-PFOA	0.07 ng/mL
PFDA	0.2 ng/mL
PFUnDA	0.1 ng/mL
Linear n-PFOS	3.0 ng/mL
Branched Sm-PFOS	1.2 ng/mL
PFNA	0.4 ng/mL

NASEM Recommended Summation Median 7.47 ng/mL

Reference: National Academies of Sciences, Engineering, and Medicine 2022. Guidance on PFAS Exposure, Testing, and Clinical Follow-Up. Washington, DC: The National Academies Press. <https://doi.org/10.17226/26156>.

This testing is for medical treatment only. Analysis was performed as non-forensic testing and these results should be used only by healthcare providers to render diagnosis or treatment, or to monitor progress of medical conditions.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant

to the CLIA regulations and is used for clinical purposes.

Healthcare Providers needing Interpretation assistance, please contact us at 1.877.40.RXTOX (1.877.407.9869) M-F, 8am to 10pm EST

VITAMIN B1 (THIAMINE), SERUM/PLASMA, LC/MS/MS FINAL

Result

VITAMIN B1 (THIAMINE), SERUM/PLASMA, LC/MS/MS

18

Desired Range: 8-30 nmol/L

Vitamin supplementation within 24 hours prior to blood draw may affect the accuracy of the results.

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute Chantilly, VA. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

ANTI-MULLERIAN HORMONE (AMH), FEMALE FINAL

Result

ANTI-MULLERIAN HORMONE (AMH), FEMALE

2.64

Desired Range: 0.69-13.39 ng/mL

SICKLE CELL SCREEN W/REFL HEMOGLOBINOPATHY EVAL

FINAL

Result

SICKLE CELL SCREEN

NEGATIVE

Desired Result: NEGATIVE

Hemoglobin solubility testing alone is insufficient for detecting or confirming the presence of sickling hemoglobins in some situations. Additional testing may be required for diagnosis of hemoglobinopathies.

For additional information, please refer to <http://education.questdiagnostics.com/faq/FAQ99v1> (This link is being provided for informational/educational purposes only.)

Hepatitis C with Confirmation FINAL

Result

Hepatitis C Virus Ab

NON-REACTIVE

Desired Result: NON-REACTIVE

HCV antibody was non-reactive. There is no laboratory evidence of HCV infection.

In most cases, no further action is required. However, if recent HCV exposure is suspected, a test for HCV RNA (test code 35645) is suggested.

For additional information please refer to <http://education.questdiagnostics.com/faq/FAQ22v1> (This link is being provided for informational/ educational purposes only.)

H. pylori Screen (Breath Tek) FINAL

Result

H. pylori, Urea Breath Test

Desired Result: NOT DETECTED

NOT DETECTED

Antimicrobials, proton pump inhibitors, and bismuth preparations are known to suppress H. pylori, and ingestion of these prior to H. pylori diagnostic testing may lead to false negative results. If clinically indicated, the test may be repeated on a new specimen obtained two weeks after discontinuing treatment. However, a positive result is still clinically valid.

Stress and Nutrition Antioxidant Screen FINAL

F2-ISOPROSTANE

Unit of Measure: ng/mL

1.07

CREATININE, URINE

Desired Range: 20-275 mg/dL

173

F2-ISOPROSTANE/CREAT RATIO

Desired Range: <0.86 ng/mg Creat

0.62

Elevated urinary F2-Isoprostanes are associated with an increased relative risk of coronary heart disease (CHD) (1). (Reference: 1-Schwedhelm et al. Circulation. 2004; 109: 843-848). This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Cardiometabolic Center of Excellence at Cleveland HeartLab. It has not been cleared or approved by the U.S. Food and Drug Administration. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Next Steps

Still Have Questions?

Contact the PWNHealth care coordination team to schedule a session with a physician to discuss your results.
Monday - Friday / 9:00am - 5:30pm EST, Phone: (855) 205-6146

Performing Lab

Z4M Cleveland HeartLab Inc.-Cleveland HeartLab Inc., 6701 Carnegie Ave, Suite 500, Cleveland, OH 44103-4623 Laboratory Director: Sami Albeiroti PhD,DABCC
NL1 Quest Diagnostics LLC-Quest Diagnostics LLC, 200 Forest St, Marlborough, MA 01752-3023 Laboratory Director: Salim E Kabawat M.D.
AMD Quest Diagnostics/Nichols Chantilly-Chantilly VA, 14225 Newbrook Dr, Chantilly, VA 20151-2228 Laboratory Director: Patrick W Mason M.D.,PhD
EZ Quest Diagnostics/Nichols SJC-San Juan Capistrano,, 33608 Ortega Hwy, San Juan Capistrano, CA 92675-2042 Laboratory Director: Irina Maramica MD,PhD,MBA

Ordering Physician

TRUONG,HONG
PWN HEALTH, (888) 362-4321

Key:

▲ Out of Range * ⚠ Warning (Please refer to your result) PEND Pending Result PRE Preliminary Result FINAL Final Result RE Reissued Result

* Refers to a result that is outside of the provided normal range.

To feel fully empowered to make healthy decisions based on your test results, it is recommended that you discuss them with a health care provider. Please note, our patient service centers or laboratories do not have your full medical story to provide you with an interpretation or diagnosis.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. © 2022 Quest Diagnostics Incorporated. All rights reserved.