DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Civil Topography & GPS Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the GPS equipment for reading topography.		
Attachments			

Inspection

1.1 Verify the software version is current and any/all diagnostics have been performed to ensure the tool is in working condition as designed.	**Pass / Fail / N/A**
1.2 Verify the software is not corrupted and is functional.	**Pass / Fail / N/A**
1.3 Verify the readings have been cross-examined against a separate GPS platform.	**Pass / Fail / N/A**
1.4 Verify any/all calibration certifications with matching serial numbers have been submitted to DEPCOM and are current.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Construction Entrance Installation Inspection Report (Aggregate)

Type	Quality	**Trade**	Civil
Description	This inspection report covers the aggregate installation portion of the construction entrance.		
Attachments			

Inspection

1.1 Verify the road configuration is per design.	**Pass / Fail / N/A**
1.2 Verify the correct aggregate is installed, and rock tickets have been submitted to DEPCOM. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.3 Verify the aggregate thickness is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.4 Verify the final road elevation per design.	**Pass / Fail / N/A**
1.5 Verify the road crests are per design and draining is mitigated correctly.	**Pass / Fail / N/A**
1.6 Verify the road has passed proof roll testing with the correct testing setup.	**Pass / Fail / N/A**
1.7 Verify the compaction tests have met or exceeded the compaction requirement. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.8 Verify stabilization has been applied.	**Pass / Fail / N/A**
1.9 Verify FODs devices are installed per design.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Construction Entrance Installation Inspection Report (Subgrade)

Type	Quality	**Trade**	Civil
Description	This inspection report covers the installation of the subgrade portion for the construction entrance to a project.		
Attachments			

Inspection

1.1 Verify the road configuration is per design.	**Pass / Fail / N/A**
1.2 Verify the length of the construction entrance is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.3 Verify the subgrade conforms to the local DOT specifications.	**Pass / Fail / N/A**
1.4 Verify the subgrade is placed in lifts no greater than 12"	**Pass / Fail / N/A**
1.5 Verify the apron of the entrance radius is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.6 Verify the road elevation per design.	**Pass / Fail / N/A**
1.7 Verify the road width is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.8 Verify the road cut depth is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.9 Verify the road has passed proof roll testing with the correct testing setup. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.10 Verify any/all culverts involved with the road are installed correctly, at the correct elevations, and have the supporting documentation on file.	**Pass / Fail / N/A**
1.11 Verify the geotextile fabric is installed in the correct locations per design.	**Pass / Fail / N/A**
1.12 Verify the geotextile fabric is properly secured to the subgrade.	**Pass / Fail / N/A**
1.13 Verify the geotextile is free of any voids.	**Pass / Fail / N/A**

1.14 Verify the geotextile fabric has at least 2" of overlap.	**Pass / Fail / N/A**
1.15 Verify the compaction tests are compliant per design and have been submitted to DEPCOM.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: CRAFS Fence Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the verification of materials and installation quality for the CRAFS fence.		
Attachments			

CRAFS Fence Installation

1.1 Verify the material to be installed is free from damage prior to installation. **Pass / Fail / N/A**

1.2 Verify the service life of the material is good and date to be replaced is identified. **Pass / Fail / N/A**

1.3 Verify CRAFS fence is perpendicular to the flow direction per design. **Pass / Fail / N/A**

1.4 Verify the apron is facing upstream per design. **Pass / Fail / N/A**

1.5 Verify metal poles are within the sleeves and fabric is pulled taught per design. **Pass / Fail / N/A**

1.6 Verify trench dimensions per design.
Details: Dimensions in details:
Pass / Fail / N/A

1.7 Verify toe-in dimensions of the apron are per design.
Details: Dimensions in details:
Pass / Fail / N/A

1.8 Verify backfill of the apron is per design.
Details: Dimensions in details:
Pass / Fail / N/A

1.9 Verify structure stone within fence per design.
Details: Dimensions in details:
Pass / Fail / N/A

1.10 Verify metal poles have safety caps installed per design. **Pass / Fail / N/A**

1.11 Verify disturbed ground from installation is stabilized per design. **Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Culvert Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection covers the installation of a Culvert.		
Attachments			

Inspection

1.1 Verify the material to be installed is free from damage prior to installation	**Pass / Fail / N/A**
1.2 Verify correct material and dimensions are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.3 Verify the trench depth is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.4 Verify the bedding material and thickness are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.5 Verify if working in permitted wetland impact area , follow permit, notifications and requirements.	**Pass / Fail / N/A**
1.6 Verify the culvert RCP/HDPE/CMP diameter per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.7 Verify the culvert RCP/HDPE/CMP length is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.8 Verify the inlet height & elevation is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.9 Verify the outlet height and elevation is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.10 Verify the backfill materials are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.11 Verify the compaction tests are within the acceptable tolerances and have been submitted to DEPCOM. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.12 Verify inlet protection measures are in place and are per design.	**Pass / Fail / N/A**
1.13 Verify outlet protection measures are in place and are per design.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Diversion Ditch Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection covers the installation of the Diversion Ditch.		
Attachments			

Inspection

1.1 Verify the diversion ditch length is per design.
Details: Dimensions in Details:
Pass / Fail / N/A

1.2 Verify the ditch slopes are per design, bladed or tracked correctly.
Details: Dimensions in Details:
Pass / Fail / N/A

1.3 Verify seed has been applied prior to the matting being anchored/stapled in. **Pass / Fail / N/A**

1.4 Verify the type of matting in the ditch is per design.
Details: Dimensions in Details:
Pass / Fail / N/A

1.5 Verify the type of matting is keyed in correctly per design. **Pass / Fail / N/A**

1.6 Verify the check dams are installed at the proper intervals per design.
Details: Dimensions in Details:
Pass / Fail / N/A

1.7 Verify erosion control requirements of keying in the blankets are installed per design and per state standards. **Pass / Fail / N/A**

1.8 Verify erosion control requirements of overlap of blankets are installed per design per state standards.
Details: Dimensions in Details:
Pass / Fail / N/A

1.9 Verify erosion control requirements of distance of staples of blankets are installed per design per state standards.
Details: Dimensions in Details:
Pass / Fail / N/A

1.10 Verify the upslope of the check dam is per design with the correct aggregate.
Details: Dimensions in Details:
Pass / Fail / N/A

1.11 Verify the top center and top side elevation of the check dam is below slope and per design. **Pass / Fail / N/A**

1.12 Verify the diversion ditch is free from any and all foreign debris. **Pass / Fail / N/A**

1.13 Verify final seeding is applied and seed tags have been submitted to DEPCOM. **Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Fiber Roll (waddle) Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection covers the installation of fiber rolls, also known as straw waddles.		
Attachments			

Inspection

1.1 Verify the material to be installed is free from damage prior to installation.	**Pass / Fail / N/A**
1.2 Verify the material matches project documentation (RFIs, material submittals). Details: Dimensions in Details:	**Pass / Fail / N/A**
1.3 Verify correct material and dimensions are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.4 Verify the trenches are per design.	**Pass / Fail / N/A**
1.5 Verify stake placement and spacings are per design.	**Pass / Fail / N/A**
1.6 Verify the stake/post dimensions are correct per design, per the type of stake.	**Pass / Fail / N/A**
1.7 Verify the fiber rolls are installed parallel to slope and per design.	**Pass / Fail / N/A**
1.8 Verify the ends of the rolls are turned upslope.	**Pass / Fail / N/A**
1.9 Verify the rolls are overlapped when multiple rolls are installed.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Foundation - Concrete Piers Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers concrete piers.		
Attachments			

Inspection

1.1 When applicable verify that the auger diameter and depth are per design.
Details: Dimensions in Details:
Pass / Fail / N/A

1.2 For formed-in-place concrete piers, verify the concrete pour per structure shall be continuous and without joints.
Pass / Fail / N/A

1.3 Verify the mix design is the approved.
Details: Dimensions in Details:
Pass / Fail / N/A

1.4 Verify the slump is per design and documented with pictures and concrete test report.
Details: Dimensions in Details:
Pass / Fail / N/A

1.5 Verify the air test is per design and documented with pictures and concrete test report.
Details: Dimensions in Details:
Pass / Fail / N/A

1.6 Verify the temperature test is per design and documented with pictures and concrete test report.
Details: Dimensions in Details:
Pass / Fail / N/A

1.7 Verify concrete vibration is utilized.
Pass / Fail / N/A

1.8 Verify the finish is per design.
Pass / Fail / N/A

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Foundation - PCS BESS Foundation - Steel Driven Piles/Helical Piles Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection covers the installation of steel driven piles/helical piles for a foundation including skirting when applicable.		
Attachments			

Inspection

1.1 Verify all welding and cutting shall be in conformance to the contract and shall be performed where and when the contract permits those activities. — **Pass / Fail / N/A**

1.2 Verify orientation is per design. — **Pass / Fail / N/A**

1.3 Verify the N/S and E/W plumbness is within tolerance. — **Pass / Fail / N/A**
Details: Dimensions in Details:

1.4 Verify the top of post elevation is within tolerance per design. — **Pass / Fail / N/A**
Details: Dimensions in Details:

Stone Skirting

2.1 Verify the stone skirting submittal is per design — **Pass / Fail / N/A**

2.2 Verify the height/depth of stone skirting around the pad is per design — **Pass / Fail / N/A**

2.3 Verify the stone skirt's width around the PCS is per design — **Pass / Fail / N/A**

2.4 Verify the slope of the stone skirt is per design — **Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Foundation - Post-Pour Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the activities after the pouring of concrete for a given foundation.		
Attachments			

Inspection

1.1 Verify forms have been removed and honeycombing of the concrete is not present.	**Pass / Fail / N/A**
1.2 Verify the area is free from all debris or materials.	**Pass / Fail / N/A**
1.3 Verify concrete break tests have been stored properly.	**Pass / Fail / N/A**
1.4 Verify the TOC finished surface is within the specified overall tolerance. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.5 Verify the batch tickets have been collected & documented.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Foundation - Pour Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers activates during the concrete pour of a foundation.		
Attachments			

Inspection

1.1 Verify time between separate concrete pours do not exceed specified intervals .	**Pass / Fail / N/A**
1.2 Verify the load test company is present or scheduled for pour if applicable.	**Pass / Fail / N/A**
1.3 Verify if ACI code for hot weather and cold weather concreting is needed.	**Pass / Fail / N/A**
1.4 Verify the mix design is the approved mix for application. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.5 Verify anti-oxidation is applied per drawing specifications and design if applicable.	**Pass / Fail / N/A**
1.6 Verify the slump is per design and documented with pictures and concrete test report. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.7 Verify the air test is per design and documented with pictures and concrete test report. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.8 Verify the temperature test is per design and documented with pictures and concrete test report. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.9 Verify concrete break test samples have been taken.	**Pass / Fail / N/A**
1.10 Verify concrete vibration follows best practices/industry standards	**Pass / Fail / N/A**
1.11 Verify all anchors and conduits are clean of concrete.	**Pass / Fail / N/A**
1.12 Verify the finish is as specified.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Foundation - Pre Pour Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers all inspection points for a foundation prior to pouring of approved concrete.		
Attachments			

Inspection

1.1 Verify the Conduit Rough-in checklist is complete and has passed, if applicable.	**Pass / Fail / N/A**
1.2 Verify any/all PCS anchors used are installed correctly and approved by the manufacturer, if applicable.	**Pass / Fail / N/A**
1.3 Verify PCS pad excavation is per design.	**Pass / Fail / N/A**
1.4 Verify the excavation's base compaction has been tested and approved, the report has been submitted to DEPCOM and approved. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.5 Verify the foundation forms are in line with the survey pins.	**Pass / Fail / N/A**
1.6 Verify foundation forms are correctly installed, complete, square, adequately supported, and stable.	**Pass / Fail / N/A**
1.7 Verify rebar spacing, height from grade and height from Top of Concrete (TOC) is per design Details: Dimensions in Details:	**Pass / Fail / N/A**
1.8 Verify the elevation of chamfer is correct and per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.9 Verify the grounding and terminations are prepared for following operations.	**Pass / Fail / N/A**
1.10 Verify the AHJ Building Inspector has approved rebar ground to PCS ground ring is applicable.	**Pass / Fail / N/A**
1.11 Verify the Top of Concrete (TOC) Pad Elevation was surveyed within the forms	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Permanent Fence & Gates Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the installation of the project's permanent fence and gates.		
Attachments			

Fence Inspection

1.1 Verify the line posts match the design specifications. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.2 Verify procedure for driving posts has been followed per design.	**Pass / Fail / N/A**
1.3 Verify the chain-link fence is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.4 Verify if there is a minimum fence clearance distance from ground per client or state requirements Details: Dimensions in Details:	**Pass / Fail / N/A**
1.5 Verify the tie wire is per design.	**Pass / Fail / N/A**
1.6 Verify the tension wire is per design.	**Pass / Fail / N/A**
1.7 Verify the barbed wire is per design.	**Pass / Fail / N/A**
1.8 Verify the stretcher bar is per design.	**Pass / Fail / N/A**
1.9 Verify the diagonal rod is per design.	**Pass / Fail / N/A**
1.10 Verify the fence corner post braces are per design.	**Pass / Fail / N/A**
1.11 Verify the line posts are equally spaced and per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.12 Verify the installed chain-link fence height is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.13 Verify all the post caps are installed per design.	**Pass / Fail / N/A**
1.14 Verify the concrete foundation PSI is compliant with design. Details: Dimensions in Details:	**Pass / Fail / N/A**

1.15 Post fence install, verify all fencing and associated materials have been removed from site.	**Pass / Fail / N/A**
1.16 Verify the post foundation concrete depth is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.17 Verify the concrete foundation diameter is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.18 Verify the corner, end, pull, and gate post concrete foundation diameter is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.19 Verify the bottom of post to bottom of concrete height is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.20 Verify the concrete post plunger anchor foundation depth is per design.	**Pass / Fail / N/A**
1.21 Verify the fence post foundation is left at final grade.	**Pass / Fail / N/A**
1.22 Verify the site identification signs and danger signs are installed.	**Pass / Fail / N/A**

Gate Inspection

2.1 Verify the gate frame matches the design specifications.	**Pass / Fail / N/A**
2.2 Verify the gate frame brace rail matches the design specifications. Details: Dimensions in Details:	**Pass / Fail / N/A**
2.3 Verify the gate posts match the design specifications. Details: Dimensions in Details:	**Pass / Fail / N/A**
2.4 Verify the double swing gate post gap distance matches the design specifications. Details: Dimensions in Details:	**Pass / Fail / N/A**
2.5 Verify the strong arm gate latch is installed per design.	**Pass / Fail / N/A**
2.6 Verify the gap between double swing panels is per design.	**Pass / Fail / N/A**
2.7 Verify the gate plunger rod is installed per design.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Project Road Installation Inspection Report (Aggregate)

Type	Quality	**Trade**	Civil
Description	This inspection report coverts the inspection of aggregate portion for project roads.		
Attachments			

Inspection

1.1 Verify the road configuration is per design.	**Pass / Fail / N/A**
1.2 Verify the correct aggregate is installed, and rock tickets have been submitted to DEPCOM. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.3 Verify the aggregate thickness is per design. Details: Dimensions In Details:	**Pass / Fail / N/A**
1.4 Verify the final road elevation is per design. Details: Dimensions In Details:	**Pass / Fail / N/A**
1.5 Verify the road crests in the center and draining is mitigated correctly.	**Pass / Fail / N/A**
1.6 Verify the road has passed proof roll testing with the correct testing setup.	**Pass / Fail / N/A**
1.7 Verify the compaction tests have met or exceeded the compaction requirement. Details: Dimensions In Details:	**Pass / Fail / N/A**
1.8 Verify stabilization has been applied.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Project Road Installation Inspection Report (Subgrade)

Type	Quality	**Trade**	Civil
Description	This inspection report covers the subgrade of a project road.		
Attachments			

Inspection

1.1 Verify the road configuration is per design.	**Pass / Fail / N/A**
1.2 Verify any/all culverts involved with the road are installed correctly, at the correct elevations, and have the supporting documentation on file.	**Pass / Fail / N/A**
1.3 Verify the road width is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.4 Verify the road elevation is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.5 Verify the road has passed proof roll testing with the correct testing setup. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.6 Verify verbal acceptance of compaction testing.	**Pass / Fail / N/A**
1.7 Verify compaction documentation transmittal expectations are understood and clear.	**Pass / Fail / N/A**
1.8 Verify the geotextile fabric is installed in the correct locations per design.	**Pass / Fail / N/A**
1.9 Verify the geotextile fabric is properly secured to the subgrade.	**Pass / Fail / N/A**
1.10 Verify the geotextile fabric has at least 2" of overlap.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Riser Installation Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the verification of procedures and installation quality for the Sediment Basin Riser.		
Attachments			

Riser Installation

1.1 Verify the Pre-Casted riser structure ID matches the Basin Number.	**Pass / Fail / N/A**
1.2 Verify the Riser structure is free of damage prior to install.	**Pass / Fail / N/A**
1.3 Verify the Riser rim elevation is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.4 Verify the RCP barrels are free of damage prior to install.	**Pass / Fail / N/A**
1.5 Verify the upper invert elevation is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.6 Verify the dewatering device is installed correctly and is per design.	**Pass / Fail / N/A**
1.7 Verify the riser outlet aggregate riprap is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.8 Verify the Riser outfall width is per design from the outlet pipe. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.9 Verify the Concrete cradle is installed per design.	**Pass / Fail / N/A**
1.10 Verify the side walls are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.11 Verify the concrete thickness from the side of the pipe to trench is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.12 Verify the top of concrete (TOC) elevation is per design	**Pass / Fail / N/A**
1.13 Verify the total quantity of the de-watering devices are installed correctly per design. Details: Dimensions in Details:	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Sediment Basin Conversion (Temporary to Permanent)

Type	Quality	**Trade**	Civil
Description	This inspection report covers the verification of procedures and quality for the process of converting a temporary Sediment Basin to permanent.		
Attachments			

Sediment Basin Conversion

1.1 Verify the lower orifice is plugged.	**Pass / Fail / N/A**
1.2 Verify the trash rack is installed.	**Pass / Fail / N/A**
1.3 Verify the upper orifice/dewatering device is plugged.	**Pass / Fail / N/A**
1.4 Verify the permanent orifice is plugged/sealed.	**Pass / Fail / N/A**
1.5 Verify the basin has been properly de-mucked.	**Pass / Fail / N/A**
1.6 Verify the bottom elevation of basin is per design Details: Dimensions in Details:	**Pass / Fail / N/A**
1.7 Verify the stabilization is installed to per design.	**Pass / Fail / N/A**
1.8 Verify seed tags have been submitted to DEPCOM	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Sediment Basin Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the verification of procedures and installation quality for the Sediment Basin.		
Attachments			

Sediment Basin

1.1 Verify the silt fence BMP installation is completed and supporting documentation has been submitted to DEPCOM.	**Pass / Fail / N/A**
1.2 Verify the Outfall is Installed per design.	**Pass / Fail / N/A**
1.3 Verify the Riser Outfall Pipe is installed per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.4 Verify the permanent orifice is plugged/sealed.	**Pass / Fail / N/A**
1.5 Verify the riser elevation is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.6 Verify the elevation of the outlet is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.7 Verify the berm elevations are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.8 Verify the emergency spillways are installed in homogenous or armored states.	**Pass / Fail / N/A**
1.9 Verify the elevation of top of dirt and elevation of top of stone prior to stone installation and width of the emergency spillway is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.10 Verify the geotextile fabric is installed in emergency spillway per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.11 Verify the baffles materials and orientation are correct per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.12 Verify slopes are backtracked perpendicular to basin bottom.	**Pass / Fail / N/A**
1.13 Verify the compaction tests are within the acceptable tolerances and have been submitted to DEPCOM. Details: Dimensions in Details:	**Pass / Fail / N/A**

1.14 Verify stabilization is applied and seed tags, as applicable, have been submitted to DEPCOM. **Pass** / **Fail** / **N/A**
Details: Dimensions in Details:

1.15 Verify that the DPI Internal elevation verification is complete. **Pass** / **Fail** / **N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Seeding Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the act of seeding & stabilization.		
Attachments			

Inspection

1.1 Verify the area has been re-seeded to promote vegetation, and bag tabs have been submitted to DEPCOM.	**Pass / Fail / N/A**
1.2 Ensure that appropriate seed mix has been identified and per engineering requirements. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.3 Verify that the seedbed has been properly prepared (topsoil spread, amendments added).	**Pass / Fail / N/A**
1.4 Verify seed application technique per site location (S&S, hydroseeding, etc.).	**Pass / Fail / N/A**
1.5 Verify the seed mix quantity required (bags per acre, per each day) is applied per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.6 Verify the application of seed mix is in accordance with the vegetation management plan and engineering requirements per design . Details: Dimensions in Details:	**Pass / Fail / N/A**
1.7 Verify all berms, ditches, and embankment areas have permanent seed applied.	**Pass / Fail / N/A**
1.8 Verify seed and stabilization was applied during the timeframes for applicable areas.	**Pass / Fail / N/A**
1.9 Verify erosion control requirements of keying in the blankets are installed per design and per state standards.	**Pass / Fail / N/A**
1.10 Verify erosion control requirements of overlap of blankets are installed per design per state standards.	**Pass / Fail / N/A**
1.11 Verify erosion control requirements of the distance of staples of blankets are installed per design per state standards.	**Pass / Fail / N/A**
1.12 Verify complete coverage has been obtained.	**Pass / Fail / N/A**
1.13 Verify seed tags have been submitted to DEPCOM.	**Pass / Fail / N/A**

1.14 Verify adequate germination plan is per manufacturer documentation.	**Pass / Fail / N/A**
1.15 Verify installation of strawing and crimping, hydroseeding, drill seeding, and ECBs.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Silt Fence Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the verification of materials and installation quality for the silt fence.		
Attachments			

Silt Fence Installation

1.1 Verify the materials to be used have been approved and are reflected in the drawings.	**Pass / Fail / N/A**
1.2 Verify the material to be installed is free from damage prior to installation.	**Pass / Fail / N/A**
1.3 Verify the service life of the material is good and date to be replaced is identified.	**Pass / Fail / N/A**
1.4 Verify the silt fence dimensions are per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.5 Verify the stake/T-post dimensions and material are per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.6 Verify the stake/T-post spacings are per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.7 Verify the stake/T-post height is per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.8 Verify the stake/T-post heigh and embedment is per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.9 Verify the silt fence height is per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.10 Verify the silt fence overlap is per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.11 Verify the installation area is free of organics.	**Pass / Fail / N/A**
1.12 Verify the bottom of the silt fence is installed below grade, towards the upward slope per design.	**Pass / Fail / N/A**
1.13 Verify metal posts have safety caps installed & are zip-tied correctly per design per design.	**Pass / Fail / N/A**

1.14 Verify disturbed ground from installation is stabilized per design	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Silt Fence Outlet Installation Inspection Report

Type Quality **Trade** Civil

Description This inspection report covers the verification of procedures and installation quality for the Silt Fence Outlet.

Attachments

Silt Fence Outlet (SFO)

1.1 Verify the material to be installed is free from damage prior to installation	**Pass / Fail / N/A**
1.2 Verify location of the SFO is per design.	**Pass / Fail / N/A**
1.3 Verify the silt fence dimensions are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.4 Verify the chain link fence dimensions are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.5 Verify the metal pole dimensions are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.6 Verify the metal pole spacings are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.7 Verify the silt fence and chain link fence height is within tolerance. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.8 Verify metal pole height is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.9 Verify the silt fence overlap is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.10 Verify tie wire is installed per design.	**Pass / Fail / N/A**
1.11 Verify the bottom of the silt fence and chain link fence is Installed below grade, towards the upward slope per design.	**Pass / Fail / N/A**
1.12 Verify outlet pole gap is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.13 Verify structural stone is placed per design. Details: Dimensions in Details:	**Pass / Fail / N/A**

1.14 Verify sediment control stone is placed per design. **Pass** / **Fail** / **N/A**
Details: Dimensions in Details:

1.15 Verify stone width and height within outlet is per design. **Pass** / **Fail** / **N/A**
Details: Dimensions in Details:

1.16 Verify disturbed ground from installation is stabilized per design. **Pass** / **Fail** / **N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Site Clearing, Grubbing & Grading Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the site clearing, grubbing, and grading of arrays/drainage areas/disturbed areas.		
Attachments			

Inspection

1.1 Verify SWPPP measures are in place and supporting documents are signed off with approval.	**Pass / Fail / N/A**
1.2 Verify all underground utilities have been located and identified.	**Pass / Fail / N/A**
1.3 Verify any wildlife endangerment items have been identified and have mitigation measures in place.	**Pass / Fail / N/A**
1.4 Verify the array area has been cleared of large rocks, debris, trees, roots, and shrubs and is per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.5 Verify there are no obstructions that prohibit the survey of pile pin points.	**Pass / Fail / N/A**
1.6 Verify all debris greater than 3" diameter is removed from soil.	**Pass / Fail / N/A**
1.7 Verify post-clearing topo and check against as planned topo.	**Pass / Fail / N/A**
1.8 Verify the area has been re-seeded to promote vegetation, and bag tabs have been submitted to DEPCOM.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Skimmer (Dewatering Device) Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection covers the installation of the Dewatering Device/Skimmer.		
Attachments			

Inspection.

1.1 Verify the material to be installed is free from damage prior to installation.	**Pass / Fail / N/A**
1.2 Verify all extra holes are plugged.	**Pass / Fail / N/A**
1.3 Verify the quantity, diameter, and orientation of the skimmers are installed correctly per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.4 Verify the skimmer pipe is installed correctly, and the pipe is sealed within the riser structure.	**Pass / Fail / N/A**
1.5 Verify a service line is attached from skimmer to basin wall	**Pass / Fail / N/A**
1.6 Verify the stone berm/ resting device to keep the skimmer out of the mud is built per design.	**Pass / Fail / N/A**
1.7 Verify the stone berm/resting device does not allow the skimmer to rest in mud. Details: Field adjustments may be needed	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Soil Stockpile Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the inspection of a Soil Stockpile.		
Attachments			

Inspection

1.1 Verify the soil stockpile has been properly identified on the SWPPP plan.	**Pass / Fail / N/A**
1.2 Verify erosion control requirements of keying in the blankets are installed per design and per state standards.	**Pass / Fail / N/A**
1.3 Verify erosion control requirements of overlap of blankets are installed per design per state standards.	**Pass / Fail / N/A**
1.4 Verify erosion control requirements of distance of staples of blankets are installed per design per state standards.	**Pass / Fail / N/A**
1.5 Verify the BMP material to be installed is free from damage prior to installation.	**Pass / Fail / N/A**
1.6 Verify the silt fence dimensions are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.7 Verify the stake dimensions are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.8 Verify the stake spacings are per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.9 Verify the silt fence height is within tolerance and per design. Details: Dimensions in Details:	**Pass / Fail / N/A**
1.10 Verify the bottom of the silt fence is installed below grade, towards the upward slope per design.	**Pass / Fail / N/A**
1.11 Verify silt fence installation checklist has been completed in parallel as applicable.	**Pass / Fail / N/A**

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Straw Bale Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection covers the installation of straw bales.		
Attachments			

Inspection

1.1 Verify correct material and dimensions are per design.
Details: Dimensions in Details:
Pass / Fail / N/A

1.2 Verify the trenches are per design.
Details: Dimensions in Details:
Pass / Fail / N/A

1.3 Verify the stake placement and spacings are per design.
Details: Dimensions in Details:
Pass / Fail / N/A

1.4 Verify the straw bales are placed in a single row, tightly abutting, and lengthwise along the contour.
Pass / Fail / N/A

1.5 Verify the straw bales are installed with ties around the sides, not the top and bottom.
Pass / Fail / N/A

1.6 Verify the stake/post dimensions are correct per design, per the type of stake.
Details: Dimensions in Details:
Pass / Fail / N/A

1.7 Verify the gaps between the bales are properly managed.
Pass / Fail / N/A

DEPCOM Power
9185 E Pima Center Pkwy
Suite 100
Scottsdale, Arizona 85258
P: (480) 270-6910

Inspection Template: Super Silt Fence Installation Inspection Report

Type	Quality	**Trade**	Civil
Description	This inspection report covers the verification of materials and installation quality for the super silt fence.		
Attachments			

Super Silt Fence Installation

1.1 Verify the materials to be used have been approved and are reflected in the drawings.	**Pass / Fail / N/A**
1.2 Verify the material to be installed is free from damage prior to installation.	**Pass / Fail / N/A**
1.3 Verify the service life of the material is good and date to be replaced is identified.	**Pass / Fail / N/A**
1.4 Verify the super silt fence dimensions are per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.5 Verify the stake/T-post dimensions and material are per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.6 Verify the stake/T-post spacings are per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.7 Verify the stake/T-post height is per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.8 Verify the stake/T-post heigh and embedment is per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.9 Verify the super silt fence height is per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.10 Verify the super silt fence overlap is per design. Details: Dimensions in details:	**Pass / Fail / N/A**
1.11 Verify the installation area is free of organics.	**Pass / Fail / N/A**
1.12 Verify the bottom of the super silt fence is installed below grade, towards the upward slope per design.	**Pass / Fail / N/A**
1.13 Verify metal posts have safety caps installed & are zip-tied correctly per design per design.	**Pass / Fail / N/A**

1.14 Verify disturbed ground from installation is stabilized per design	**Pass / Fail / N/A**