

Authenticating with public key "ubuntu"

```
• MobaXterm 20.6 •  
(SSH client, X-server and networking tools)  
  
→ SSH session to ubuntu@34.70.131.140  
• SSH compression : v  
• SSH-browser      : v  
• X11-forwarding   : v (remote display is forwarded through SSH)  
• DISPLAY          : v (automatically set on remote server)  
  
→ For more info, ctrl+click on help or visit our website
```

Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 5.4.0-1051-gcp x86_64)

```
* Documentation: https://help.ubuntu.com  
* Management:   https://landscape.canonical.com  
* Support:      https://ubuntu.com/advantage
```

System information as of Mon Sep 27 05:38:05 UTC 2021

```
System load:  0.04      Processes:            202  
Usage of /:   1.3% of 123.88GB  Users logged in:    0  
Memory usage: 0%          IP address for ens4: 10.128.15.197  
Swap usage:   0%
```

0 updates can be applied immediately.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

```
/usr/bin/xauth: file /home/ubuntu/.Xauthority does not exist  
To run a command as administrator (user "root"), use "sudo <command>".  
See "man sudo_root" for details.
```

```
ubuntu@instance-1:~$ uname -a  
Linux instance-1 5.4.0-1051-gcp #55~18.04.1-Ubuntu SMP Sun Aug 1 20:38:04 UTC 2021 x86_64  
x86_64 x86_64 GNU/Linux  
ubuntu@instance-1:~$ wget  
https://raw.githubusercontent.com/CentaurusInfra/mizar/dev-next/kernelupdate.sh  
--2021-09-27 05:39:36--  
https://raw.githubusercontent.com/CentaurusInfra/mizar/dev-next/kernelupdate.sh  
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,  
185.199.109.133, 185.199.110.133, ...  
Connecting to raw.githubusercontent.com  
(raw.githubusercontent.com)|185.199.108.133|:443... connected.  
HTTP request sent, awaiting response... 200 OK  
Length: 791 [text/plain]
```

Saving to: 'kernelupdate.sh'

kernelupdate.sh

```
100%[=====
=====>]      791  --.-KB/s    in 0s
```

2021-09-27 05:39:36 (34.2 MB/s) - 'kernelupdate.sh' saved [791/791]

ubuntu@instance-1:~\$ sudo bash kernelupdate.sh

--2021-09-27 05:39:36--

https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb

Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.217.95.137

Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.217.95.137|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 7621020 (7.3M) []

Saving to: './linux-5.6-rc2/linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb'

linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb

```
100%[=====
=====>]    7.27M  26.3MB/s    in 0.3s
```

2021-09-27 05:39:36 (26.3 MB/s) -

'./linux-5.6-rc2/linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb' saved
[7621020/7621020]

--2021-09-27 05:39:36--

https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb

Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.217.95.137

Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.217.95.137|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 857827912 (818M) [application/x-www-form-urlencoded]

Saving to: './linux-5.6-rc2/linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb'

linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb

```
100%[=====
=====>] 818.09M  66.5MB/s    in 14s
```

2021-09-27 05:39:50 (60.2 MB/s) -

'./linux-5.6-rc2/linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb' saved
[857827912/857827912]

--2021-09-27 05:39:50--

https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb

Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.216.80.64

Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.216.80.64|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 56427036 (54M) [application/x-www-form-urlencoded]

Saving to: './linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb'

```
linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb
100%[=====
=====>] 53.81M 63.4MB/s in 0.8s
```

```
2021-09-27 05:39:51 (63.4 MB/s) -
'../linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb' saved
[56427036/56427036]
```

```
--2021-09-27 05:39:51--
https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.216.80.64
Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.216.80.64|:443...
connected.
HTTP request sent, awaiting response... 200 OK
Length: 1082248 (1.0M) []
Saving to: '../linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb'
```

```
linux-libc-dev_5.6.0-rc2-1_amd64.deb
100%[=====
=====>] 1.03M 6.40MB/s in 0.2s
```

```
2021-09-27 05:39:52 (6.40 MB/s) -
'../linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb' saved [1082248/1082248]
```

```
Continue kernel update (y/n)?y
Updating kernel
Selecting previously unselected package linux-headers-5.6.0-rc2.
(Reading database ... 65616 files and directories currently installed.)
Preparing to unpack .../linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-headers-5.6.0-rc2 (5.6.0-rc2-1) ...
Selecting previously unselected package linux-image-5.6.0-rc2-dbg.
Preparing to unpack .../linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-image-5.6.0-rc2-dbg (5.6.0-rc2-1) ...
Selecting previously unselected package linux-image-5.6.0-rc2.
Preparing to unpack .../linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-image-5.6.0-rc2 (5.6.0-rc2-1) ...
Selecting previously unselected package linux-libc-dev:amd64.
Preparing to unpack .../linux-libc-dev_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-libc-dev:amd64 (5.6.0-rc2-1) ...
Setting up linux-headers-5.6.0-rc2 (5.6.0-rc2-1) ...
Setting up linux-image-5.6.0-rc2-dbg (5.6.0-rc2-1) ...
Setting up linux-image-5.6.0-rc2 (5.6.0-rc2-1) ...
update-initramfs: Generating /boot/initrd.img-5.6.0-rc2
Sourcing file `/etc/default/grub'
Sourcing file `/etc/default/grub.d/50-cloudimg-settings.cfg'
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-5.6.0-rc2
Found initrd image: /boot/initrd.img-5.6.0-rc2
Found linux image: /boot/vmlinuz-5.4.0-1051-gcp
Found initrd image: /boot/initrd.img-5.4.0-1051-gcp
Adding boot menu entry for EFI firmware configuration
done
Setting up linux-libc-dev:amd64 (5.6.0-rc2-1) ...
Reboot host (y/n)?y
Rebooting
```

Remote side unexpectedly closed network connection

Session stopped

- Press <return> to exit tab
- Press R to restart session
- Press S to save terminal output to file

Authenticating with public key "ubuntu"

```
• MobaXterm 20.6 •
(SSH client, X-server and networking tools)

→ SSH session to ubuntu@34.70.131.140
• SSH compression : v
• SSH-browser      : v
• X11-forwarding   : v (remote display is forwarded through SSH)
• DISPLAY          : v (automatically set on remote server)

→ For more info, ctrl+click on help or visit our website
```

Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 5.6.0-rc2 x86_64)

- * Documentation: <https://help.ubuntu.com>
- * Management: <https://landscape.canonical.com>
- * Support: <https://ubuntu.com/advantage>

System information as of Mon Sep 27 05:48:21 UTC 2021

System load:	0.02	Processes:	164
Usage of /:	6.9% of 123.88GB	Users logged in:	0
Memory usage:	0%	IP address for ens4:	10.128.15.197
Swap usage:	0%		

0 updates can be applied immediately.

New release '20.04.3 LTS' available.

Run 'do-release-upgrade' to upgrade to it.

```
Last login: Mon Sep 27 05:38:07 2021 from 114.143.207.106
ubuntu@instance-1:~$ git clone https://github.com/Click2Cloud-Centaurus/arktos.git
~/go/src/k8s.io/arktos -b default-cni-mizar
Cloning into '/home/ubuntu/go/src/k8s.io/arktos'...
remote: Enumerating objects: 104406, done.
remote: Counting objects: 100% (1069/1069), done.
remote: Compressing objects: 100% (633/633), done.
remote: Total 104406 (delta 529), reused 617 (delta 421), pack-reused 103337
Receiving objects: 100% (104406/104406), 333.08 MiB | 30.71 MiB/s, done.
Resolving deltas: 100% (63116/63116), done.
```

```
Checking out files: 100% (20762/20762), done.
ubuntu@instance-1:~$ sudo bash $HOME/go/src/k8s.io/arktos/hack/setup-dev-node.sh
The script is to help install prerequisites of Arktos development environment
on a fresh Linux installation.
It's been tested on Ubuntu 16.04 LTS and 18.04 LTS.
Update apt.
Hit:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic InRelease
Get:2 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates InRelease [88.7
kB]
Get:3 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6
kB]
Get:4 http://security.ubuntu.com/ubuntu bionic-security InRelease [88.7 kB]
Get:5 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64 Packages
[8570 kB]
Get:6 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe Translation-en
[4941 kB]
Get:7 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/multiverse amd64 Packages
[151 kB]
Get:8 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/multiverse
Translation-en [108 kB]
Get:9 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
Packages [2225 kB]
Get:10 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
Translation-en [435 kB]
Get:11 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/restricted
amd64 Packages [472 kB]
Get:12 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/restricted
Translation-en [64.0 kB]
Get:13 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe amd64
Packages [1749 kB]
Get:14 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe
Translation-en [375 kB]
Get:15 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/multiverse
amd64 Packages [27.3 kB]
Get:16 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/multiverse
Translation-en [6808 B]
Get:17 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-backports/main amd64
Packages [10.0 kB]
Get:18 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-backports/main
Translation-en [4764 B]
Get:19 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-backports/universe
amd64 Packages [10.3 kB]
Get:20 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-backports/universe
Translation-en [4588 B]
Get:21 http://security.ubuntu.com/ubuntu bionic-security/main amd64 Packages [1879 kB]
Get:22 http://security.ubuntu.com/ubuntu bionic-security/main Translation-en [342 kB]
Get:23 http://security.ubuntu.com/ubuntu bionic-security/restricted amd64 Packages [448
kB]
Get:24 http://security.ubuntu.com/ubuntu bionic-security/restricted Translation-en
[60.3 kB]
Get:25 http://security.ubuntu.com/ubuntu bionic-security/universe amd64 Packages [1138
kB]
Get:26 http://security.ubuntu.com/ubuntu bionic-security/universe Translation-en [259
kB]
Get:27 http://security.ubuntu.com/ubuntu bionic-security/multiverse amd64 Packages
```

```
[20.9 kB]
Get:28 http://security.ubuntu.com/ubuntu bionic-security/multiverse Translation-en
[4732 B]
Fetched 23.6 MB in 4s (5391 kB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
37 packages can be upgraded. Run 'apt list --upgradable' to see them.
Install docker.
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following package was automatically installed and is no longer required:
  libnuma1
Use 'sudo apt autoremove' to remove it.
The following additional packages will be installed:
  bridge-utils containerd pigz runc ubuntu-fan
Suggested packages:
  ifupdown aufs-tools cgroupfs-mount | cgroup-lite debootstrap docker-doc rinse zfs-fuse
  | zfsutils
The following NEW packages will be installed:
  bridge-utils containerd docker.io pigz runc ubuntu-fan
0 upgraded, 6 newly installed, 0 to remove and 37 not upgraded.
Need to get 74.0 MB of archives.
After this operation, 359 MB of additional disk space will be used.
Get:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64 pigz amd64
2.4-1 [57.4 kB]
Get:2 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64 bridge-utils
amd64 1.5-15ubuntu1 [30.1 kB]
Get:3 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe amd64
runc amd64 1.0.0~rc95-0ubuntu1~18.04.2 [4087 kB]
Get:4 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe amd64
containerd amd64 1.5.2-0ubuntu1~18.04.2 [32.9 MB]
Get:5 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe amd64
docker.io amd64 20.10.7-0ubuntu1~18.04.1 [36.9 MB]
Get:6 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64 ubuntu-fan all
0.12.10 [34.7 kB]
Fetched 74.0 MB in 2s (49.1 MB/s)
Preconfiguring packages ...
Selecting previously unselected package pigz.
(Reading database ... 97202 files and directories currently installed.)
Preparing to unpack .../0-pigz_2.4-1_amd64.deb ...
Unpacking pigz (2.4-1) ...
Selecting previously unselected package bridge-utils.
Preparing to unpack .../1-bridge-utils_1.5-15ubuntu1_amd64.deb ...
Unpacking bridge-utils (1.5-15ubuntu1) ...
Selecting previously unselected package runc.
Preparing to unpack .../2-runc_1.0.0~rc95-0ubuntu1~18.04.2_amd64.deb ...
Unpacking runc (1.0.0~rc95-0ubuntu1~18.04.2) ...
Selecting previously unselected package containerd.
Preparing to unpack .../3-containerd_1.5.2-0ubuntu1~18.04.2_amd64.deb ...
Unpacking containerd (1.5.2-0ubuntu1~18.04.2) ...
Selecting previously unselected package docker.io.
Preparing to unpack .../4-docker.io_20.10.7-0ubuntu1~18.04.1_amd64.deb ...
Unpacking docker.io (20.10.7-0ubuntu1~18.04.1) ...
```

```
Selecting previously unselected package ubuntu-fan.
Preparing to unpack .../5-ubuntu-fan_0.12.10_all.deb ...
Unpacking ubuntu-fan (0.12.10) ...
Setting up runc (1.0.0~rc95-0ubuntu1~18.04.2) ...
Setting up containerd (1.5.2-0ubuntu1~18.04.2) ...
Created symlink /etc/systemd/system/multi-user.target.wants/containerd.service →
/lib/systemd/system/containerd.service.
Setting up bridge-utils (1.5-15ubuntu1) ...
Setting up ubuntu-fan (0.12.10) ...
Created symlink /etc/systemd/system/multi-user.target.wants/ubuntu-fan.service →
/lib/systemd/system/ubuntu-fan.service.
Setting up pigz (2.4-1) ...
Setting up docker.io (20.10.7-0ubuntu1~18.04.1) ...
Adding group `docker' (GID 116) ...
Done.
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service →
/lib/systemd/system/docker.service.
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket →
/lib/systemd/system/docker.socket.
Processing triggers for systemd (237-3ubuntu10.51) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for ureadahead (0.100.0-21) ...
Install make & gcc.
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following package was automatically installed and is no longer required:
  libnuma1
Use 'sudo apt autoremove' to remove it.
Suggested packages:
  make-doc
The following NEW packages will be installed:
  make
0 upgraded, 1 newly installed, 0 to remove and 37 not upgraded.
Need to get 154 kB of archives.
After this operation, 381 kB of additional disk space will be used.
Get:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64 make amd64
4.1-9.1ubuntu1 [154 kB]
Fetched 154 kB in 0s (10.5 MB/s)
Selecting previously unselected package make.
(Reading database ... 97524 files and directories currently installed.)
Preparing to unpack .../make_4.1-9.1ubuntu1_amd64.deb ...
Unpacking make (4.1-9.1ubuntu1) ...
Setting up make (4.1-9.1ubuntu1) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following package was automatically installed and is no longer required:
  libnuma1
Use 'sudo apt autoremove' to remove it.
The following additional packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cpp cpp-7 gcc-7 gcc-7-base libasan4
  libatomic1 libbinutils libc-dev-bin libc6-dev libcc1-0 libcilkrts5 libgcc-7-dev libgomp1
  libisl19 libitm1 liblsan0
```

```
libmpc3 libmpx2 libquadmath0 libtsan0 libubsan0 manpages-dev
Suggested packages:
  binutils-doc cpp-doc gcc-7-locales gcc-multilib autoconf automake libtool flex bison
  gdb gcc-doc gcc-7-multilib gcc-7-doc libgcc1-dbg libgomp1-dbg libitm1-dbg libatomic1-dbg
  libasan4-dbg liblsan0-dbg
  libtsan0-dbg libubsan0-dbg libcilkrts5-dbg libmpx2-dbg libquadmath0-dbg glibc-doc
The following NEW packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cpp cpp-7 gcc gcc-7 gcc-7-base
  libasan4 libatomic1 libbinutils libc-dev-bin libc6-dev libcc1-0 libcilkrts5 libgcc-7-dev
  libgomp1 libisl19 libitm1 liblsan0
  libmpc3 libmpx2 libquadmath0 libtsan0 libubsan0 manpages-dev
0 upgraded, 26 newly installed, 0 to remove and 37 not upgraded.
Need to get 29.6 MB of archives.
After this operation, 112 MB of additional disk space will be used.
Get:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
binutils-common amd64 2.30-21ubuntu1~18.04.5 [197 kB]
Get:2 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libbinutils amd64 2.30-21ubuntu1~18.04.5 [489 kB]
Get:3 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
binutils-x86-64-linux-gnu amd64 2.30-21ubuntu1~18.04.5 [1839 kB]
Get:4 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
binutils amd64 2.30-21ubuntu1~18.04.5 [3388 B]
Get:5 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
gcc-7-base amd64 7.5.0-3ubuntu1~18.04 [18.3 kB]
Get:6 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64 libisl19 amd64
0.19-1 [551 kB]
Get:7 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64 libmpc3 amd64
1.1.0-1 [40.8 kB]
Get:8 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64 cpp-7
amd64 7.5.0-3ubuntu1~18.04 [8591 kB]
Get:9 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64 cpp
amd64 4:7.4.0-1ubuntu2.3 [27.7 kB]
Get:10 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libcc1-0 amd64 8.4.0-1ubuntu1~18.04 [39.4 kB]
Get:11 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libgomp1 amd64 8.4.0-1ubuntu1~18.04 [76.5 kB]
Get:12 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libitm1 amd64 8.4.0-1ubuntu1~18.04 [27.9 kB]
Get:13 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libatomic1 amd64 8.4.0-1ubuntu1~18.04 [9192 B]
Get:14 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libasan4 amd64 7.5.0-3ubuntu1~18.04 [358 kB]
Get:15 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
liblsan0 amd64 8.4.0-1ubuntu1~18.04 [133 kB]
Get:16 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libtsan0 amd64 8.4.0-1ubuntu1~18.04 [288 kB]
Get:17 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libubsan0 amd64 7.5.0-3ubuntu1~18.04 [126 kB]
Get:18 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libcilkrts5 amd64 7.5.0-3ubuntu1~18.04 [42.5 kB]
Get:19 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libmpx2 amd64 8.4.0-1ubuntu1~18.04 [11.6 kB]
Get:20 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libquadmath0 amd64 8.4.0-1ubuntu1~18.04 [134 kB]
Get:21 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
```


libgcc-7-dev amd64 7.5.0-3ubuntu1~18.04 [2378 kB]
Get:22 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64 gcc-7
amd64 7.5.0-3ubuntu1~18.04 [9381 kB]
Get:23 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64 gcc
amd64 4:7.4.0-1ubuntu2.3 [5184 B]
Get:24 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libc-dev-bin amd64 2.27-3ubuntu1.4 [71.8 kB]
Get:25 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libc6-dev amd64 2.27-3ubuntu1.4 [2585 kB]
Get:26 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64 manpages-dev
all 4.15-1 [2217 kB]
Fetched 29.6 MB in 1s (56.1 MB/s)
Selecting previously unselected package binutils-common:amd64.
(Reading database ... 97540 files and directories currently installed.)
Preparing to unpack .../00-binutils-common_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking binutils-common:amd64 (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package libbinutils:amd64.
Preparing to unpack .../01-libbinutils_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking libbinutils:amd64 (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package binutils-x86-64-linux-gnu.
Preparing to unpack .../02-binutils-x86-64-linux-gnu_2.30-21ubuntu1~18.04.5_amd64.deb
...
Unpacking binutils-x86-64-linux-gnu (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package binutils.
Preparing to unpack .../03-binutils_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking binutils (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package gcc-7-base:amd64.
Preparing to unpack .../04-gcc-7-base_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking gcc-7-base:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libisl19:amd64.
Preparing to unpack .../05-libisl19_0.19-1_amd64.deb ...
Unpacking libisl19:amd64 (0.19-1) ...
Selecting previously unselected package libmpc3:amd64.
Preparing to unpack .../06-libmpc3_1.1.0-1_amd64.deb ...
Unpacking libmpc3:amd64 (1.1.0-1) ...
Selecting previously unselected package cpp-7.
Preparing to unpack .../07-cpp-7_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking cpp-7 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package cpp.
Preparing to unpack .../08-cpp_4%3a7.4.0-1ubuntu2.3_amd64.deb ...
Unpacking cpp (4:7.4.0-1ubuntu2.3) ...
Selecting previously unselected package libcc1-0:amd64.
Preparing to unpack .../09-libcc1-0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libcc1-0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libgomp1:amd64.
Preparing to unpack .../10-libgomp1_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libgomp1:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libitm1:amd64.
Preparing to unpack .../11-libitm1_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libitm1:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libatomic1:amd64.
Preparing to unpack .../12-libatomic1_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libatomic1:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libasan4:amd64.
Preparing to unpack .../13-libasan4_7.5.0-3ubuntu1~18.04_amd64.deb ...

Unpacking libasan4:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package liblsan0:amd64.
Preparing to unpack .../14-liblsan0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking liblsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libtsan0:amd64.
Preparing to unpack .../15-libtsan0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libtsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libubsan0:amd64.
Preparing to unpack .../16-libubsan0_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libubsan0:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libcilkrts5:amd64.
Preparing to unpack .../17-libcilkrts5_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libcilkrts5:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libmpx2:amd64.
Preparing to unpack .../18-libmpx2_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libmpx2:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libquadmath0:amd64.
Preparing to unpack .../19-libquadmath0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libquadmath0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libgcc-7-dev:amd64.
Preparing to unpack .../20-libgcc-7-dev_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libgcc-7-dev:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package gcc-7.
Preparing to unpack .../21-gcc-7_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking gcc-7 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package gcc.
Preparing to unpack .../22-gcc_4%3a7.4.0-1ubuntu2.3_amd64.deb ...
Unpacking gcc (4:7.4.0-1ubuntu2.3) ...
Selecting previously unselected package libc-dev-bin.
Preparing to unpack .../23-libc-dev-bin_2.27-3ubuntu1.4_amd64.deb ...
Unpacking libc-dev-bin (2.27-3ubuntu1.4) ...
Selecting previously unselected package libc6-dev:amd64.
Preparing to unpack .../24-libc6-dev_2.27-3ubuntu1.4_amd64.deb ...
Unpacking libc6-dev:amd64 (2.27-3ubuntu1.4) ...
Selecting previously unselected package manpages-dev.
Preparing to unpack .../25-manpages-dev_4.15-1_all.deb ...
Unpacking manpages-dev (4.15-1) ...
Setting up libquadmath0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libgomp1:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libatomic1:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libcc1-0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libtsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up liblsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up gcc-7-base:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up binutils-common:amd64 (2.30-21ubuntu1~18.04.5) ...
Setting up libmpx2:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libmpc3:amd64 (1.1.0-1) ...
Setting up libc-dev-bin (2.27-3ubuntu1.4) ...
Setting up manpages-dev (4.15-1) ...
Setting up libc6-dev:amd64 (2.27-3ubuntu1.4) ...
Setting up libitm1:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libisl19:amd64 (0.19-1) ...
Setting up libasan4:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up libbinutils:amd64 (2.30-21ubuntu1~18.04.5) ...
Setting up libcilkrts5:amd64 (7.5.0-3ubuntu1~18.04) ...

```

Setting up libubsan0:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up libgcc-7-dev:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up cpp-7 (7.5.0-3ubuntu1~18.04) ...
Setting up binutils-x86-64-linux-gnu (2.30-21ubuntu1~18.04.5) ...
Setting up cpp (4:7.4.0-1ubuntu2.3) ...
Setting up binutils (2.30-21ubuntu1~18.04.5) ...
Setting up gcc-7 (7.5.0-3ubuntu1~18.04) ...
Setting up gcc (4:7.4.0-1ubuntu2.3) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for libc-bin (2.27-3ubuntu1.4) ...
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following package was automatically installed and is no longer required:
  libnuma1
Use 'sudo apt autoremove' to remove it.
The following additional packages will be installed:
  libjq1 libonig4
The following NEW packages will be installed:
  jq libjq1 libonig4
0 upgraded, 3 newly installed, 0 to remove and 37 not upgraded.
Need to get 276 kB of archives.
After this operation, 930 kB of additional disk space will be used.
Get:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64 libonig4
amd64 6.7.0-1 [119 kB]
Get:2 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64 libjq1
amd64 1.5+dfsg-2 [111 kB]
Get:3 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64 jq amd64
1.5+dfsg-2 [45.6 kB]
Fetched 276 kB in 0s (4280 kB/s)
Selecting previously unselected package libonig4:amd64.
(Reading database ... 100801 files and directories currently installed.)
Preparing to unpack .../libonig4_6.7.0-1_amd64.deb ...
Unpacking libonig4:amd64 (6.7.0-1) ...
Selecting previously unselected package libjq1:amd64.
Preparing to unpack .../libjq1_1.5+dfsg-2_amd64.deb ...
Unpacking libjq1:amd64 (1.5+dfsg-2) ...
Selecting previously unselected package jq.
Preparing to unpack .../jq_1.5+dfsg-2_amd64.deb ...
Unpacking jq (1.5+dfsg-2) ...
Setting up libonig4:amd64 (6.7.0-1) ...
Setting up libjq1:amd64 (1.5+dfsg-2) ...
Setting up jq (1.5+dfsg-2) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for libc-bin (2.27-3ubuntu1.4) ...
Install golang.
--2021-09-27 05:50:21-- https://dl.google.com/go/go1.13.9.linux-amd64.tar.gz
Resolving dl.google.com (dl.google.com)... 142.250.1.190, 142.250.1.136, 142.250.1.91,
...
Connecting to dl.google.com (dl.google.com)|142.250.1.190|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 120139686 (115M) [application/octet-stream]
Saving to: '/tmp/go1.13.9.linux-amd64.tar.gz'

go1.13.9.linux-amd64.tar.gz

```

```
100%[=====
=====>] 114.57M  34.8MB/s    in 3.3s
```

```
2021-09-27 05:50:25 (34.8 MB/s) - '/tmp/go1.13.9.linux-amd64.tar.gz' saved
[120139686/120139686]
```

Done.

Please run and add 'export PATH=\$PATH:/usr/local/go/bin' into your shell profile.
You can proceed to run arktos-up.sh if you want to launch a single-node cluster.

```
ubuntu@instance-1:~$ echo export PATH=$PATH:/usr/local/go/bin \>> ~/.profile
```

```
ubuntu@instance-1:~$ echo cd $HOME/go/src/k8s.io/arktos \>> ~/.profile
```

```
ubuntu@instance-1:~$ source ~/.profile
```

```
ubuntu@instance-1:~/go/src/k8s.io/arktos$ CNIPLUGIN=mizar ./hack/arktos-up.sh
```

```
DBG: Flannel CNI plugin will be installed AFTER cluster is up
```

```
DBG: effective feature gates
```

```
AllAlpha=false,WorkloadInfoDefaulting=true,QPSDoubleGCCController=true,QPSDoubleRSCont
roller=true,MandatoryArktosNetwork=true
```

```
DBG: effective disabling admission plugins
```

```
DBG: effective default network template file is
```

```
/home/ubuntu/go/src/k8s.io/arktos/hack/testdata/default-flat-network.tpl
```

```
DBG: kubelet arg RESOLV_CONF is /run/systemd/resolve/resolve.conf
```

```
WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.
```

```
WARNING : This script MAY be run as root for docker socket / iptables functionality; if
failures occur, retry as root.
```

```
cni plugin is mizar; arktos will use mizar to provision pod network
```

```
Checking arktos containerd...
```

```
arktos containerd not found...
```

```
--2021-09-27 05:54:01--
```

```
https://github.com/containerd/containerd/releases/download/v1.4.2/containerd-1.4.2-li
nux-amd64.tar.gz
```

```
Resolving github.com (github.com)... 140.82.113.3
```

```
Connecting to github.com (github.com)|140.82.113.3|:443... connected.
```

```
HTTP request sent, awaiting response... 302 Found
```

```
Location:
```

```
https://github-releases.githubusercontent.com/46089560/5cad0000-2fc0-11eb-8e3a-ed435a
7b945c?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWNJYAX4CSVEH53A%2F20210
927%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20210927T055401Z&X-Amz-Expires=300&X-A
mz-Signature=509a69814d9398a9f59f472b9e8ca93d1774d8146ce9d7b6f70add04437afc06&X-Amz-S
ignedHeaders=host&actor_id=0&key_id=0&repo_id=46089560&response-content-disposition=a
ttachment%3B%20filename%3Dcontainerd-1.4.2-linux-amd64.tar.gz&response-content-type=a
pplication%2Foctet-stream [following]
```

```
--2021-09-27 05:54:01--
```

```
https://github-releases.githubusercontent.com/46089560/5cad0000-2fc0-11eb-8e3a-ed435a
7b945c?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWNJYAX4CSVEH53A%2F20210
927%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20210927T055401Z&X-Amz-Expires=300&X-A
mz-Signature=509a69814d9398a9f59f472b9e8ca93d1774d8146ce9d7b6f70add04437afc06&X-Amz-S
ignedHeaders=host&actor_id=0&key_id=0&repo_id=46089560&response-content-disposition=a
ttachment%3B%20filename%3Dcontainerd-1.4.2-linux-amd64.tar.gz&response-content-type=a
pplication%2Foctet-stream
```

```
Resolving github-releases.githubusercontent.com
```

```
(github-releases.githubusercontent.com)... 185.199.109.154, 185.199.111.154,
185.199.110.154, ...
```

```
Connecting to github-releases.githubusercontent.com
```

```
(github-releases.githubusercontent.com)|185.199.109.154|:443... connected.
```

HTTP request sent, awaiting response... 200 OK
Length: 31160021 (30M) [application/octet-stream]
Saving to: '/home/ubuntu/arktos-containerd/containerd-1.4.2-linux-amd64.tar.gz'

containerd-1.4.2-linux-amd64.tar.gz

100%[=====]
=====>] 29.72M 53.1MB/s in 0.6s

2021-09-27 05:54:02 (53.1 MB/s) -
'/home/ubuntu/arktos-containerd/containerd-1.4.2-linux-amd64.tar.gz' saved
[31160021/31160021]

installing arktos containerd...

WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.

WARNING : This script MAY be run as root for docker socket / iptables functionality; if
failures occur, retry as root.

Getting runtime deployment file libvirt-qemu

--2021-09-27 05:54:20--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/libvirt-qemu

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.109.133, 185.199.110.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.108.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 6578 (6.4K) [text/plain]

Saving to: '/tmp/libvirt-qemu'

/tmp/libvirt-qemu

100%[=====]
=====>] 6.42K --.-KB/s in 0s

2021-09-27 05:54:20 (60.1 MB/s) - '/tmp/libvirt-qemu' saved [6578/6578]

Getting runtime deployment file libvirtd

--2021-09-27 05:54:20--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/libvirtd

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133,
185.199.110.133, 185.199.109.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.111.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 1617 (1.6K) [text/plain]

Saving to: '/tmp/libvirtd'

/tmp/libvirtd

100%[=====]
=====>] 1.58K --.-KB/s in 0s

2021-09-27 05:54:20 (22.9 MB/s) - '/tmp/libvirtd' saved [1617/1617]

Getting runtime deployment file virtlet

--2021-09-27 05:54:20--

```
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/virtlet
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133,
185.199.110.133, 185.199.109.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.111.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 2582 (2.5K) [text/plain]
Saving to: '/tmp/virtlet'
```

```
/tmp/virtlet
100%[=====
=====>] 2.52K --.-KB/s in 0s
```

2021-09-27 05:54:20 (15.0 MB/s) - '/tmp/virtlet' saved [2582/2582]

```
Getting runtime deployment file vms
--2021-09-27 05:54:20--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/vms
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133,
185.199.110.133, 185.199.109.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.111.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 485 [text/plain]
Saving to: '/tmp/vms'
```

```
/tmp/vms
100%[=====
=====>] 485 --.-KB/s in 0s
```

2021-09-27 05:54:20 (28.6 MB/s) - '/tmp/vms' saved [485/485]

```
Getting runtime deployment file vmruntime.yaml
--2021-09-27 05:54:20--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/data/virtlet-ds.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133,
185.199.110.133, 185.199.109.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.111.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 11643 (11K) [text/plain]
Saving to: '/tmp/vmruntime.yaml'
```

```
/tmp/vmruntime.yaml
100%[=====
=====>] 11.37K --.-KB/s in 0s
```

2021-09-27 05:54:21 (60.6 MB/s) - '/tmp/vmruntime.yaml' saved [11643/11643]

```
Getting runtime deployment file images.yaml
--2021-09-27 05:54:21--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy
```

```
y/images.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133,
185.199.110.133, 185.199.109.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.111.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 254 [text/plain]
Saving to: '/tmp/images.yaml'

/tmp/images.yaml
100%[=====
=====>]      254  --.-KB/s    in 0s
```

2021-09-27 05:54:21 (15.0 MB/s) - '/tmp/images.yaml' saved [254/254]

Stopping Apparmor service

make: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'

make[1]: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'

+++ [0927 05:54:28] Building go targets for linux/amd64:

./vendor/k8s.io/code-generator/cmd/deepcopy-gen

+++ [0927 05:54:28] Building go targets for linux/amd64:

+++ [0927 05:54:28] Building go targets for linux/amd64:

./vendor/k8s.io/code-generator/cmd/defaulter-gen

./vendor/k8s.io/code-generator/cmd/conversion-gen

+++ [0927 05:54:28] Building go targets for linux/amd64:

./vendor/k8s.io/kube-openapi/cmd/openapi-gen

+++ [0927 05:54:33] Building go targets for linux/amd64:

./vendor/github.com/go-bindata/go-bindata/go-bindata

make[1]: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'

Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to
_output/ArktosCopyrightTool.log

~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos

warning: inexact rename detection was skipped due to too many files.

warning: you may want to set your diff.renameLimit variable to at least 3063 and retry
the command.

~/go/src/k8s.io/arktos

~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos

warning: inexact rename detection was skipped due to too many files.

warning: you may want to set your diff.renameLimit variable to at least 3063 and retry
the command.

~/go/src/k8s.io/arktos

Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log

Done.

+++ [0927 05:55:01] Building go targets for linux/amd64:

cmd/kubect1

cmd/hyperkube

cmd/kube-apiserver

cmd/kube-controller-manager

cmd/workload-controller-manager

cmd/cloud-controller-manager

cmd/kubelet

cmd/kube-proxy

cmd/kube-scheduler

cmd/arktos-network-controller

Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to

```
_output/ArktosCopyrightTool.log
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3063 and retry
the command.
~/go/src/k8s.io/arktos
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3063 and retry
the command.
~/go/src/k8s.io/arktos
Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.
make: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
cannot find etcd locally. will install one.
Downloading
https://github.com/centaurus-cloud/etcd/releases/download/v3.4.3/etcd-v3.4.3-linux-amd64.tar.gz succeed
etcd v3.4.3 installed. To use:
export PATH="/home/ubuntu/go/src/k8s.io/arktos/third_party/etcd:${PATH}"
```

The current version is 3.4.3

```
API SERVER insecure port is free, proceeding...
API SERVER secure port is free, proceeding...
Unable to successfully run 'cfssl' from
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/snap/bin:/usr/local/go/bin:/home/ubuntu/go/src/k8s.io/arktos/third_party/etcd;
downloading instead...
```

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0
100	623	0	623	0	--:--:--	--:--:--	608k
100	9.8M	100	9.8M	0	--:--:--	--:--:--	19.1M

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0
100	627	100	627	0	--:--:--	--:--:--	2929
100	2224k	100	2224k	0	--:--:--	--:--:--	6213k

```
Detected host and ready to start services. Doing some housekeeping first...
Using GO_OUT /home/ubuntu/go/src/k8s.io/arktos/_output/local/bin/linux/amd64
Starting services now!
Starting etcd
```

The current version is 3.4.3

```
etcd --name instance-1 --listen-peer-urls http://10.128.15.197:2380
--advertise-client-urls http://10.128.15.197:2379 --data-dir /tmp/tmp.AhIjLkcu8t
--listen-client-urls http://10.128.15.197:2379,http://127.0.0.1:2379
--listen-peer-urls http://10.128.15.197:2380 --debug > "/tmp/etcd.log" 2>/dev/null
Waiting for etcd to come up.
+++ [0927 05:58:01] On try 2, etcd: : {"health":"true"}
{"header":{"cluster_id":"5578225663782683641","member_id":"9010459611878875315","revision":"2","raft_term":"2"}}Starting 1 kube-apiserver instances. If you want to make
changes to the kube-apiserver nubmer, please run export APISERVER_SERVER=n(n=1,2,...).
```



```

Copied the apiserver partition config file /var/run/kubernetes/apiserver.config...
Can't load /home/ubuntu/.rnd into RNG
140209683104192:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.....
.....+++++
...+++++
writing new private key to '/var/run/kubernetes/server-ca.key'
-----
Can't load /home/ubuntu/.rnd into RNG
139936064152000:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/client-ca.key'
-----
Can't load /home/ubuntu/.rnd into RNG
139626393485760:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/request-header-ca.key'
-----
2021/09/27 05:58:02 [INFO] generate received request
2021/09/27 05:58:02 [INFO] received CSR
2021/09/27 05:58:02 [INFO] generating key: rsa-2048
2021/09/27 05:58:02 [INFO] encoded CSR
2021/09/27 05:58:02 [INFO] signed certificate with serial number
330331620520082196662954168633762644967558229432
2021/09/27 05:58:02 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 05:58:02 [INFO] generate received request
2021/09/27 05:58:02 [INFO] received CSR
2021/09/27 05:58:02 [INFO] generating key: rsa-2048
2021/09/27 05:58:03 [INFO] encoded CSR
2021/09/27 05:58:03 [INFO] signed certificate with serial number
2705344971666056024760089438266065960597892617
2021/09/27 05:58:03 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 05:58:03 [INFO] generate received request
2021/09/27 05:58:03 [INFO] received CSR
2021/09/27 05:58:03 [INFO] generating key: rsa-2048

```

2021/09/27 05:58:03 [INFO] encoded CSR
2021/09/27 05:58:03 [INFO] signed certificate with serial number
237373316175010332342003568752833532533461485461
2021/09/27 05:58:03 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 05:58:03 [INFO] generate received request
2021/09/27 05:58:03 [INFO] received CSR
2021/09/27 05:58:03 [INFO] generating key: rsa-2048
2021/09/27 05:58:03 [INFO] encoded CSR
2021/09/27 05:58:03 [INFO] signed certificate with serial number
402468184103641851109281522283699670646399526668
2021/09/27 05:58:03 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 05:58:03 [INFO] generate received request
2021/09/27 05:58:03 [INFO] received CSR
2021/09/27 05:58:03 [INFO] generating key: rsa-2048
2021/09/27 05:58:03 [INFO] encoded CSR
2021/09/27 05:58:03 [INFO] signed certificate with serial number
640942854537654583681466033036250761747637665784
2021/09/27 05:58:03 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 05:58:03 [INFO] generate received request
2021/09/27 05:58:03 [INFO] received CSR
2021/09/27 05:58:03 [INFO] generating key: rsa-2048
2021/09/27 05:58:04 [INFO] encoded CSR
2021/09/27 05:58:04 [INFO] signed certificate with serial number
227916070153405450349494040986750500352178123383
2021/09/27 05:58:04 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 05:58:04 [INFO] generate received request
2021/09/27 05:58:04 [INFO] received CSR
2021/09/27 05:58:04 [INFO] generating key: rsa-2048
2021/09/27 05:58:05 [INFO] encoded CSR
2021/09/27 05:58:05 [INFO] signed certificate with serial number
599764781220435373993037403116880571159634411687

2021/09/27 05:58:05 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/27 05:58:05 [INFO] generate received request

2021/09/27 05:58:05 [INFO] received CSR

2021/09/27 05:58:05 [INFO] generating key: rsa-2048

2021/09/27 05:58:05 [INFO] encoded CSR

2021/09/27 05:58:05 [INFO] signed certificate with serial number 192145798657948646233733184002446199532458765953

2021/09/27 05:58:05 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/27 05:58:05 [INFO] generate received request

2021/09/27 05:58:05 [INFO] received CSR

2021/09/27 05:58:05 [INFO] generating key: rsa-2048

2021/09/27 05:58:05 [INFO] encoded CSR

2021/09/27 05:58:05 [INFO] signed certificate with serial number 651813382658210780727638499287523862729796861026

2021/09/27 05:58:05 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

Waiting for apiserver to come up

+++ [0927 05:58:20] On try 13, apiserver: : ok

clusterrolebinding.rbac.authorization.k8s.io/kube-apiserver-kubelet-admin created

Cluster "local-up-cluster" set.

use 'kubectl --kubeconfig=/var/run/kubernetes/admin-kube-aggregator0.kubeconfig' to use the aggregated API server

2021/09/27 05:58:21 [INFO] generate received request

2021/09/27 05:58:21 [INFO] received CSR

2021/09/27 05:58:21 [INFO] generating key: rsa-2048

2021/09/27 05:58:21 [INFO] encoded CSR

2021/09/27 05:58:21 [INFO] signed certificate with serial number 422827420859176370219280220604324182006378727582

2021/09/27 05:58:21 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

service/kube-dns created

serviceaccount/kube-dns created

configmap/kube-dns created

```

deployment.apps/kube-dns created
Kube-dns add-on successfully deployed.
2021/09/27 05:58:21 [INFO] generate received request
2021/09/27 05:58:21 [INFO] received CSR
2021/09/27 05:58:21 [INFO] generating key: rsa-2048
2021/09/27 05:58:22 [INFO] encoded CSR
2021/09/27 05:58:22 [INFO] signed certificate with serial number
549806264755950667923703621928538760710962098680
2021/09/27 05:58:22 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
kubelet ( 2854 ) is running.
customresourcedefinition.apiextensions.k8s.io/bouncers.mizar.com created
customresourcedefinition.apiextensions.k8s.io/dividers.mizar.com created
customresourcedefinition.apiextensions.k8s.io/droplets.mizar.com created
customresourcedefinition.apiextensions.k8s.io/endpoints.mizar.com created
customresourcedefinition.apiextensions.k8s.io/subnets.mizar.com created
customresourcedefinition.apiextensions.k8s.io/vpcs.mizar.com created
serviceaccount/mizar-operator created
clusterrolebinding.rbac.authorization.k8s.io/mizar-operator created
daemonset.apps/mizar-daemon created
deployment.apps/mizar-operator created
Create default storage class for
storageclass.storage.k8s.io/standard created
customresourcedefinition.apiextensions.k8s.io/networks.arktos.futurewei.com created
*****
Setup Arktos components ...

```

[illegible]

[illegible]

```

instance-1   Ready   <none>   7m15s   v0.8.0
node/instance-1 labeled
configmap/virtlet-image-translations created
daemonset.apps/virtlet created
configmap/virtlet-config created
clusterrolebinding.rbac.authorization.k8s.io/virtlet created
clusterrole.rbac.authorization.k8s.io/virtlet created
clusterrole.rbac.authorization.k8s.io/configmap-reader created
clusterrole.rbac.authorization.k8s.io/virtlet-userdata-reader created
clusterrolebinding.rbac.authorization.k8s.io/kubelet-node-binding created
clusterrolebinding.rbac.authorization.k8s.io/vm-userdata-binding created
clusterrole.rbac.authorization.k8s.io/virtlet-crd created
clusterrolebinding.rbac.authorization.k8s.io/virtlet-crd created
serviceaccount/virtlet created

```

NAME	DESIRED	CURRENT	READY	UP-TO-DATE	AVAILABLE	NODE SELECTOR	AGE
virtlet	1	1	0	1	0	<none>	0s

```

clusterrole.rbac.authorization.k8s.io/system:arktos-network-reader created
clusterrolebinding.rbac.authorization.k8s.io/system:kubelet-network-reader created

```

Arktos Setup done.

Setup Kata Containers components ...

* Install Kata components

kata-containers 2.2.1 from Kata Containers (katacontainers✓) installed

* Checking Kata compatibility

```

No newer release available time="2021-09-27T06:05:59Z" level=error msg="CPU property not
found" arch=amd64 description="Virtualization support" name=vmx pid=30026 source=runtime
type=flag time="2021-09-27T06:05:59Z" level=error msg="Module is not loaded and it can
not be inserted. Please consider running with sudo or as root" arch=amd64 module=kvm
name=kata-runtime pid=30026 source=runtime time="2021-09-27T06:05:59Z" level=error
msg="kernel property not found" arch=amd64 description="Kernel-based Virtual Machine"
name=kvm pid=30026 source=runtime type=module time="2021-09-27T06:05:59Z" level=error
msg="Module is not loaded and it can not be inserted. Please consider running with sudo
or as root" arch=amd64 module=vhost name=kata-runtime pid=30026 source=runtime
time="2021-09-27T06:05:59Z" level=error msg="kernel property not found" arch=amd64
description="Host kernel accelerator for virtio" name=vhost pid=30026 source=runtime
type=module time="2021-09-27T06:05:59Z" level=error msg="Module is not loaded and it can
not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost_net
name=kata-runtime pid=30026 source=runtime time="2021-09-27T06:05:59Z" level=error
msg="kernel property not found" arch=amd64 description="Host kernel accelerator for
virtio network" name=vhost_net pid=30026 source=runtime type=module
time="2021-09-27T06:05:59Z" level=error msg="Module is not loaded and it can not be
inserted. Please consider running with sudo or as root" arch=amd64 module=vhost_vsock
name=kata-runtime pid=30026 source=runtime time="2021-09-27T06:05:59Z" level=error
msg="kernel property not found" arch=amd64 description="Host Support for Linux VM Sockets"
name=vhost_vsock pid=30026 source=runtime type=module time="2021-09-27T06:05:59Z"
level=error msg="Module is not loaded and it can not be inserted. Please consider running
with sudo or as root" arch=amd64 module=kvm_intel name=kata-runtime pid=30026
source=runtime time="2021-09-27T06:05:59Z" level=error msg="kernel property not found"
arch=amd64 description="Intel KVM" name=kvm_intel pid=30026 source=runtime type=module
time="2021-09-27T06:05:59Z" level=error msg="ERROR: System is not capable of running Kata
Containers" arch=amd64 name=kata-runtime pid=30026 source=runtime ERROR: System is not
capable of running Kata Containers

```

Aborted. Current system does not support Kata Containers.

Kata Setup done.

Local Kubernetes cluster is running. Press Ctrl-C to shut it down.

Logs:

/tmp/kube-apiserver0.log
/tmp/kube-controller-manager.log

/tmp/kube-proxy.log
/tmp/kube-scheduler.log
/tmp/kubelet.log

To start using your cluster, you can open up another terminal/tab and run:

```
export KUBECONFIG=/var/run/kubernetes/admin.kubeconfig
```

Or

```
export KUBECONFIG=/var/run/kubernetes/adminN(N=0,1,...).kubeconfig
```

```
cluster/kubectl.sh
```

Alternatively, you can write to the default kubeconfig:

```
export KUBERNETES_PROVIDER=local
```

```
cluster/kubectl.sh config set-cluster local --server=https://instance-1:6443  
--certificate-authority=/var/run/kubernetes/server-ca.crt  
cluster/kubectl.sh config set-credentials myself  
--client-key=/var/run/kubernetes/client-admin.key  
--client-certificate=/var/run/kubernetes/client-admin.crt  
cluster/kubectl.sh config set-context local --cluster=local --user=myself  
cluster/kubectl.sh config use-context local  
cluster/kubectl.sh
```

Network error: Software caused connection abort

Session stopped

- Press **<return>** to exit tab
- Press **R** to restart session
- Press **S** to save terminal output to file

Authenticating with public key "ubuntu"

```
• MobaXterm 20.6 •  
(SSH client, X-server and networking tools)  
  
→ SSH session to ubuntu@34.70.131.140  
• SSH compression : v  
• SSH-browser      : v  
• X11-forwarding   : v (remote display is forwarded through SSH)  
• DISPLAY          : v (automatically set on remote server)  
  
→ For more info, ctrl+click on help or visit our website
```


Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 5.6.0-rc2 x86_64)

* Documentation: <https://help.ubuntu.com>
* Management: <https://landscape.canonical.com>
* Support: <https://ubuntu.com/advantage>

System information as of Mon Sep 27 06:43:48 UTC 2021

System load:	0.0	Processes:	181
Usage of /:	17.8% of 123.88GB	Users logged in:	1
Memory usage:	7%	IP address for ens4:	10.128.15.197
Swap usage:	0%	IP address for docker0:	172.17.0.1

39 updates can be applied immediately.
22 of these updates are standard security updates.
To see these additional updates run: `apt list --upgradable`

New release '20.04.3 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

Last login: Mon Sep 27 06:43:22 2021 from 136.233.242.204
ubuntu@instance-1:~/go/src/k8s.io/arktos\$ CNIPLUGIN=mizar ./hack/arktos-up.sh
DBG: Flannel CNI plugin will be installed AFTER cluster is up
DBG: effective feature gates
AllAlpha=false,WorkloadInfoDefaulting=true,QPSDoubleGCController=true,QPSDoubleRSController=true,MandatoryArktosNetwork=true
DBG: effective disabling admission plugins
DBG: effective default network template file is
/home/ubuntu/go/src/k8s.io/arktos/hack/testdata/default-flat-network.tmpl
DBG: kubelet arg RESOLV_CONF is /run/systemd/resolve/resolv.conf
WARNING : The kubelet is configured to not fail even if swap is enabled; production deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables functionality; if failures occur, retry as root.
cni plugin is mizar; arktos will use mizar to provision pod network
Checking arktos containerd...
arktos containerd found...
WARNING : The kubelet is configured to not fail even if swap is enabled; production deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables functionality; if failures occur, retry as root.
Getting runtime deployment file libvirt-qemu
--2021-09-27 06:44:18--
<https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/libvirt-qemu>
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133, 185.199.110.133, 185.199.109.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)[185.199.111.133]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 6578 (6.4K) [text/plain]

Saving to: '/tmp/libvirt-qemu'

/tmp/libvirt-qemu

```
100%[=====
=====>]    6.42K  --.-KB/s    in 0s
```

2021-09-27 06:44:18 (56.6 MB/s) - '/tmp/libvirt-qemu' saved [6578/6578]

Getting runtime deployment file libvirt

--2021-09-27 06:44:18--

<https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/libvirt>

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133, 185.199.110.133, 185.199.109.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.111.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 1617 (1.6K) [text/plain]

Saving to: '/tmp/libvirtd'

/tmp/libvirtd

```
100%[=====
=====>]    1.58K  --.-KB/s    in 0s
```

2021-09-27 06:44:18 (20.9 MB/s) - '/tmp/libvirtd' saved [1617/1617]

Getting runtime deployment file virtlet

--2021-09-27 06:44:18--

<https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/virtlet>

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133, 185.199.110.133, 185.199.109.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.111.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 2582 (2.5K) [text/plain]

Saving to: '/tmp/virtlet'

/tmp/virtlet

```
100%[=====
=====>]    2.52K  --.-KB/s    in 0s
```

2021-09-27 06:44:19 (17.4 MB/s) - '/tmp/virtlet' saved [2582/2582]

Getting runtime deployment file vms

--2021-09-27 06:44:19--

<https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/vms>

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133, 185.199.110.133, 185.199.109.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.111.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 485 [text/plain]

Saving to: '/tmp/vms'

```
/tmp/vms
100%[=====
=====>]      485  --.-KB/s    in 0s
```

2021-09-27 06:44:19 (24.6 MB/s) - '/tmp/vms' saved [485/485]

```
Getting runtime deployment file  vmruntime.yaml
--2021-09-27 06:44:19--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/data/virtlet-ds.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133,
185.199.110.133, 185.199.109.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.111.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 11643 (11K) [text/plain]
Saving to: '/tmp/vmruntime.yaml'
```

```
/tmp/vmruntime.yaml
100%[=====
=====>]    11.37K  --.-KB/s    in 0s
```

2021-09-27 06:44:19 (71.5 MB/s) - '/tmp/vmruntime.yaml' saved [11643/11643]

```
Getting runtime deployment file  images.yaml
--2021-09-27 06:44:19--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/images.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133,
185.199.110.133, 185.199.109.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.111.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 254 [text/plain]
Saving to: '/tmp/images.yaml'
```

```
/tmp/images.yaml
100%[=====
=====>]      254  --.-KB/s    in 0s
```

2021-09-27 06:44:19 (11.4 MB/s) - '/tmp/images.yaml' saved [254/254]

```
Stopping Apparmor service
make: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
make[1]: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
make[1]: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to
_output/ArktosCopyrightTool.log
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3063 and retry
the command.
~/go/src/k8s.io/arktos
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
```

```
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3063 and retry
the command.
~/go/src/k8s.io/arktos
Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.
+++ [0927 06:44:57] Building go targets for linux/amd64:
cmd/kubectl
cmd/hyperkube
cmd/kube-apiserver
cmd/kube-controller-manager
cmd/workload-controller-manager
cmd/cloud-controller-manager
cmd/kubelet
cmd/kube-proxy
cmd/kube-scheduler
cmd/arktos-network-controller
Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to
_output/ArktosCopyrightTool.log
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3063 and retry
the command.
~/go/src/k8s.io/arktos
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3063 and retry
the command.
~/go/src/k8s.io/arktos
Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.
make: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
```

The current version is 3.4.3

```
API SERVER insecure port is free, proceeding...
API SERVER secure port is free, proceeding...
Unable to successfully run 'cfssl' from
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/ga
mes:/snap/bin:/usr/local/go/bin:/home/ubuntu/go/src/k8s.io/arktos/third_party/etc
downloading instead...
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
   0      0    0     0    0     0    0  --:--:-- --:--:-- --:--:--    0
100  623  100  623    0     0  2350    0  --:--:-- --:--:-- --:--:--  2350
100 9.8M  100 9.8M    0     0 22.2M    0  --:--:-- --:--:-- --:--:-- 104M
% Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
   0      0    0     0    0     0    0  --:--:-- --:--:-- --:--:--    0
100  627  100  627    0     0  2824    0  --:--:~ --:~:~ --:~:~  2824
100 2224k  100 2224k    0     0 5995k    0  --:~:~ --:~:~ --:~:~ 5995k
Detected host and ready to start services. Doing some housekeeping first...
Using GO_OUT /home/ubuntu/go/src/k8s.io/arktos/_output/local/bin/linux/amd64
Starting services now!
Starting etcd
```

The current version is 3.4.3

```
etcd --name instance-1 --listen-peer-urls http://10.128.15.197:2380
--advertise-client-urls http://10.128.15.197:2379 --data-dir /tmp/tmp.qFc5PDef3U
--listen-client-urls http://10.128.15.197:2379,http://127.0.0.1:2379
--listen-peer-urls http://10.128.15.197:2380 --debug > "/tmp/etcd.log" 2>/dev/null
Waiting for etcd to come up.
+++ [0927 06:46:24] On try 1, etcd: : {"health":"true"}
{"header":{"cluster_id":"5578225663782683641","member_id":"9010459611878875315","revision":"2","raft_term":"2"}}Starting 1 kube-apiserver instances. If you want to make
changes to the kube-apiserver nubmer, please run export APISERVER_SERVER=n(n=1,2,...).
Copied the apiserver partition config file /var/run/kubernetes/apiserver.config...
Skip generating CA as CA files existed and REGENERATE_CA != true. To regenerate CA files,
export REGENERATE_CA=true
Can't load /home/ubuntu/.rnd into RNG
139760423707072:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/request-header-ca.key'
-----
2021/09/27 06:46:25 [INFO] generate received request
2021/09/27 06:46:25 [INFO] received CSR
2021/09/27 06:46:25 [INFO] generating key: rsa-2048
2021/09/27 06:46:25 [INFO] encoded CSR
2021/09/27 06:46:25 [INFO] signed certificate with serial number
433245111740442168951514700835288212116018841913
2021/09/27 06:46:25 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 06:46:25 [INFO] generate received request
2021/09/27 06:46:25 [INFO] received CSR
2021/09/27 06:46:25 [INFO] generating key: rsa-2048
2021/09/27 06:46:25 [INFO] encoded CSR
2021/09/27 06:46:25 [INFO] signed certificate with serial number
121436740979111275050242801835874242386566773792
2021/09/27 06:46:25 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 06:46:25 [INFO] generate received request
2021/09/27 06:46:25 [INFO] received CSR
2021/09/27 06:46:25 [INFO] generating key: rsa-2048
2021/09/27 06:46:25 [INFO] encoded CSR
2021/09/27 06:46:25 [INFO] signed certificate with serial number
345372370735764905657393597246201343039778283704
```

2021/09/27 06:46:25 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/27 06:46:25 [INFO] generate received request

2021/09/27 06:46:25 [INFO] received CSR

2021/09/27 06:46:25 [INFO] generating key: rsa-2048

2021/09/27 06:46:26 [INFO] encoded CSR

2021/09/27 06:46:26 [INFO] signed certificate with serial number 586217994587014696485594569748562966183959088773

2021/09/27 06:46:26 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/27 06:46:26 [INFO] generate received request

2021/09/27 06:46:26 [INFO] received CSR

2021/09/27 06:46:26 [INFO] generating key: rsa-2048

2021/09/27 06:46:26 [INFO] encoded CSR

2021/09/27 06:46:26 [INFO] signed certificate with serial number 300120743079375151715506525738824977973061632291

2021/09/27 06:46:26 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/27 06:46:26 [INFO] generate received request

2021/09/27 06:46:26 [INFO] received CSR

2021/09/27 06:46:26 [INFO] generating key: rsa-2048

2021/09/27 06:46:27 [INFO] encoded CSR

2021/09/27 06:46:27 [INFO] signed certificate with serial number 440313040217234640542362260924001622281960101174

2021/09/27 06:46:27 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/27 06:46:27 [INFO] generate received request

2021/09/27 06:46:27 [INFO] received CSR

2021/09/27 06:46:27 [INFO] generating key: rsa-2048

2021/09/27 06:46:27 [INFO] encoded CSR

2021/09/27 06:46:27 [INFO] signed certificate with serial number 334159965913461559887148291318420265923389449545

2021/09/27 06:46:27 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and

Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 06:46:27 [INFO] generate received request
2021/09/27 06:46:27 [INFO] received CSR
2021/09/27 06:46:27 [INFO] generating key: rsa-2048
2021/09/27 06:46:28 [INFO] encoded CSR
2021/09/27 06:46:28 [INFO] signed certificate with serial number
110839785475016782992703476551912056049603237592
2021/09/27 06:46:28 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/09/27 06:46:28 [INFO] generate received request
2021/09/27 06:46:28 [INFO] received CSR
2021/09/27 06:46:28 [INFO] generating key: rsa-2048
2021/09/27 06:46:28 [INFO] encoded CSR
2021/09/27 06:46:28 [INFO] signed certificate with serial number
163700039308023032366941749985262552589237796221
2021/09/27 06:46:28 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
Waiting for apiserver to come up
+++ [0927 06:46:38] On try 8, apiserver: : ok
clusterrolebinding.rbac.authorization.k8s.io/kube-apiserver-kubelet-admin created
Cluster "local-up-cluster" set.
use 'kubectl --kubeconfig=/var/run/kubernetes/admin-kube-aggregator0.kubeconfig' to use
the aggregated API server
2021/09/27 06:46:39 [INFO] generate received request
2021/09/27 06:46:39 [INFO] received CSR
2021/09/27 06:46:39 [INFO] generating key: rsa-2048
2021/09/27 06:46:39 [INFO] encoded CSR
2021/09/27 06:46:39 [INFO] signed certificate with serial number
318920196679205323660644354963420782460857171274
2021/09/27 06:46:39 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
service/kube-dns created
serviceaccount/kube-dns created
configmap/kube-dns created
deployment.apps/kube-dns created
Kube-dns addon successfully deployed.
2021/09/27 06:46:40 [INFO] generate received request

```

2021/09/27 06:46:40 [INFO] received CSR
2021/09/27 06:46:40 [INFO] generating key: rsa-2048
2021/09/27 06:46:40 [INFO] encoded CSR
2021/09/27 06:46:40 [INFO] signed certificate with serial number
698393722918921277335411553976295889877441860060
2021/09/27 06:46:40 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
kubelet ( 11127 ) is running.
customresourcedefinition.apiextensions.k8s.io/bouncers.mizar.com created
customresourcedefinition.apiextensions.k8s.io/dividers.mizar.com created
customresourcedefinition.apiextensions.k8s.io/droplets.mizar.com created
customresourcedefinition.apiextensions.k8s.io/endpoints.mizar.com created
customresourcedefinition.apiextensions.k8s.io/subnets.mizar.com created
customresourcedefinition.apiextensions.k8s.io/vpcs.mizar.com created
serviceaccount/mizar-operator created
clusterrolebinding.rbac.authorization.k8s.io/mizar-operator created
daemonset.apps/mizar-daemon created
deployment.apps/mizar-operator created
Create default storage class for
storageclass.storage.k8s.io/standard created
customresourcedefinition.apiextensions.k8s.io/networks.arktos.futurewei.com created
*****
Setup Arktos components ...

Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
instance-1   Ready   <none>   11s   v0.8.0
node/instance-1 labeled
configmap/virtlet-image-translations created
daemonset.apps/virtlet created
configmap/virtlet-config created
clusterrolebinding.rbac.authorization.k8s.io/virtlet created
clusterrole.rbac.authorization.k8s.io/virtlet created
clusterrole.rbac.authorization.k8s.io/configmap-reader created
clusterrole.rbac.authorization.k8s.io/virtlet-userdata-reader created
clusterrolebinding.rbac.authorization.k8s.io/kubelet-node-binding created
clusterrolebinding.rbac.authorization.k8s.io/vm-userdata-binding created
clusterrole.rbac.authorization.k8s.io/virtlet-crd created
clusterrolebinding.rbac.authorization.k8s.io/virtlet-crd created
serviceaccount/virtlet created
NAME          DESIRED   CURRENT   READY   UP-TO-DATE   AVAILABLE   NODE SELECTOR   AGE
virtlet       0         0         0       0            0           <none>          0s
clusterrole.rbac.authorization.k8s.io/system:arktos-network-reader created
clusterrolebinding.rbac.authorization.k8s.io/system:kubelet-network-reader created

Arktos Setup done.
*****
Setup Kata Containers components ...
* Install Kata components

```


snap "kata-containers" is already installed, see 'snap help refresh'

* Checking Kata compatibility

No newer release available time="2021-09-27T06:46:54Z" level=error msg="CPU property not found" arch=amd64 description="Virtualization support" name=vmx pid=13229 source=runtime type=flag time="2021-09-27T06:46:54Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost_net name=kata-runtime pid=13229 source=runtime time="2021-09-27T06:46:54Z" level=error msg="kernel property not found" arch=amd64 description="Host kernel accelerator for virtio network" name=vhost_net pid=13229 source=runtime type=module time="2021-09-27T06:46:54Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost_vsock name=kata-runtime pid=13229 source=runtime time="2021-09-27T06:46:54Z" level=error msg="kernel property not found" arch=amd64 description="Host Support for Linux VM Sockets" name=vhost_vsock pid=13229 source=runtime type=module time="2021-09-27T06:46:54Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=kvm_intel name=kata-runtime pid=13229 source=runtime time="2021-09-27T06:46:54Z" level=error msg="kernel property not found" arch=amd64 description="Intel KVM" name=kvm_intel pid=13229 source=runtime type=module time="2021-09-27T06:46:54Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=kvm name=kata-runtime pid=13229 source=runtime time="2021-09-27T06:46:54Z" level=error msg="kernel property not found" arch=amd64 description="Kernel-based Virtual Machine" name=kvm pid=13229 source=runtime type=module time="2021-09-27T06:46:54Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost name=kata-runtime pid=13229 source=runtime time="2021-09-27T06:46:54Z" level=error msg="kernel property not found" arch=amd64 description="Host kernel accelerator for virtio" name=vhost pid=13229 source=runtime type=module time="2021-09-27T06:46:54Z" level=error msg="ERROR: System is not capable of running Kata Containers" arch=amd64 name=kata-runtime pid=13229 source=runtime ERROR: System is not capable of running Kata Containers
Aborted. Current system does not support Kata Containers.
Kata Setup done.

Local Kubernetes cluster is running. Press Ctrl-C to shut it down.

Logs:

/tmp/kube-apiserver0.log

/tmp/kube-controller-manager.log

/tmp/kube-proxy.log

/tmp/kube-scheduler.log

/tmp/kubelet.log

To start using your cluster, you can open up another terminal/tab and run:

export KUBECONFIG=/var/run/kubernetes/admin.kubeconfig

Or

export KUBECONFIG=/var/run/kubernetes/adminN(N=0,1,...).kubeconfig

cluster/kubect1.sh

Alternatively, you can write to the default kubeconfig:

export KUBERNETES_PROVIDER=local

```
cluster/kubectl.sh config set-cluster local --server=https://instance-1:6443
--certificate-authority=/var/run/kubernetes/server-ca.crt
cluster/kubectl.sh config set-credentials myself
--client-key=/var/run/kubernetes/client-admin.key
--client-certificate=/var/run/kubernetes/client-admin.crt
cluster/kubectl.sh config set-context local --cluster=local --user=myself
cluster/kubectl.sh config use-context local
cluster/kubectl.sh
```

Remote side unexpectedly closed network connection

Session stopped

- Press **<return>** to exit tab
- Press **R** to restart session
- Press **S** to save terminal output to file