

```
login as: ubuntu
Authenticating with public key "ubuntu"
Passphrase for key "ubuntu":
Wrong passphrase
Passphrase for key "ubuntu":
Wrong passphrase
Passphrase for key "ubuntu":
```

```
      · MobaXterm Professional v21.0 ·
      (SSH client, X server and network tools)

➤ SSH session to ubuntu@35.192.137.181
  · Direct SSH      : ✓
  · SSH compression : ✓
  · SSH-browser     : ✓
  · X11-forwarding  : ✓ (remote display is forwarded through SSH)

➤ For more info, ctrl+click on help or visit our website.
```

Welcome to Ubuntu 18.04.6 LTS (GNU/Linux 5.4.0-1053-gcp x86\_64)

```
* Documentation:  https://help.ubuntu.com
* Management:    https://landscape.canonical.com
* Support:       https://ubuntu.com/advantage
```

System information as of Wed Sep 29 09:11:46 UTC 2021

```
System load:  0.0          Processes:            155
Usage of /:   3.4% of 48.29GB Users logged in:        0
Memory usage: 0%          IP address for ens4: 10.128.0.15
Swap usage:   0%
```

0 updates can be applied immediately.

The programs included with the Ubuntu system are free software;  
the exact distribution terms for each program are described in the  
individual files in /usr/share/doc/\*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by  
applicable law.

```
/usr/bin/xauth:  file /home/ubuntu/.Xauthority does not exist
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.
```

```
ubuntu@network-test:~$
ubuntu@network-test:~$ uname -a
Linux network-test 5.4.0-1053-gcp #57~18.04.1-Ubuntu SMP Sun Sep 12 22:52:33 UTC
2021 x86_64 x86_64 x86_64 GNU/Linux
ubuntu@network-test:~$ wget
https://raw.githubusercontent.com/CentaurusInfra/mizar/dev-next/kernelupdate.sh
```

--2021-09-29 09:12:24--

https://raw.githubusercontent.com/CentaurusInfra/mizar/dev-next/kernelupdate.sh

Resolving raw.githubusercontent.com (raw.githubusercontent.com)...

185.199.111.133, 185.199.108.133, 185.199.109.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.111.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 791 [text/plain]

Saving to: 'kernelupdate.sh'

kernelupdate.sh

100%[=====

=====>]

2021-09-29 09:12:24 (45.9 MB/s) - 'kernelupdate.sh' saved [791/791]

ubuntu@network-test:~\$ sudo bash kernelupdate.sh

--2021-09-29 09:12:25--

https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-headers-5.6.0-rc2\_5.6.0-rc2-1\_amd64.deb

Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.217.82.116

Connecting to mizar.s3.amazonaws.com

(mizar.s3.amazonaws.com)|52.217.82.116|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 7621020 (7.3M) []

Saving to: '../linux-5.6-rc2/linux-headers-5.6.0-rc2\_5.6.0-rc2-1\_amd64.deb'

linux-headers-5.6.0-rc2\_5.6.0-rc2-1\_amd64.deb

100%[=====

=====>]

2021-09-29 09:12:26 (19.6 MB/s) - '../linux-

5.6-rc2/linux-headers-5.6.0-rc2\_5.6.0-rc2-1\_amd64.deb' saved [7621020/7621020]

--2021-09-29 09:12:26--

https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-image-5.6.0-rc2-dbg\_5.6.0-rc2-1\_amd64.deb

Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.217.82.116

Connecting to mizar.s3.amazonaws.com

(mizar.s3.amazonaws.com)|52.217.82.116|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 857827912 (818M) [application/x-www-form-urlencoded]

Saving to: '../linux-5.6-rc2/linux-image-5.6.0-rc2-dbg\_5.6.0-rc2-1\_amd64.deb'

linux-image-5.6.0-rc2-dbg\_5.6.0-rc2-1\_amd64.deb

100%[=====

=====>]

2021-09-29 09:12:38 (67.8 MB/s) - '../linux-

5.6-rc2/linux-image-5.6.0-rc2-dbg\_5.6.0-rc2-1\_amd64.deb' saved

[857827912/857827912]

--2021-09-29 09:12:38--

https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-image-5.6.0-rc2\_5.6.0-rc2-1\_a

```
md64.deb
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.217.96.68
Connecting to mizar.s3.amazonaws.com
(mizar.s3.amazonaws.com)|52.217.96.68|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 56427036 (54M) [application/x-www-form-urlencoded]
Saving to: '../linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb'
```

```
linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb
100%[=====
=====>]
```

```
2021-09-29 09:12:39 (52.5 MB/s) - '../linux-
5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb' saved [56427036/56427036]
```

```
--2021-09-29 09:12:39--
https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.de
b
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.217.96.68
Connecting to mizar.s3.amazonaws.com
(mizar.s3.amazonaws.com)|52.217.96.68|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1082248 (1.0M) []
Saving to: '../linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb'
```

```
linux-libc-dev_5.6.0-rc2-1_amd64.deb
100%[=====
=====>]
```

```
2021-09-29 09:12:40 (4.65 MB/s) - '../linux-
5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb' saved [1082248/1082248]
```

```
Continue kernel update (y/n)?y
Updating kernel
Selecting previously unselected package linux-headers-5.6.0-rc2.
(Reading database ... 65612 files and directories currently installed.)
Preparing to unpack ../linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-headers-5.6.0-rc2 (5.6.0-rc2-1) ...
Selecting previously unselected package linux-image-5.6.0-rc2-dbg.
Preparing to unpack ../linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-image-5.6.0-rc2-dbg (5.6.0-rc2-1) ...
Selecting previously unselected package linux-image-5.6.0-rc2.
Preparing to unpack ../linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-image-5.6.0-rc2 (5.6.0-rc2-1) ...
Selecting previously unselected package linux-libc-dev:amd64.
Preparing to unpack ../linux-libc-dev_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-libc-dev:amd64 (5.6.0-rc2-1) ...
Setting up linux-headers-5.6.0-rc2 (5.6.0-rc2-1) ...
Setting up linux-image-5.6.0-rc2-dbg (5.6.0-rc2-1) ...
Setting up linux-image-5.6.0-rc2 (5.6.0-rc2-1) ...
update-initramfs: Generating /boot/initrd.img-5.6.0-rc2
Sourcing file `/etc/default/grub'
Sourcing file `/etc/default/grub.d/50-cloudimg-settings.cfg'
Generating grub configuration file ...
```

```
Found linux image: /boot/vmlinuz-5.6.0-rc2
Found initrd image: /boot/initrd.img-5.6.0-rc2
Found linux image: /boot/vmlinuz-5.4.0-1053-gcp
Found initrd image: /boot/initrd.img-5.4.0-1053-gcp
Adding boot menu entry for EFI firmware configuration
done
Setting up linux-libc-dev:amd64 (5.6.0-rc2-1) ...
Reboot host (y/n)?y
Rebooting
```

Remote side unexpectedly closed network connection

---

---

---

Session stopped

- Press <return> to exit tab
- Press R to restart session
- Press S to save terminal output to file

login as: ubuntu

Authenticating with public key "ubuntu"

```
      · MobaXterm Professional v21.0 ·
      (SSH client, X server and network tools)

➤ SSH session to ubuntu@35.192.137.181
  · Direct SSH      : ✓
  · SSH compression : ✓
  · SSH-browser     : ✓
  · X11-forwarding  : ✓ (remote display is forwarded through SSH)

➤ For more info, ctrl+click on help or visit our website.
```

Welcome to Ubuntu 18.04.6 LTS (GNU/Linux 5.6.0-rc2 x86\_64)

- \* Documentation: <https://help.ubuntu.com>
- \* Management: <https://landscape.canonical.com>
- \* Support: <https://ubuntu.com/advantage>

System information as of Wed Sep 29 09:23:53 UTC 2021

System load:	0.01	Processes:	164
Usage of /:	17.8% of 48.29GB	Users logged in:	0
Memory usage:	0%	IP address for ens4:	10.128.0.15
Swap usage:	0%		

0 updates can be applied immediately.

New release '20.04.3 LTS' available.

Run 'do-release-upgrade' to upgrade to it.

```
Last login: Wed Sep 29 09:11:47 2021 from 114.143.207.106
ubuntu@network-test:~$ git clone
https://github.com/Click2Cloud-Centaurus/arktos.git ~/go/src/k8s.io/arktos -b
default-cni-mizar
Cloning into '/home/ubuntu/go/src/k8s.io/arktos'...
remote: Enumerating objects: 104467, done.
remote: Counting objects: 100% (1130/1130), done.
remote: Compressing objects: 100% (683/683), done.
remote: Total 104467 (delta 564), reused 635 (delta 431), pack-reused 103337
Receiving objects: 100% (104467/104467), 333.11 MiB | 32.58 MiB/s, done.
Resolving deltas: 100% (63151/63151), done.
Checking out files: 100% (20762/20762), done.
ubuntu@network-test:~$ sudo bash
$HOME/go/src/k8s.io/arktos/hack/setup-dev-node.sh
The script is to help install prerequisites of Arktos development environment
on a fresh Linux installation.
It's been tested on Ubuntu 16.04 LTS and 18.04 LTS.
Update apt.
Hit:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic InRelease
Get:2 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates InRelease
[88.7 kB]
Get:3 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-backports
InRelease [74.6 kB]
Get:4 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64
Packages [8570 kB]
Get:5 http://security.ubuntu.com/ubuntu bionic-security InRelease [88.7 kB]
Get:6 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe
Translation-en [4941 kB]
Get:7 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/multiverse amd64
Packages [151 kB]
Get:8 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/multiverse
Translation-en [108 kB]
Get:9 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64
Packages [2265 kB]
Get:10 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe
amd64 Packages [1754 kB]
Get:11 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe
Translation-en [376 kB]
Get:12 http://us-central1.gce.archive.ubuntu.com/ubuntu
bionic-updates/multiverse amd64 Packages [27.3 kB]
Get:13 http://us-central1.gce.archive.ubuntu.com/ubuntu
bionic-updates/multiverse Translation-en [6808 B]
Get:14 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-backports/main
amd64 Packages [10.0 kB]
Get:15 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-backports/main
Translation-en [4764 B]
Get:16 http://us-central1.gce.archive.ubuntu.com/ubuntu
bionic-backports/universe amd64 Packages [10.3 kB]
Get:17 http://us-central1.gce.archive.ubuntu.com/ubuntu
bionic-backports/universe Translation-en [4588 B]
Get:18 http://security.ubuntu.com/ubuntu bionic-security/main amd64 Packages
[1904 kB]
Get:19 http://security.ubuntu.com/ubuntu bionic-security/main Translation-en
```

[345 kB]  
Get:20 http://security.ubuntu.com/ubuntu bionic-security/restricted amd64  
Packages [468 kB]  
Get:21 http://security.ubuntu.com/ubuntu bionic-security/restricted  
Translation-en [63.0 kB]  
Get:22 http://security.ubuntu.com/ubuntu bionic-security/universe amd64 Packages  
[1140 kB]  
Get:23 http://security.ubuntu.com/ubuntu bionic-security/universe Translation-en  
[260 kB]  
Get:24 http://security.ubuntu.com/ubuntu bionic-security/multiverse amd64  
Packages [20.9 kB]  
Get:25 http://security.ubuntu.com/ubuntu bionic-security/multiverse  
Translation-en [4732 B]  
Fetched 22.7 MB in 4s (5555 kB/s)  
Reading package lists... Done  
Building dependency tree  
Reading state information... Done  
4 packages can be upgraded. Run 'apt list --upgradable' to see them.  
Install docker.  
Reading package lists... Done  
Building dependency tree  
Reading state information... Done  
The following package was automatically installed and is no longer required:  
libnuma1  
Use 'sudo apt autoremove' to remove it.  
The following additional packages will be installed:  
bridge-utils containerd pigz runc ubuntu-fan  
Suggested packages:  
ifupdown aufs-tools cgroupfs-mount | cgroup-lite debootstrap docker-doc rinse  
zfs-fuse | zfsutils  
The following NEW packages will be installed:  
bridge-utils containerd docker.io pigz runc ubuntu-fan  
0 upgraded, 6 newly installed, 0 to remove and 4 not upgraded.  
Need to get 74.0 MB of archives.  
After this operation, 359 MB of additional disk space will be used.  
Get:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64  
pigz amd64 2.4-1 [57.4 kB]  
Get:2 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64  
bridge-utils amd64 1.5-15ubuntu1 [30.1 kB]  
Get:3 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe  
amd64 runc amd64 1.0.0~rc95-0ubuntu1~18.04.2 [4087 kB]  
Get:4 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe  
amd64 containerd amd64 1.5.2-0ubuntu1~18.04.2 [32.9 MB]  
Get:5 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/universe  
amd64 docker.io amd64 20.10.7-0ubuntu1~18.04.1 [36.9 MB]  
Get:6 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64  
ubuntu-fan all 0.12.10 [34.7 kB]  
Fetched 74.0 MB in 1s (49.8 MB/s)  
Preconfiguring packages ...  
Selecting previously unselected package pigz.  
(Reading database ... 97198 files and directories currently installed.)  
Preparing to unpack .../0-pigz\_2.4-1\_amd64.deb ...  
Unpacking pigz (2.4-1) ...  
Selecting previously unselected package bridge-utils.

```
Preparing to unpack .../1-bridge-utils_1.5-15ubuntu1_amd64.deb ...
Unpacking bridge-utils (1.5-15ubuntu1) ...
Selecting previously unselected package runc.
Preparing to unpack .../2-runc_1.0.0~rc95-0ubuntu1~18.04.2_amd64.deb ...
Unpacking runc (1.0.0~rc95-0ubuntu1~18.04.2) ...
Selecting previously unselected package containerd.
Preparing to unpack .../3-containerd_1.5.2-0ubuntu1~18.04.2_amd64.deb ...
Unpacking containerd (1.5.2-0ubuntu1~18.04.2) ...
Selecting previously unselected package docker.io.
Preparing to unpack .../4-docker.io_20.10.7-0ubuntu1~18.04.1_amd64.deb ...
Unpacking docker.io (20.10.7-0ubuntu1~18.04.1) ...
Selecting previously unselected package ubuntu-fan.
Preparing to unpack .../5-ubuntu-fan_0.12.10_all.deb ...
Unpacking ubuntu-fan (0.12.10) ...
Setting up runc (1.0.0~rc95-0ubuntu1~18.04.2) ...
Setting up containerd (1.5.2-0ubuntu1~18.04.2) ...
Created symlink /etc/systemd/system/multi-user.target.wants/containerd.service →
/lib/systemd/system/containerd.service.
Setting up bridge-utils (1.5-15ubuntu1) ...
Setting up ubuntu-fan (0.12.10) ...
Created symlink /etc/systemd/system/multi-user.target.wants/ubuntu-fan.service →
/lib/systemd/system/ubuntu-fan.service.
Setting up pigz (2.4-1) ...
Setting up docker.io (20.10.7-0ubuntu1~18.04.1) ...
Adding group `docker' (GID 116) ...
Done.
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service →
/lib/systemd/system/docker.service.
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket →
/lib/systemd/system/docker.socket.
Processing triggers for systemd (237-3ubuntu10.52) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for ureadahead (0.100.0-21) ...
Install make & gcc.
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following package was automatically installed and is no longer required:
  libnuma1
Use 'sudo apt autoremove' to remove it.
Suggested packages:
  make-doc
The following NEW packages will be installed:
  make
0 upgraded, 1 newly installed, 0 to remove and 4 not upgraded.
Need to get 154 kB of archives.
After this operation, 381 kB of additional disk space will be used.
Get:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64 make
amd64 4.1-9.1ubuntu1 [154 kB]
Fetched 154 kB in 0s (9698 kB/s)
Selecting previously unselected package make.
(Reading database ... 97520 files and directories currently installed.)
Preparing to unpack .../make_4.1-9.1ubuntu1_amd64.deb ...
Unpacking make (4.1-9.1ubuntu1) ...
```

Setting up make (4.1-9.1ubuntu1) ...  
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...  
Reading package lists... Done  
Building dependency tree  
Reading state information... Done  
The following package was automatically installed and is no longer required:  
libnuma1  
Use 'sudo apt autoremove' to remove it.  
The following additional packages will be installed:  
binutils binutils-common binutils-x86-64-linux-gnu cpp cpp-7 gcc-7 gcc-7-base  
libasan4 libatomic1 libbinutils libc-dev-bin libc6-dev libcc1-0 libcilkrts5  
libgcc-7-dev libgomp1  
libmpc3 libmpx2 libquadmath0 libtsan0 libubsan0 manpages-dev  
Suggested packages:  
binutils-doc cpp-doc gcc-7-locales gcc-multilib autoconf automake libtool flex  
bison gdb gcc-doc gcc-7-multilib gcc-7-doc libgcc1-dbg libgomp1-dbg libitm1-dbg  
libatomic1-dbg libtsan0-dbg libubsan0-dbg libcilkrts5-dbg libmpx2-dbg libquadmath0-dbg  
glibc-doc  
The following NEW packages will be installed:  
binutils binutils-common binutils-x86-64-linux-gnu cpp cpp-7 gcc gcc-7  
gcc-7-base libasan4 libatomic1 libbinutils libc-dev-bin libc6-dev libcc1-0  
libcilkrts5 libgcc-7-dev libg  
libmpc3 libmpx2 libquadmath0 libtsan0 libubsan0 manpages-dev  
0 upgraded, 26 newly installed, 0 to remove and 4 not upgraded.  
Need to get 29.6 MB of archives.  
After this operation, 112 MB of additional disk space will be used.  
Get:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64  
binutils-common amd64 2.30-21ubuntu1~18.04.5 [197 kB]  
Get:2 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64  
libbinutils amd64 2.30-21ubuntu1~18.04.5 [489 kB]  
Get:3 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64  
binutils-x86-64-linux-gnu amd64 2.30-21ubuntu1~18.04.5 [1839 kB]  
Get:4 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64  
binutils amd64 2.30-21ubuntu1~18.04.5 [3388 B]  
Get:5 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64  
gcc-7-base amd64 7.5.0-3ubuntu1~18.04 [18.3 kB]  
Get:6 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64  
libisl19 amd64 0.19-1 [551 kB]  
Get:7 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64 libmpc3  
amd64 1.1.0-1 [40.8 kB]  
Get:8 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64  
cpp-7 amd64 7.5.0-3ubuntu1~18.04 [8591 kB]  
Get:9 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main amd64  
cpp amd64 4:7.4.0-1ubuntu2.3 [27.7 kB]  
Get:10 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main  
amd64 libcc1-0 amd64 8.4.0-1ubuntu1~18.04 [39.4 kB]  
Get:11 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main  
amd64 libgomp1 amd64 8.4.0-1ubuntu1~18.04 [76.5 kB]  
Get:12 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main  
amd64 libitm1 amd64 8.4.0-1ubuntu1~18.04 [27.9 kB]  
Get:13 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main  
amd64 libatomic1 amd64 8.4.0-1ubuntu1~18.04 [9192 B]  
Get:14 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main



```
amd64 libasan4 amd64 7.5.0-3ubuntu1~18.04 [358 kB]
Get:15 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 liblsan0 amd64 8.4.0-1ubuntu1~18.04 [133 kB]
Get:16 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 libtsan0 amd64 8.4.0-1ubuntu1~18.04 [288 kB]
Get:17 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 libubsan0 amd64 7.5.0-3ubuntu1~18.04 [126 kB]
Get:18 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 libcilkrts5 amd64 7.5.0-3ubuntu1~18.04 [42.5 kB]
Get:19 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 libmpx2 amd64 8.4.0-1ubuntu1~18.04 [11.6 kB]
Get:20 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 libquadmath0 amd64 8.4.0-1ubuntu1~18.04 [134 kB]
Get:21 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 libgcc-7-dev amd64 7.5.0-3ubuntu1~18.04 [2378 kB]
Get:22 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 gcc-7 amd64 7.5.0-3ubuntu1~18.04 [9381 kB]
Get:23 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 gcc amd64 4:7.4.0-1ubuntu2.3 [5184 B]
Get:24 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 libc-dev-bin amd64 2.27-3ubuntu1.4 [71.8 kB]
Get:25 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic-updates/main
amd64 libc6-dev amd64 2.27-3ubuntu1.4 [2585 kB]
Get:26 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/main amd64
manpages-dev all 4.15-1 [2217 kB]
Fetched 29.6 MB in 1s (55.1 MB/s)
Selecting previously unselected package binutils-common:amd64.
(Reading database ... 97536 files and directories currently installed.)
Preparing to unpack .../00-binutils-common_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking binutils-common:amd64 (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package libbinutils:amd64.
Preparing to unpack .../01-libbinutils_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking libbinutils:amd64 (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package binutils-x86-64-linux-gnu.
Preparing to unpack
.../02-binutils-x86-64-linux-gnu_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking binutils-x86-64-linux-gnu (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package binutils.
Preparing to unpack .../03-binutils_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking binutils (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package gcc-7-base:amd64.
Preparing to unpack .../04-gcc-7-base_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking gcc-7-base:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libisl19:amd64.
Preparing to unpack .../05-libisl19_0.19-1_amd64.deb ...
Unpacking libisl19:amd64 (0.19-1) ...
Selecting previously unselected package libmpc3:amd64.
Preparing to unpack .../06-libmpc3_1.1.0-1_amd64.deb ...
Unpacking libmpc3:amd64 (1.1.0-1) ...
Selecting previously unselected package cpp-7.
Preparing to unpack .../07-cpp-7_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking cpp-7 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package cpp.
Preparing to unpack .../08-cpp_4%3a7.4.0-1ubuntu2.3_amd64.deb ...
```

Unpacking cpp (4:7.4.0-1ubuntu2.3) ...  
Selecting previously unselected package libcc1-0:amd64.  
Preparing to unpack .../09-libcc1-0\_8.4.0-1ubuntu1~18.04\_amd64.deb ...  
Unpacking libcc1-0:amd64 (8.4.0-1ubuntu1~18.04) ...  
Selecting previously unselected package libgomp1:amd64.  
Preparing to unpack .../10-libgomp1\_8.4.0-1ubuntu1~18.04\_amd64.deb ...  
Unpacking libgomp1:amd64 (8.4.0-1ubuntu1~18.04) ...  
Selecting previously unselected package libitm1:amd64.  
Preparing to unpack .../11-libitm1\_8.4.0-1ubuntu1~18.04\_amd64.deb ...  
Unpacking libitm1:amd64 (8.4.0-1ubuntu1~18.04) ...  
Selecting previously unselected package libatomic1:amd64.  
Preparing to unpack .../12-libatomic1\_8.4.0-1ubuntu1~18.04\_amd64.deb ...  
Unpacking libatomic1:amd64 (8.4.0-1ubuntu1~18.04) ...  
Selecting previously unselected package libasan4:amd64.  
Preparing to unpack .../13-libasan4\_7.5.0-3ubuntu1~18.04\_amd64.deb ...  
Unpacking libasan4:amd64 (7.5.0-3ubuntu1~18.04) ...  
Selecting previously unselected package liblsan0:amd64.  
Preparing to unpack .../14-liblsan0\_8.4.0-1ubuntu1~18.04\_amd64.deb ...  
Unpacking liblsan0:amd64 (8.4.0-1ubuntu1~18.04) ...  
Selecting previously unselected package libtsan0:amd64.  
Preparing to unpack .../15-libtsan0\_8.4.0-1ubuntu1~18.04\_amd64.deb ...  
Unpacking libtsan0:amd64 (8.4.0-1ubuntu1~18.04) ...  
Selecting previously unselected package libubsan0:amd64.  
Preparing to unpack .../16-libubsan0\_7.5.0-3ubuntu1~18.04\_amd64.deb ...  
Unpacking libubsan0:amd64 (7.5.0-3ubuntu1~18.04) ...  
Selecting previously unselected package libcilkrts5:amd64.  
Preparing to unpack .../17-libcilkrts5\_7.5.0-3ubuntu1~18.04\_amd64.deb ...  
Unpacking libcilkrts5:amd64 (7.5.0-3ubuntu1~18.04) ...  
Selecting previously unselected package libmpx2:amd64.  
Preparing to unpack .../18-libmpx2\_8.4.0-1ubuntu1~18.04\_amd64.deb ...  
Unpacking libmpx2:amd64 (8.4.0-1ubuntu1~18.04) ...  
Selecting previously unselected package libquadmath0:amd64.  
Preparing to unpack .../19-libquadmath0\_8.4.0-1ubuntu1~18.04\_amd64.deb ...  
Unpacking libquadmath0:amd64 (8.4.0-1ubuntu1~18.04) ...  
Selecting previously unselected package libgcc-7-dev:amd64.  
Preparing to unpack .../20-libgcc-7-dev\_7.5.0-3ubuntu1~18.04\_amd64.deb ...  
Unpacking libgcc-7-dev:amd64 (7.5.0-3ubuntu1~18.04) ...  
Selecting previously unselected package gcc-7.  
Preparing to unpack .../21-gcc-7\_7.5.0-3ubuntu1~18.04\_amd64.deb ...  
Unpacking gcc-7 (7.5.0-3ubuntu1~18.04) ...  
Selecting previously unselected package gcc.  
Preparing to unpack .../22-gcc\_4%3a7.4.0-1ubuntu2.3\_amd64.deb ...  
Unpacking gcc (4:7.4.0-1ubuntu2.3) ...  
Selecting previously unselected package libc-dev-bin.  
Preparing to unpack .../23-libc-dev-bin\_2.27-3ubuntu1.4\_amd64.deb ...  
Unpacking libc-dev-bin (2.27-3ubuntu1.4) ...  
Selecting previously unselected package libc6-dev:amd64.  
Preparing to unpack .../24-libc6-dev\_2.27-3ubuntu1.4\_amd64.deb ...  
Unpacking libc6-dev:amd64 (2.27-3ubuntu1.4) ...  
Selecting previously unselected package manpages-dev.  
Preparing to unpack .../25-manpages-dev\_4.15-1\_all.deb ...  
Unpacking manpages-dev (4.15-1) ...  
Setting up libquadmath0:amd64 (8.4.0-1ubuntu1~18.04) ...  
Setting up libgomp1:amd64 (8.4.0-1ubuntu1~18.04) ...

Setting up libatomic1:amd64 (8.4.0-1ubuntu1~18.04) ...  
Setting up libcc1-0:amd64 (8.4.0-1ubuntu1~18.04) ...  
Setting up libtsan0:amd64 (8.4.0-1ubuntu1~18.04) ...  
Setting up liblsan0:amd64 (8.4.0-1ubuntu1~18.04) ...  
Setting up gcc-7-base:amd64 (7.5.0-3ubuntu1~18.04) ...  
Setting up binutils-common:amd64 (2.30-21ubuntu1~18.04.5) ...  
Setting up libmpx2:amd64 (8.4.0-1ubuntu1~18.04) ...  
Setting up libmpc3:amd64 (1.1.0-1) ...  
Setting up libc-dev-bin (2.27-3ubuntu1.4) ...  
Setting up manpages-dev (4.15-1) ...  
Setting up libc6-dev:amd64 (2.27-3ubuntu1.4) ...  
Setting up libitm1:amd64 (8.4.0-1ubuntu1~18.04) ...  
Setting up libisl19:amd64 (0.19-1) ...  
Setting up libasan4:amd64 (7.5.0-3ubuntu1~18.04) ...  
Setting up libbinutils:amd64 (2.30-21ubuntu1~18.04.5) ...  
Setting up libcilkrts5:amd64 (7.5.0-3ubuntu1~18.04) ...  
Setting up libubsan0:amd64 (7.5.0-3ubuntu1~18.04) ...  
Setting up libgcc-7-dev:amd64 (7.5.0-3ubuntu1~18.04) ...  
Setting up cpp-7 (7.5.0-3ubuntu1~18.04) ...  
Setting up binutils-x86-64-linux-gnu (2.30-21ubuntu1~18.04.5) ...  
Setting up cpp (4:7.4.0-1ubuntu2.3) ...  
Setting up binutils (2.30-21ubuntu1~18.04.5) ...  
Setting up gcc-7 (7.5.0-3ubuntu1~18.04) ...  
Setting up gcc (4:7.4.0-1ubuntu2.3) ...  
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...  
Processing triggers for libc-bin (2.27-3ubuntu1.4) ...  
Reading package lists... Done  
Building dependency tree  
Reading state information... Done  
The following package was automatically installed and is no longer required:  
 libnuma1  
Use 'sudo apt autoremove' to remove it.  
The following additional packages will be installed:  
 libjq1 libonig4  
The following NEW packages will be installed:  
 jq libjq1 libonig4  
0 upgraded, 3 newly installed, 0 to remove and 4 not upgraded.  
Need to get 276 kB of archives.  
After this operation, 930 kB of additional disk space will be used.  
Get:1 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64 libonig4 amd64 6.7.0-1 [119 kB]  
Get:2 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64 libjq1 amd64 1.5+dfsg-2 [111 kB]  
Get:3 http://us-central1.gce.archive.ubuntu.com/ubuntu bionic/universe amd64 jq amd64 1.5+dfsg-2 [45.6 kB]  
Fetched 276 kB in 0s (8708 kB/s)  
Selecting previously unselected package libonig4:amd64.  
(Reading database ... 100797 files and directories currently installed.)  
Preparing to unpack .../libonig4\_6.7.0-1\_amd64.deb ...  
Unpacking libonig4:amd64 (6.7.0-1) ...  
Selecting previously unselected package libjq1:amd64.  
Preparing to unpack .../libjq1\_1.5+dfsg-2\_amd64.deb ...  
Unpacking libjq1:amd64 (1.5+dfsg-2) ...  
Selecting previously unselected package jq.

```

Preparing to unpack .../jq_1.5+dfsg-2_amd64.deb ...
Unpacking jq (1.5+dfsg-2) ...
Setting up libonig4:amd64 (6.7.0-1) ...
Setting up libjq1:amd64 (1.5+dfsg-2) ...
Setting up jq (1.5+dfsg-2) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for libc-bin (2.27-3ubuntu1.4) ...
Install golang.
--2021-09-29 09:25:42-- https://dl.google.com/go/go1.13.9.linux-amd64.tar.gz
Resolving dl.google.com (dl.google.com)... 142.251.6.190, 142.251.6.91,
142.251.6.136, ...
Connecting to dl.google.com (dl.google.com)|142.251.6.190|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 120139686 (115M) [application/octet-stream]
Saving to: '/tmp/go1.13.9.linux-amd64.tar.gz'

go1.13.9.linux-amd64.tar.gz
100%[=====
=====>]

2021-09-29 09:25:45 (35.1 MB/s) - '/tmp/go1.13.9.linux-amd64.tar.gz' saved
[120139686/120139686]

Done.
Please run and add 'export PATH=$PATH:/usr/local/go/bin' into your shell
profile.
You can proceed to run arktos-up.sh if you want to launch a single-node cluster.
ubuntu@network-test:~$ echo export PATH=$PATH:/usr/local/go/bin \>> ~/.profile
ubuntu@network-test:~$ echo cd \"$HOME/go/src/k8s.io/arktos \>> ~/.profile
ubuntu@network-test:~$ source ~/.profile
ubuntu@network-test:~/go/src/k8s.io/arktos$ CNIPLUGIN=mizar ./hack/arktos-up.sh
DBG: Flannel CNI plugin will be installed AFTER cluster is up
DBG: effective feature gates
AllAlpha=false,WorkloadInfoDefaulting=true,QPSDoubleGCController=true,QPSDoubleR
SController=true,MandatoryArktosNetwork=true
DBG: effective disabling admission plugins
DBG: effective default network template file is
/home/ubuntu/go/src/k8s.io/arktos/hack/testdata/default-flat-network.tpl
DBG: kubelet arg RESOLV_CONF is /run/systemd/resolve/resolve.conf
WARNING : The kubelet is configured to not fail even if swap is enabled;
production deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables
functionality; if failures occur, retry as root.
cni plugin is mizar; arktos will use mizar to provision pod network
Checking arktos containerd...
arktos containerd not found...
--2021-09-29 09:27:19--
https://github.com/containerd/containerd/releases/download/v1.4.2/containerd-1.4
.2-linux-amd64.tar.gz
Resolving github.com (github.com)... 140.82.113.3
Connecting to github.com (github.com)|140.82.113.3|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location:
https://github-releases.githubusercontent.com/46089560/5cad0000-2fc0-11eb-8e3a-e

```

d435a7b945c?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWNJYAX4CSVEH53A%2F20quest&X-Amz-Date=20210929T092719Z&X-Amz-Expires=300&X-Amz-Signature=ca47e7a0b871c9b2c4b10e761f4a1fa5270b2dd6f8436d0e55781c2a16d97811&X-Amz-SignedHeaders=host&actor\_id=0&key\_id=0t-disposition=attachment%3B%20filename%3Dcontainerd-1.4.2-linux-amd64.tar.gz&response-content-type=application%2Foctet-stream  
[following]

--2021-09-29 09:27:19--

https://github-releases.githubusercontent.com/46089560/5cad0000-2fc0-11eb-8e3a-ed435a7b945c?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWNJYA%2Fs3%2Faws4\_request&X-Amz-Date=20210929T092719Z&X-Amz-Expires=300&X-Amz-Signature=ca47e7a0b871c9b2c4b10e761f4a1fa5270b2dd6f8436d0e55781c2a16d97811&X-Amz-SignedHeaders=host&actoresponse-content-disposition=attachment%3B%20filename%3Dcontainerd-1.4.2-linux-amd64.tar.gz&response-content-type=application%2Foctet-stream

Resolving github-releases.githubusercontent.com

(github-releases.githubusercontent.com)... 185.199.111.154, 185.199.110.154, 185.199.109.154, ...

Connecting to github-releases.githubusercontent.com

(github-releases.githubusercontent.com)|185.199.111.154|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 31160021 (30M) [application/octet-stream]

Saving to: '/home/ubuntu/arktos-containerd/containerd-1.4.2-linux-amd64.tar.gz'

containerd-1.4.2-linux-amd64.tar.gz

100%[=====>]

2021-09-29 09:27:20 (88.3 MB/s) - '/home/ubuntu/arktos-containerd/containerd-1.4.2-linux-amd64.tar.gz' saved [31160021/31160021]

installing arktos containerd...

WARNING : The kubelet is configured to not fail even if swap is enabled; production deployments should disable swap.

WARNING : This script MAY be run as root for docker socket / iptables functionality; if failures occur, retry as root.

Getting runtime deployment file libvirt-qemu

--2021-09-29 09:27:37--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/libvirt-qemu

Resolving raw.githubusercontent.com (raw.githubusercontent.com)...

185.199.110.133, 185.199.111.133, 185.199.109.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.110.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 6578 (6.4K) [text/plain]

Saving to: '/tmp/libvirt-qemu'

/tmp/libvirt-qemu

100%[=====>]

2021-09-29 09:27:37 (65.5 MB/s) - '/tmp/libvirt-qemu' saved [6578/6578]

Getting runtime deployment file libvirtd

--2021-09-29 09:27:37--

```
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/
deploy/apparmor/libvirt
Resolving raw.githubusercontent.com (raw.githubusercontent.com)...
185.199.108.133, 185.199.109.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1617 (1.6K) [text/plain]
Saving to: '/tmp/libvirt'
```

```
/tmp/libvirt
100%[=====
=====>]
```

2021-09-29 09:27:37 (25.1 MB/s) - '/tmp/libvirt' saved [1617/1617]

```
Getting runtime deployment file virtlet
--2021-09-29 09:27:37--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/
deploy/apparmor/virtlet
Resolving raw.githubusercontent.com (raw.githubusercontent.com)...
185.199.108.133, 185.199.109.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 2582 (2.5K) [text/plain]
Saving to: '/tmp/virtlet'
```

```
/tmp/virtlet
100%[=====
=====>]
```

2021-09-29 09:27:37 (38.3 MB/s) - '/tmp/virtlet' saved [2582/2582]

```
Getting runtime deployment file vms
--2021-09-29 09:27:37--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/
deploy/apparmor/vms
Resolving raw.githubusercontent.com (raw.githubusercontent.com)...
185.199.108.133, 185.199.109.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 485 [text/plain]
Saving to: '/tmp/vms'
```

```
/tmp/vms
100%[=====
=====>]
```

2021-09-29 09:27:37 (16.8 MB/s) - '/tmp/vms' saved [485/485]

```
Getting runtime deployment file vmruntime.yaml
--2021-09-29 09:27:37--
```

```
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/
deploy/data/virtlet-ds.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)...
185.199.108.133, 185.199.109.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 11643 (11K) [text/plain]
Saving to: '/tmp/vmruntime.yaml'
```

```
/tmp/vmruntime.yaml
100%[=====
=====>]
```

2021-09-29 09:27:37 (77.0 MB/s) - '/tmp/vmruntime.yaml' saved [11643/11643]

```
Getting runtime deployment file images.yaml
--2021-09-29 09:27:37--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/
deploy/images.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)...
185.199.108.133, 185.199.109.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 254 [text/plain]
Saving to: '/tmp/images.yaml'
```

```
/tmp/images.yaml
100%[=====
=====>]
```

2021-09-29 09:27:38 (16.7 MB/s) - '/tmp/images.yaml' saved [254/254]

```
Stopping Apparmor service
make: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
make[1]: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
+++ [0929 09:27:45] Building go targets for linux/amd64:
./vendor/k8s.io/code-generator/cmd/deepcopy-gen
+++ [0929 09:27:45] Building go targets for linux/amd64:
./vendor/k8s.io/code-generator/cmd/defaulter-gen
+++ [0929 09:27:45] Building go targets for linux/amd64:
./vendor/k8s.io/code-generator/cmd/conversion-gen
+++ [0929 09:27:45] Building go targets for linux/amd64:
./vendor/k8s.io/kube-openapi/cmd/openapi-gen
+++ [0929 09:27:49] Building go targets for linux/amd64:
./vendor/github.com/go-bindata/go-bindata/go-bindata
F0929 09:27:58.245152 17028 defaulter.go:292] cannot import package
../../../../../vendor/k8s.io/api/authorization/v1beta1
Makefile.generated_files:249: recipe for target 'gen_defaulter' failed
make[1]: *** [gen_defaulter] Error 1
make[1]: *** Waiting for unfinished jobs....
make[1]: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
Makefile:560: recipe for target 'generated_files' failed
```

```

make: *** [generated_files] Error 2
make: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
!!! Error in ./hack/arktos-up.sh:138
  Error in ./hack/arktos-up.sh:138. 'make -j4 -C "${KUBE_ROOT}"
WHAT="cmd/kubect1 cmd/hyperkube cmd/kube-apiserver cmd/kube-controller-manager
cmd/workload-controller-manager cmbelet cmd/kube-proxy cmd/kube-scheduler
cmd/arktos-network-controller"' exited with status 2
Call stack:
  1: ./hack/arktos-up.sh:138 main(...)
Exiting with status 1
ubuntu@network-test:~/go/src/k8s.io/arktos$ CNIPLUGIN=mizar ./hack/arktos-up.sh
DBG: Flannel CNI plugin will be installed AFTER cluster is up
DBG: effective feature gates
AllAlpha=false,WorkloadInfoDefaulting=true,QPSDoubleGCController=true,QPSDoubleR
SController=true,MandatoryArktosNetwork=true
DBG: effective disabling admission plugins
DBG: effective default network template file is
/home/ubuntu/go/src/k8s.io/arktos/hack/testdata/default-flat-network.tmpl
DBG: kubelet arg RESOLV_CONF is /run/systemd/resolve/resolve.conf
WARNING : The kubelet is configured to not fail even if swap is enabled;
production deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables
functionality; if failures occur, retry as root.
cni plugin is mizar; arktos will use mizar to provision pod network
Checking arktos containerd...
arktos containerd found...
WARNING : The kubelet is configured to not fail even if swap is enabled;
production deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables
functionality; if failures occur, retry as root.
Getting runtime deployment file  libvirt-qemu
--2021-09-29 09:30:25--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/
deploy/apparmor/libvirt-qemu
Resolving raw.githubusercontent.com (raw.githubusercontent.com)...
185.199.108.133, 185.199.109.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 6578 (6.4K) [text/plain]
Saving to: '/tmp/libvirt-qemu'

/tmp/libvirt-qemu
100%[=====
=====>]

2021-09-29 09:30:26 (40.0 MB/s) - '/tmp/libvirt-qemu' saved [6578/6578]

Getting runtime deployment file  libvirtd
--2021-09-29 09:30:26--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/
deploy/apparmor/libvirtd
Resolving raw.githubusercontent.com (raw.githubusercontent.com)...
185.199.108.133, 185.199.109.133, 185.199.111.133, ...

```



Connecting to raw.githubusercontent.com  
(raw.githubusercontent.com)|185.199.108.133|:443... connected.  
HTTP request sent, awaiting response... 200 OK  
Length: 1617 (1.6K) [text/plain]  
Saving to: '/tmp/libvirt.d'

/tmp/libvirt.d

100%[=====]  
=====>]

2021-09-29 09:30:26 (19.7 MB/s) - '/tmp/libvirt.d' saved [1617/1617]

Getting runtime deployment file virtlet

--2021-09-29 09:30:26--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/  
deploy/apparmor/virtlet

Resolving raw.githubusercontent.com (raw.githubusercontent.com)...

185.199.108.133, 185.199.109.133, 185.199.111.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.108.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 2582 (2.5K) [text/plain]

Saving to: '/tmp/virtlet'

/tmp/virtlet

100%[=====]  
=====>]

2021-09-29 09:30:26 (39.6 MB/s) - '/tmp/virtlet' saved [2582/2582]

Getting runtime deployment file vms

--2021-09-29 09:30:26--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/  
deploy/apparmor/vms

Resolving raw.githubusercontent.com (raw.githubusercontent.com)...

185.199.108.133, 185.199.109.133, 185.199.111.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.108.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 485 [text/plain]

Saving to: '/tmp/vms'

/tmp/vms

100%[=====]  
=====>]

2021-09-29 09:30:26 (30.8 MB/s) - '/tmp/vms' saved [485/485]

Getting runtime deployment file vmruntime.yaml

--2021-09-29 09:30:26--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/  
deploy/data/virtlet-ds.yaml

Resolving raw.githubusercontent.com (raw.githubusercontent.com)...

185.199.108.133, 185.199.109.133, 185.199.111.133, ...

```
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 11643 (11K) [text/plain]
Saving to: '/tmp/vmruntime.yaml'
```

```
/tmp/vmruntime.yaml
```

```
100%[=====
=====>]
```

```
2021-09-29 09:30:26 (80.8 MB/s) - '/tmp/vmruntime.yaml' saved [11643/11643]
```

```
Getting runtime deployment file images.yaml
```

```
--2021-09-29 09:30:26--
```

```
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/
deploy/images.yaml
```

```
Resolving raw.githubusercontent.com (raw.githubusercontent.com)...
```

```
185.199.108.133, 185.199.109.133, 185.199.111.133, ...
```

```
Connecting to raw.githubusercontent.com
```

```
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

```
Length: 254 [text/plain]
```

```
Saving to: '/tmp/images.yaml'
```

```
/tmp/images.yaml
```

```
100%[=====
=====>]
```

```
2021-09-29 09:30:26 (10.6 MB/s) - '/tmp/images.yaml' saved [254/254]
```

```
Stopping Apparmor service
```

```
make: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
```

```
make[1]: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
```

```
make[1]: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
```

```
Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to
_output/ArktosCopyrightTool.log
```

```
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
```

```
warning: inexact rename detection was skipped due to too many files.
```

```
warning: you may want to set your diff.renameLimit variable to at least 3063 and
retry the command.
```

```
~/go/src/k8s.io/arktos
```

```
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
```

```
warning: inexact rename detection was skipped due to too many files.
```

```
warning: you may want to set your diff.renameLimit variable to at least 3063 and
retry the command.
```

```
~/go/src/k8s.io/arktos
```

```
Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.
```

```
+++ [0929 09:30:50] Building go targets for linux/amd64:
```

```
cmd/kubect1
```

```
cmd/hyperkube
```

```
cmd/kube-apiserver
```

```
cmd/kube-controller-manager
```

```
cmd/workload-controller-manager
```

```
cmd/cloud-controller-manager
cmd/kubelet
cmd/kube-proxy
cmd/kube-scheduler
cmd/arktos-network-controller
```

```
Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to
_output/ArktosCopyrightTool.log
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3063 and
retry the command.
~/go/src/k8s.io/arktos
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3063 and
retry the command.
~/go/src/k8s.io/arktos
Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.
make: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
cannot find etcd locally. will install one.
Downloading
https://github.com/centaurus-cloud/etcd/releases/download/v3.4.3/etcd-v3.4.3-lin
ux-amd64.tar.gz succeed
etcd v3.4.3 installed. To use:
export PATH="/home/ubuntu/go/src/k8s.io/arktos/third_party/etcd:${PATH}"
```

The current version is 3.4.3

```
API SERVER insecure port is free, proceeding...
API SERVER secure port is free, proceeding...
Unable to successfully run 'cfssl' from
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/loc
al/games:/snap/bin:/usr/local/go/bin:/home/ubuntu/go/src/ownloading instead...
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
   Dload  Upload   Total     Spent    Left     Speed
  0     0    0     0    0     0      0     0 --:--:-- --:--:-- --:--:--     0
100   623  100   623    0     0  2056     0 --:--:-- --:--:-- --:--:--  608k
100  9.8M  100  9.8M    0     0 20.8M     0 --:--:-- --:--:-- --:--:-- 20.8M
  % Total      % Received % Xferd  Average Speed   Time    Time       Time  Current
   Dload  Upload   Total     Spent    Left     Speed
  0     0    0     0    0     0      0     0 --:--:-- --:--:-- --:--:--     0
100   627  100   627    0     0  2774     0 --:--:~ --:~:~ --:~:~  2774
100 2224k  100 2224k    0     0 6111k     0 --:~:~ --:~:~ --:~:~ 6111k
Detected host and ready to start services. Doing some housekeeping first...
Using GO_OUT /home/ubuntu/go/src/k8s.io/arktos/_output/local/bin/linux/amd64
Starting services now!
Starting etcd
```

The current version is 3.4.3

```
etcd --name network-test --listen-peer-urls http://10.128.0.15:2380
--advertise-client-urls http://10.128.0.15:2379 --data-dir /tmp/tmp.g46EVnwIT9
--listen-client-urls http://:2379 --listen-peer-urls http://10.128.0.15:2380
```

```

--debug > "/tmp/etcd.log" 2>/dev/null
Waiting for etcd to come up.
+++ [0929 09:35:42] On try 1, etcd: : {"health":"true"}
{"header":{"cluster_id":"4016749960341602055","member_id":"13536414649889778765",
"revision":"2","raft_term":"2"}}Starting 1 kube-apiserver instances. If you
want to make changes ease run export APISERVER_SERVER=n(n=1,2,...).
Copied the apiserver partition config file
/var/run/kubernetes/apiserver.config...
Can't load /home/ubuntu/.rnd into RNG
140444389327296:error:2406F079:random number generator:RAND_load_file:Cannot
open file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/server-ca.key'
-----
Can't load /home/ubuntu/.rnd into RNG
140176537940416:error:2406F079:random number generator:RAND_load_file:Cannot
open file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
...+++++
.....+++++
writing new private key to '/var/run/kubernetes/client-ca.key'
-----
Can't load /home/ubuntu/.rnd into RNG
139840621621696:error:2406F079:random number generator:RAND_load_file:Cannot
open file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.....
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/request-header-ca.key'
-----
2021/09/29 09:35:42 [INFO] generate received request
2021/09/29 09:35:42 [INFO] received CSR
2021/09/29 09:35:42 [INFO] generating key: rsa-2048
2021/09/29 09:35:43 [INFO] encoded CSR
2021/09/29 09:35:43 [INFO] signed certificate with serial number
218581211354387587646912656028250620305629260347
2021/09/29 09:35:43 [WARNING] This certificate lacks a "hosts" field. This makes
it unsuitable for
websites. For more information see the Baseline Requirements for the Issuance
and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/09/29 09:35:43 [INFO] generate received request
2021/09/29 09:35:43 [INFO] received CSR
2021/09/29 09:35:43 [INFO] generating key: rsa-2048
2021/09/29 09:35:43 [INFO] encoded CSR
2021/09/29 09:35:43 [INFO] signed certificate with serial number
58034031259503672498402537289193104555266085572
2021/09/29 09:35:43 [WARNING] This certificate lacks a "hosts" field. This makes
it unsuitable for

```

websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/29 09:35:43 [INFO] generate received request  
2021/09/29 09:35:43 [INFO] received CSR  
2021/09/29 09:35:43 [INFO] generating key: rsa-2048  
2021/09/29 09:35:44 [INFO] encoded CSR  
2021/09/29 09:35:44 [INFO] signed certificate with serial number 567173349596257578150514964226389116337285722349  
2021/09/29 09:35:44 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/29 09:35:44 [INFO] generate received request  
2021/09/29 09:35:44 [INFO] received CSR  
2021/09/29 09:35:44 [INFO] generating key: rsa-2048  
2021/09/29 09:35:44 [INFO] encoded CSR  
2021/09/29 09:35:44 [INFO] signed certificate with serial number 314617483504214473117526968367352303524351746040  
2021/09/29 09:35:44 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/29 09:35:44 [INFO] generate received request  
2021/09/29 09:35:44 [INFO] received CSR  
2021/09/29 09:35:44 [INFO] generating key: rsa-2048  
2021/09/29 09:35:45 [INFO] encoded CSR  
2021/09/29 09:35:45 [INFO] signed certificate with serial number 167041844751132457615223090054976375499276794353  
2021/09/29 09:35:45 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/29 09:35:45 [INFO] generate received request  
2021/09/29 09:35:45 [INFO] received CSR  
2021/09/29 09:35:45 [INFO] generating key: rsa-2048  
2021/09/29 09:35:45 [INFO] encoded CSR  
2021/09/29 09:35:45 [INFO] signed certificate with serial number 99657826617961756809584361792651493859763645990  
2021/09/29 09:35:45 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management

of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/29 09:35:45 [INFO] generate received request

2021/09/29 09:35:45 [INFO] received CSR

2021/09/29 09:35:45 [INFO] generating key: rsa-2048

2021/09/29 09:35:45 [INFO] encoded CSR

2021/09/29 09:35:45 [INFO] signed certificate with serial number 307209542420352934322348223092525133295471650816

2021/09/29 09:35:45 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/29 09:35:45 [INFO] generate received request

2021/09/29 09:35:45 [INFO] received CSR

2021/09/29 09:35:45 [INFO] generating key: rsa-2048

2021/09/29 09:35:45 [INFO] encoded CSR

2021/09/29 09:35:45 [INFO] signed certificate with serial number 223168236585822527392396000790338961224872892187

2021/09/29 09:35:45 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

2021/09/29 09:35:45 [INFO] generate received request

2021/09/29 09:35:45 [INFO] received CSR

2021/09/29 09:35:45 [INFO] generating key: rsa-2048

2021/09/29 09:35:46 [INFO] encoded CSR

2021/09/29 09:35:46 [INFO] signed certificate with serial number 140330170012944475457077445954089702135258976396

2021/09/29 09:35:46 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").

Waiting for apiserver to come up

+++ [0929 09:36:30] On try 27, apiserver: : ok

clusterrolebinding.rbac.authorization.k8s.io/kube-apiserver-kubelet-admin created

Cluster "local-up-cluster" set.

use 'kubectl --kubeconfig=/var/run/kubernetes/admin-kube-aggregator0.kubeconfig' to use the aggregated API server

2021/09/29 09:36:31 [INFO] generate received request

2021/09/29 09:36:31 [INFO] received CSR

2021/09/29 09:36:31 [INFO] generating key: rsa-2048

2021/09/29 09:36:31 [INFO] encoded CSR

2021/09/29 09:36:31 [INFO] signed certificate with serial number

```

2021/09/29 09:36:31 [WARNING] This certificate lacks a "hosts" field. This makes
it unsuitable for
websites. For more information see the Baseline Requirements for the Issuance
and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
service/kube-dns created
serviceaccount/kube-dns created
configmap/kube-dns created
deployment.apps/kube-dns created
Kube-dns addon successfully deployed.
2021/09/29 09:36:32 [INFO] generate received request
2021/09/29 09:36:32 [INFO] received CSR
2021/09/29 09:36:32 [INFO] generating key: rsa-2048
2021/09/29 09:36:32 [INFO] encoded CSR
2021/09/29 09:36:32 [INFO] signed certificate with serial number
665573935339882599139307257960282051825106655656
2021/09/29 09:36:32 [WARNING] This certificate lacks a "hosts" field. This makes
it unsuitable for
websites. For more information see the Baseline Requirements for the Issuance
and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
kubelet ( 5931 ) is running.
customresourcedefinition.apiextensions.k8s.io/bouncers.mizar.com created
customresourcedefinition.apiextensions.k8s.io/dividers.mizar.com created
customresourcedefinition.apiextensions.k8s.io/droplets.mizar.com created
customresourcedefinition.apiextensions.k8s.io/endpoints.mizar.com created
customresourcedefinition.apiextensions.k8s.io/subnets.mizar.com created
customresourcedefinition.apiextensions.k8s.io/vpcs.mizar.com created
serviceaccount/mizar-operator created
clusterrolebinding.rbac.authorization.k8s.io/mizar-operator created
daemonset.apps/mizar-daemon created
deployment.apps/mizar-operator created
Create default storage class for
storageclass.storage.k8s.io/standard created
customresourcedefinition.apiextensions.k8s.io/networks.arktos.futurewei.com
created
*****
Setup Arktos components ...

```

[illegible]

[illegible]





```
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
Waiting for node ready at api server  
network-test Ready <none> 9m5s v0.8.0  
node/network-test labeled  
configmap/virtlet-image-translations created  
daemonset.apps/virtlet created  
configmap/virtlet-config created  
clusterrolebinding.rbac.authorization.k8s.io/virtlet created  
clusterrole.rbac.authorization.k8s.io/virtlet created  
clusterrole.rbac.authorization.k8s.io/configmap-reader created  
clusterrole.rbac.authorization.k8s.io/virtlet-userdata-reader created  
clusterrolebinding.rbac.authorization.k8s.io/kubelet-node-binding created  
clusterrolebinding.rbac.authorization.k8s.io/vm-userdata-binding created  
clusterrole.rbac.authorization.k8s.io/virtlet-crd created  
clusterrolebinding.rbac.authorization.k8s.io/virtlet-crd created  
serviceaccount/virtlet created
```

NAME	DESIRED	CURRENT	READY	UP-TO-DATE	AVAILABLE	NODE SELECTOR
AGE						
virtlet	0	0	0	0	0	<none>

0s  
clusterrole.rbac.authorization.k8s.io/system:arktos-network-reader created  
clusterrolebinding.rbac.authorization.k8s.io/system:kubelet-network-reader  
created

Arktos Setup done.

\*\*\*\*\*

Setup Kata Containers components ...

\* Install Kata components

kata-containers 2.2.1 from Kata Containers (katacontainers✓) installed

\* Checking Kata compatibility

No newer release available time="2021-09-29T09:45:57Z" level=error msg="CPU property not found" arch=amd64 description="Virtualization support" name=vmx pid=4734 source=runtime type=flag time="2021-09-29T09:45:57Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=kvm name=kata-runtime pid=4734 source=runtime time="2021-09-29T09:45:57Z" level=error msg="kernel property not found" arch=amd64 description="Kernel-based Virtual Machine" name=kvm pid=4734 source=runtime type=module time="2021-09-29T09:45:57Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost name=kata-runtime pid=4734 source=runtime time="2021-09-29T09:45:57Z" level=error msg="kernel property not found" arch=amd64 description="Host kernel accelerator for virtio" name=vhost pid=4734 source=runtime type=module time="2021-09-29T09:45:57Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost\_net name=kata-runtime pid=4734 source=runtime time="2021-09-29T09:45:57Z" level=error msg="kernel property not found" arch=amd64 description="Host kernel accelerator for virtio network" name=vhost\_net pid=4734 source=runtime type=module time="2021-09-29T09:45:57Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost\_vsock name=kata-runtime pid=4734 source=runtime time="2021-09-29T09:45:57Z" level=error msg="kernel property not found" arch=amd64 description="Host Support for Linux VM Sockets" name=vhost\_vsock pid=4734 source=runtime type=module time="2021-09-29T09:45:57Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=kvm\_intel name=kata-runtime pid=4734 source=runtime type=module time="2021-09-29T09:45:57Z" level=error msg="ERROR: System is not capable of running Kata Containers" arch=amd64 name=kata-runtime pid=4734 source=runtime ERROR: System is not capable of running Kata Containers  
Aborted. Current system does not support Kata Containers.

Kata Setup done.

\*\*\*\*\*

Local Kubernetes cluster is running. Press Ctrl-C to shut it down.

Logs:

/tmp/kube-apiserver0.log

/tmp/kube-controller-manager.log

```
/tmp/kube-proxy.log  
/tmp/kube-scheduler.log  
/tmp/kubelet.log
```

To start using your cluster, you can open up another terminal/tab and run:

```
export KUBECONFIG=/var/run/kubernetes/admin.kubeconfig  
Or  
export KUBECONFIG=/var/run/kubernetes/adminN(N=0,1,...).kubeconfig  
  
cluster/kubect1.sh
```

Alternatively, you can write to the default kubeconfig:

```
export KUBERNETES_PROVIDER=local  
  
cluster/kubect1.sh config set-cluster local --server=https://network-test:6443  
--certificate-authority=/var/run/kubernetes/server-ca.crt  
cluster/kubect1.sh config set-credentials myself  
--client-key=/var/run/kubernetes/client-admin.key  
--client-certificate=/var/run/kubernetes/client-admin.crt  
cluster/kubect1.sh config set-context local --cluster=local --user=myself  
cluster/kubect1.sh config use-context local  
cluster/kubect1.sh
```

Remote side unexpectedly closed network connection

---

---

---

Session stopped

- Press <return> to exit tab
- Press R to restart session
- Press S to save terminal output to file