```
login as: ubuntu
Authenticating with public key "Imported-Openssh-Key:
C:\\Users\\amit.rahate\\Downloads\\amit-centaurus-awskeypair.pem"

    ┌─────────────────────────────────────────────────────────────┐
    │              • MobaXterm Personal Edition v21.3 •            │
    │             (SSH client, X server and network tools)         │
    │                                                              │
    │   → SSH session to ubuntu@34.220.171.128                     │
    │     • Direct SSH      :  v                                   │
    │     • SSH compression :  v                                   │
    │     • SSH-browser     :  v                                   │
    │     • X11-forwarding  :  v  (remote display is forwarded through SSH) │
    │                                                              │
    │   → For more info, ctrl+click on help or visit our website.  │
    └─────────────────────────────────────────────────────────────┘

Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 5.4.0-1045-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/advantage

  System information as of Tue Oct 19 06:59:58 UTC 2021

  System load:  0.08              Processes:           144
  Usage of /:   0.9% of 124.02GB  Users logged in:     0
  Memory usage: 0%                IP address for eth0: 172.31.18.107
  Swap usage:   0%

0 packages can be updated.
0 of these updates are security updates.



The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

/usr/bin/xauth:  file /home/ubuntu/.Xauthority does not exist
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-18-107:~$ uname -a
Linux ip-172-31-18-107 5.4.0-1045-aws #47~18.04.1-Ubuntu SMP Tue Apr 13 15:58:14 UTC 2021
x86_64 x86_64 x86_64 GNU/Linux
ubuntu@ip-172-31-18-107:~$ wget
https://raw.githubusercontent.com/CentaurusInfra/mizar/dev-next/kernelupdate.sh
--2021-10-19 07:03:42--
https://raw.githubusercontent.com/CentaurusInfra/mizar/dev-next/kernelupdate.sh
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133,
185.199.108.133, 185.199.109.133, ...
Connecting to raw.githubusercontent.com
```

```
(raw.githubusercontent.com)|185.199.111.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 791 [text/plain]
Saving to: 'kernelupdate.sh'

kernelupdate.sh
100%[================================================================
===>]     791  --.-KB/s    in 0s

2021-10-19 07:03:42 (37.4 MB/s) - 'kernelupdate.sh' saved [791/791]

ubuntu@ip-172-31-18-107:~$ sudo bash kernelupdate.sh
--2021-10-19 07:05:26--
https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd6
4.deb
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.216.242.252
Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.216.242.252|:443...
connected.
HTTP request sent, awaiting response... 200 OK
Length: 7621020 (7.3M) []
Saving to: '../linux-5.6-rc2/linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb'

linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64
100%[================================================================
===>]   7.27M  4.48MB/s    in 1.6s

2021-10-19 07:05:28 (4.48 MB/s) -
'../linux-5.6-rc2/linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb' saved
[7621020/7621020]

--2021-10-19 07:05:28--
https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_am
d64.deb
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.216.242.252
Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.216.242.252|:443...
connected.
HTTP request sent, awaiting response... 200 OK
Length: 857827912 (818M) [application/x-www-form-urlencoded]
Saving to: '../linux-5.6-rc2/linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb'

linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd
100%[================================================================
===>] 818.09M  10.9MB/s    in 78s

2021-10-19 07:06:46 (10.5 MB/s) -
'../linux-5.6-rc2/linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb' saved
[857827912/857827912]

--2021-10-19 07:06:46--
https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.
deb
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.216.187.35
Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.216.187.35|:443...
connected.
HTTP request sent, awaiting response... 200 OK
```

```
Length: 56427036 (54M) [application/x-www-form-urlencoded]
Saving to: '../linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb'

linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.d
100%[=================================================================================
===>]   53.81M  5.97MB/s    in 9.2s

2021-10-19 07:06:56 (5.86 MB/s) -
'../linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb' saved
[56427036/56427036]

--2021-10-19 07:06:56--
https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.216.250.108
Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.216.250.108|:443...
connected.
HTTP request sent, awaiting response... 200 OK
Length: 1082248 (1.0M) []
Saving to: '../linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb'

linux-libc-dev_5.6.0-rc2-1_amd64.deb
100%[=================================================================================
===>]   1.03M  1.59MB/s    in 0.6s

2021-10-19 07:06:57 (1.59 MB/s) -
'../linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb' saved [1082248/1082248]

Continue kernel update (y/n)?y
Updating kernel
Selecting previously unselected package linux-headers-5.6.0-rc2.
(Reading database ... 57240 files and directories currently installed.)
Preparing to unpack .../linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-headers-5.6.0-rc2 (5.6.0-rc2-1) ...
Selecting previously unselected package linux-image-5.6.0-rc2-dbg.
Preparing to unpack .../linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-image-5.6.0-rc2-dbg (5.6.0-rc2-1) ...
Selecting previously unselected package linux-image-5.6.0-rc2.
Preparing to unpack .../linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-image-5.6.0-rc2 (5.6.0-rc2-1) ...
Selecting previously unselected package linux-libc-dev:amd64.
Preparing to unpack .../linux-libc-dev_5.6.0-rc2-1_amd64.deb ...
Unpacking linux-libc-dev:amd64 (5.6.0-rc2-1) ...
Setting up linux-headers-5.6.0-rc2 (5.6.0-rc2-1) ...
Setting up linux-image-5.6.0-rc2-dbg (5.6.0-rc2-1) ...
Setting up linux-image-5.6.0-rc2 (5.6.0-rc2-1) ...
update-initramfs: Generating /boot/initrd.img-5.6.0-rc2
Sourcing file `/etc/default/grub'
Sourcing file `/etc/default/grub.d/50-cloudimg-settings.cfg'
Generating grub configuration file ...
Found linux image: /boot/vmlinuz-5.6.0-rc2
Found initrd image: /boot/initrd.img-5.6.0-rc2
Found linux image: /boot/vmlinuz-5.4.0-1045-aws
Found initrd image: /boot/initrd.img-5.4.0-1045-aws
done
Setting up linux-libc-dev:amd64 (5.6.0-rc2-1) ...
```

```
Reboot host (y/n)?y
Rebooting

Remote side unexpectedly closed network connection

_____
_____


Session stopped
    - Press <return> to exit tab
    - Press R to restart session
    - Press S to save terminal output to file
login as: ubuntu
Authenticating with public key "Imported-Openssh-Key:
C:\\Users\\amit.rahate\\Downloads\\amit-centaurus-awskeypair.pem"

┌─────────────────────────────────────────────────────────────────┐
│                    • MobaXterm Personal Edition v21.3 •           │
│                  (SSH client, X server and network tools)         │
│                                                                   │
│      → SSH session to ubuntu@34.220.171.128                       │
│        • Direct SSH        :  v                                    │
│        • SSH compression :  v                                     │
│        • SSH-browser      :  v                                     │
│        • X11-forwarding  :  v   (remote display is forwarded through SSH) │
│                                                                   │
│      → For more info, ctrl+click on help or visit our website.    │
└─────────────────────────────────────────────────────────────────┘

Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 5.6.0-rc2 x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:     https://landscape.canonical.com
 * Support:        https://ubuntu.com/advantage

  System information as of Tue Oct 19 07:12:44 UTC 2021

  System load:  0.11                Processes:           167
  Usage of /:   6.5% of 124.02GB    Users logged in:     0
  Memory usage: 0%                   IP address for eth0: 172.31.18.107
  Swap usage:   0%


0 packages can be updated.
0 of these updates are security updates.

New release '20.04.3 LTS' available.
Run 'do-release-upgrade' to upgrade to it.


Last login: Tue Oct 19 07:00:00 2021 from 114.143.207.106
ubuntu@ip-172-31-18-107:~$ uname -a
Linux ip-172-31-18-107 5.6.0-rc2 #1 SMP Tue Feb 25 18:54:05 UTC 2020 x86_64 x86_64 x86_64
GNU/Linux
ubuntu@ip-172-31-18-107:~$ git clone
https://github.com/Click2Cloud-Centaurus/arktos.git ~/go/src/k8s.io/arktos
```

```
Cloning into '/home/ubuntu/go/src/k8s.io/arktos'...
remote: Enumerating objects: 61543, done.
remote: Counting objects: 100% (947/947), done.
remote: Compressing objects: 100% (544/544), done.
remote: Total 61543 (delta 531), reused 605 (delta 386), pack-reused 60596
Receiving objects: 100% (61543/61543), 221.37 MiB | 26.25 MiB/s, done.
Resolving deltas: 100% (37767/37767), done.
Checking out files: 100% (20761/20761), done.
ubuntu@ip-172-31-18-107:~$ cd ~/go/src/k8s.io/arktos
ubuntu@ip-172-31-18-107:~/go/src/k8s.io/arktos$ git checkout cni-mizar
Branch 'cni-mizar' set up to track remote branch 'cni-mizar' from 'origin'.
Switched to a new branch 'cni-mizar'
ubuntu@ip-172-31-18-107:~/go/src/k8s.io/arktos$ sudo bash ./hack/setup-dev-node.sh
The script is to help install prerequisites of Arktos development environment
on a fresh Linux installation.
It's been tested on Ubuntu 16.04 LTS and 18.04 LTS.
Update apt.
Hit:1 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic InRelease
Get:2 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease [88.7 kB]
Get:3 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6
kB]
Get:4 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 Packages
[8570 kB]
Get:5 http://security.ubuntu.com/ubuntu bionic-security InRelease [88.7 kB]
Get:6 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe Translation-en
[4941 kB]
Get:7 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/multiverse amd64 Packages
[151 kB]
Get:8 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/multiverse Translation-en
[108 kB]
Get:9 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 Packages
[2255 kB]
Get:10 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main
Translation-en [439 kB]
Get:11 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/restricted amd64
Packages [498 kB]
Get:12 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/restricted
Translation-en [67.7 kB]
Get:13 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/universe amd64
Packages [1757 kB]
Get:14 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/universe
Translation-en [378 kB]
Get:15 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/multiverse amd64
Packages [27.3 kB]
Get:16 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/multiverse
Translation-en [6808 B]
Get:17 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports/main amd64
Packages [10.0 kB]
Get:18 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports/main
Translation-en [4764 B]
Get:19 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports/universe amd64
Packages [10.3 kB]
Get:20 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports/universe
Translation-en [4588 B]
Get:21 http://security.ubuntu.com/ubuntu bionic-security/main amd64 Packages [1906 kB]
```

Get:22 http://security.ubuntu.com/ubuntu bionic-security/main Translation-en [346 kB]
Get:23 http://security.ubuntu.com/ubuntu bionic-security/restricted amd64 Packages [469 kB]
Get:24 http://security.ubuntu.com/ubuntu bionic-security/restricted Translation-en [63.2 kB]
Get:25 http://security.ubuntu.com/ubuntu bionic-security/universe amd64 Packages [1142 kB]
Get:26 http://security.ubuntu.com/ubuntu bionic-security/universe Translation-en [262 kB]
Get:27 http://security.ubuntu.com/ubuntu bionic-security/multiverse amd64 Packages [20.9 kB]
Get:28 http://security.ubuntu.com/ubuntu bionic-security/multiverse Translation-en [4732 B]
Fetched 23.7 MB in 6s (3785 kB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
89 packages can be upgraded. Run 'apt list --upgradable' to see them.
Install docker.
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  bridge-utils containerd pigz runc ubuntu-fan
Suggested packages:
  ifupdown aufs-tools cgroupfs-mount | cgroup-lite debootstrap docker-doc rinse zfs-fuse
| zfsutils
The following NEW packages will be installed:
  bridge-utils containerd docker.io pigz runc ubuntu-fan
0 upgraded, 6 newly installed, 0 to remove and 89 not upgraded.
Need to get 74.0 MB of archives.
After this operation, 359 MB of additional disk space will be used.
Get:1 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 pigz amd64 2.4-1 [57.4 kB]
Get:2 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 bridge-utils amd64 1.5-15ubuntu1 [30.1 kB]
Get:3 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/universe amd64 runc amd64 1.0.0~rc95-0ubuntu1~18.04.2 [4087 kB]
Get:4 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/universe amd64 containerd amd64 1.5.2-0ubuntu1~18.04.3 [32.8 MB]
Get:5 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/universe amd64 docker.io amd64 20.10.7-0ubuntu1~18.04.2 [36.9 MB]
Get:6 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 ubuntu-fan all 0.12.10 [34.7 kB]
Fetched 74.0 MB in 2s (49.2 MB/s)
Preconfiguring packages ...
Selecting previously unselected package pigz.
(Reading database ... 88826 files and directories currently installed.)
Preparing to unpack .../0-pigz_2.4-1_amd64.deb ...
Unpacking pigz (2.4-1) ...
Selecting previously unselected package bridge-utils.
Preparing to unpack .../1-bridge-utils_1.5-15ubuntu1_amd64.deb ...
Unpacking bridge-utils (1.5-15ubuntu1) ...
Selecting previously unselected package runc.
Preparing to unpack .../2-runc_1.0.0~rc95-0ubuntu1~18.04.2_amd64.deb ...

```
Unpacking runc (1.0.0~rc95-0ubuntu1~18.04.2) ...
Selecting previously unselected package containerd.
Preparing to unpack .../3-containerd_1.5.2-0ubuntu1~18.04.3_amd64.deb ...
Unpacking containerd (1.5.2-0ubuntu1~18.04.3) ...
Selecting previously unselected package docker.io.
Preparing to unpack .../4-docker.io_20.10.7-0ubuntu1~18.04.2_amd64.deb ...
Unpacking docker.io (20.10.7-0ubuntu1~18.04.2) ...
Selecting previously unselected package ubuntu-fan.
Preparing to unpack .../5-ubuntu-fan_0.12.10_all.deb ...
Unpacking ubuntu-fan (0.12.10) ...
Setting up runc (1.0.0~rc95-0ubuntu1~18.04.2) ...
Setting up containerd (1.5.2-0ubuntu1~18.04.3) ...
Created symlink /etc/systemd/system/multi-user.target.wants/containerd.service →
/lib/systemd/system/containerd.service.
Setting up bridge-utils (1.5-15ubuntu1) ...
Setting up ubuntu-fan (0.12.10) ...
Created symlink /etc/systemd/system/multi-user.target.wants/ubuntu-fan.service →
/lib/systemd/system/ubuntu-fan.service.
Setting up pigz (2.4-1) ...
Setting up docker.io (20.10.7-0ubuntu1~18.04.2) ...
Adding group `docker' (GID 115) ...
Done.
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service →
/lib/systemd/system/docker.service.
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket →
/lib/systemd/system/docker.socket.
Processing triggers for systemd (237-3ubuntu10.46) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for ureadahead (0.100.0-21) ...
Install make & gcc.
Reading package lists... Done
Building dependency tree
Reading state information... Done
Suggested packages:
  make-doc
The following NEW packages will be installed:
  make
0 upgraded, 1 newly installed, 0 to remove and 89 not upgraded.
Need to get 154 kB of archives.
After this operation, 381 kB of additional disk space will be used.
Get:1 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 make amd64
4.1-9.1ubuntu1 [154 kB]
Fetched 154 kB in 0s (12.2 MB/s)
Selecting previously unselected package make.
(Reading database ... 89149 files and directories currently installed.)
Preparing to unpack .../make_4.1-9.1ubuntu1_amd64.deb ...
Unpacking make (4.1-9.1ubuntu1) ...
Setting up make (4.1-9.1ubuntu1) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cpp cpp-7 gcc-7 gcc-7-base libasan4
libatomic1 libbinutils libc-dev-bin libc6-dev libcc1-0 libcilkrts5
```

```
  libgcc-7-dev libgomp1 libisl19 libitm1 liblsan0 libmpc3 libmpx2 libquadmath0 libtsan0
libubsan0 manpages-dev
Suggested packages:
  binutils-doc cpp-doc gcc-7-locales gcc-multilib autoconf automake libtool flex bison
gdb gcc-doc gcc-7-multilib gcc-7-doc libgcc1-dbg libgomp1-dbg libitm1-dbg
  libatomic1-dbg libasan4-dbg liblsan0-dbg libtsan0-dbg libubsan0-dbg libcilkrts5-dbg
libmpx2-dbg libquadmath0-dbg glibc-doc
The following NEW packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cpp cpp-7 gcc gcc-7 gcc-7-base
libasan4 libatomic1 libbinutils libc-dev-bin libc6-dev libcc1-0 libcilkrts5
  libgcc-7-dev libgomp1 libisl19 libitm1 liblsan0 libmpc3 libmpx2 libquadmath0 libtsan0
libubsan0 manpages-dev
0 upgraded, 26 newly installed, 0 to remove and 89 not upgraded.
Need to get 29.6 MB of archives.
After this operation, 112 MB of additional disk space will be used.
Get:1 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
binutils-common amd64 2.30-21ubuntu1~18.04.5 [197 kB]
Get:2 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libbinutils amd64 2.30-21ubuntu1~18.04.5 [489 kB]
Get:3 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
binutils-x86-64-linux-gnu amd64 2.30-21ubuntu1~18.04.5 [1839 kB]
Get:4 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 binutils
amd64 2.30-21ubuntu1~18.04.5 [3388 B]
Get:5 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
gcc-7-base amd64 7.5.0-3ubuntu1~18.04 [18.3 kB]
Get:6 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 libisl19 amd64
0.19-1 [551 kB]
Get:7 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 libmpc3 amd64
1.1.0-1 [40.8 kB]
Get:8 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 cpp-7
amd64 7.5.0-3ubuntu1~18.04 [8591 kB]
Get:9 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 cpp
amd64 4:7.4.0-1ubuntu2.3 [27.7 kB]
Get:10 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libcc1-0 amd64 8.4.0-1ubuntu1~18.04 [39.4 kB]
Get:11 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libgomp1 amd64 8.4.0-1ubuntu1~18.04 [76.5 kB]
Get:12 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 libitm1
amd64 8.4.0-1ubuntu1~18.04 [27.9 kB]
Get:13 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libatomic1 amd64 8.4.0-1ubuntu1~18.04 [9192 B]
Get:14 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libasan4 amd64 7.5.0-3ubuntu1~18.04 [358 kB]
Get:15 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
liblsan0 amd64 8.4.0-1ubuntu1~18.04 [133 kB]
Get:16 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libtsan0 amd64 8.4.0-1ubuntu1~18.04 [288 kB]
Get:17 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libubsan0 amd64 7.5.0-3ubuntu1~18.04 [126 kB]
Get:18 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libcilkrts5 amd64 7.5.0-3ubuntu1~18.04 [42.5 kB]
Get:19 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 libmpx2
amd64 8.4.0-1ubuntu1~18.04 [11.6 kB]
Get:20 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libquadmath0 amd64 8.4.0-1ubuntu1~18.04 [134 kB]
```

```
Get:21 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libgcc-7-dev amd64 7.5.0-3ubuntu1~18.04 [2378 kB]
Get:22 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 gcc-7
amd64 7.5.0-3ubuntu1~18.04 [9381 kB]
Get:23 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 gcc
amd64 4:7.4.0-1ubuntu2.3 [5184 B]
Get:24 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libc-dev-bin amd64 2.27-3ubuntu1.4 [71.8 kB]
Get:25 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libc6-dev amd64 2.27-3ubuntu1.4 [2585 kB]
Get:26 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 manpages-dev
all 4.15-1 [2217 kB]
Fetched 29.6 MB in 1s (50.0 MB/s)
Selecting previously unselected package binutils-common:amd64.
(Reading database ... 89165 files and directories currently installed.)
Preparing to unpack .../00-binutils-common_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking binutils-common:amd64 (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package libbinutils:amd64.
Preparing to unpack .../01-libbinutils_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking libbinutils:amd64 (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package binutils-x86-64-linux-gnu.
Preparing to unpack .../02-binutils-x86-64-linux-gnu_2.30-21ubuntu1~18.04.5_amd64.deb
...
Unpacking binutils-x86-64-linux-gnu (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package binutils.
Preparing to unpack .../03-binutils_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking binutils (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package gcc-7-base:amd64.
Preparing to unpack .../04-gcc-7-base_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking gcc-7-base:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libisl19:amd64.
Preparing to unpack .../05-libisl19_0.19-1_amd64.deb ...
Unpacking libisl19:amd64 (0.19-1) ...
Selecting previously unselected package libmpc3:amd64.
Preparing to unpack .../06-libmpc3_1.1.0-1_amd64.deb ...
Unpacking libmpc3:amd64 (1.1.0-1) ...
Selecting previously unselected package cpp-7.
Preparing to unpack .../07-cpp-7_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking cpp-7 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package cpp.
Preparing to unpack .../08-cpp_4%3a7.4.0-1ubuntu2.3_amd64.deb ...
Unpacking cpp (4:7.4.0-1ubuntu2.3) ...
Selecting previously unselected package libcc1-0:amd64.
Preparing to unpack .../09-libcc1-0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libcc1-0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libgomp1:amd64.
Preparing to unpack .../10-libgomp1_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libgomp1:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libitm1:amd64.
Preparing to unpack .../11-libitm1_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libitm1:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libatomic1:amd64.
Preparing to unpack .../12-libatomic1_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libatomic1:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libasan4:amd64.
```

```
Preparing to unpack .../13-libasan4_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libasan4:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package liblsan0:amd64.
Preparing to unpack .../14-liblsan0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking liblsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libtsan0:amd64.
Preparing to unpack .../15-libtsan0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libtsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libubsan0:amd64.
Preparing to unpack .../16-libubsan0_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libubsan0:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libcilkrts5:amd64.
Preparing to unpack .../17-libcilkrts5_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libcilkrts5:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libmpx2:amd64.
Preparing to unpack .../18-libmpx2_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libmpx2:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libquadmath0:amd64.
Preparing to unpack .../19-libquadmath0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libquadmath0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libgcc-7-dev:amd64.
Preparing to unpack .../20-libgcc-7-dev_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libgcc-7-dev:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package gcc-7.
Preparing to unpack .../21-gcc-7_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking gcc-7 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package gcc.
Preparing to unpack .../22-gcc_4%3a7.4.0-1ubuntu2.3_amd64.deb ...
Unpacking gcc (4:7.4.0-1ubuntu2.3) ...
Selecting previously unselected package libc-dev-bin.
Preparing to unpack .../23-libc-dev-bin_2.27-3ubuntu1.4_amd64.deb ...
Unpacking libc-dev-bin (2.27-3ubuntu1.4) ...
Selecting previously unselected package libc6-dev:amd64.
Preparing to unpack .../24-libc6-dev_2.27-3ubuntu1.4_amd64.deb ...
Unpacking libc6-dev:amd64 (2.27-3ubuntu1.4) ...
Selecting previously unselected package manpages-dev.
Preparing to unpack .../25-manpages-dev_4.15-1_all.deb ...
Unpacking manpages-dev (4.15-1) ...
Setting up libquadmath0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libgomp1:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libatomic1:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libcc1-0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libtsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up liblsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up gcc-7-base:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up binutils-common:amd64 (2.30-21ubuntu1~18.04.5) ...
Setting up libmpx2:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libmpc3:amd64 (1.1.0-1) ...
Setting up libc-dev-bin (2.27-3ubuntu1.4) ...
Setting up manpages-dev (4.15-1) ...
Setting up libc6-dev:amd64 (2.27-3ubuntu1.4) ...
Setting up libitm1:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libisl19:amd64 (0.19-1) ...
Setting up libasan4:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up libbinutils:amd64 (2.30-21ubuntu1~18.04.5) ...
```

```
Setting up libcilkrts5:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up libubsan0:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up libgcc-7-dev:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up cpp-7 (7.5.0-3ubuntu1~18.04) ...
Setting up binutils-x86-64-linux-gnu (2.30-21ubuntu1~18.04.5) ...
Setting up cpp (4:7.4.0-1ubuntu2.3) ...
Setting up binutils (2.30-21ubuntu1~18.04.5) ...
Setting up gcc-7 (7.5.0-3ubuntu1~18.04) ...
Setting up gcc (4:7.4.0-1ubuntu2.3) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for libc-bin (2.27-3ubuntu1.4) ...
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  libjq1 libonig4
The following NEW packages will be installed:
  jq libjq1 libonig4
0 upgraded, 3 newly installed, 0 to remove and 89 not upgraded.
Need to get 276 kB of archives.
After this operation, 930 kB of additional disk space will be used.
Get:1 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 libonig4
amd64 6.7.0-1 [119 kB]
Get:2 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 libjq1 amd64
1.5+dfsg-2 [111 kB]
Get:3 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 jq amd64
1.5+dfsg-2 [45.6 kB]
Fetched 276 kB in 0s (18.1 MB/s)
Selecting previously unselected package libonig4:amd64.
(Reading database ... 92426 files and directories currently installed.)
Preparing to unpack .../libonig4_6.7.0-1_amd64.deb ...
Unpacking libonig4:amd64 (6.7.0-1) ...
Selecting previously unselected package libjq1:amd64.
Preparing to unpack .../libjq1_1.5+dfsg-2_amd64.deb ...
Unpacking libjq1:amd64 (1.5+dfsg-2) ...
Selecting previously unselected package jq.
Preparing to unpack .../jq_1.5+dfsg-2_amd64.deb ...
Unpacking jq (1.5+dfsg-2) ...
Setting up libonig4:amd64 (6.7.0-1) ...
Setting up libjq1:amd64 (1.5+dfsg-2) ...
Setting up jq (1.5+dfsg-2) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for libc-bin (2.27-3ubuntu1.4) ...
Install golang.
--2021-10-19 07:20:13--  https://dl.google.com/go/go1.13.9.linux-amd64.tar.gz
Resolving dl.google.com (dl.google.com)... 142.250.217.78, 2607:f8b0:400a:807::200e
Connecting to dl.google.com (dl.google.com)|142.250.217.78|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 120139686 (115M) [application/octet-stream]
Saving to: '/tmp/go1.13.9.linux-amd64.tar.gz'

go1.13.9.linux-amd64.tar.gz
100%[================================================================================
===>] 114.57M  49.7MB/s    in 2.3s
```

2021-10-19 07:20:16 (49.7 MB/s) - '/tmp/go1.13.9.linux-amd64.tar.gz' saved
[120139686/120139686]

Done.
Please run and add 'export PATH=$PATH:/usr/local/go/bin' into your shell profile.
You can proceed to run arktos-up.sh if you want to launch a single-node cluster.
ubuntu@ip-172-31-18-107:~/go/src/k8s.io/arktos$ echo export
PATH=$PATH:/usr/local/go/bin\ >> ~/.profile
ubuntu@ip-172-31-18-107:~/go/src/k8s.io/arktos$ echo cd \$HOME/go/src/k8s.io/arktos >>
~/.profile
ubuntu@ip-172-31-18-107:~/go/src/k8s.io/arktos$ source ~/.profile
ubuntu@ip-172-31-18-107:~/go/src/k8s.io/arktos$ CNIPLUGIN=mizar ./hack/arktos-up.sh
DBG: mizar CNI plugin will be installed AFTER cluster is up
DBG: effective feature gates
AllAlpha=false,WorkloadInfoDefaulting=true,QPSDoubleGCController=true,QPSDoubleRSCont
roller=true,MandatoryArktosNetwork=true
DBG: effective disabling admission plugins
DBG: effective default network template file is
/home/ubuntu/go/src/k8s.io/arktos/hack/testdata/default-mizar-network.tmpl
DBG: kubelet arg RESOLV_CONF is /run/systemd/resolve/resolv.conf
WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables functionality; if
failures occur, retry as root.
cni plugin is mizar; arktos will use mizar to provision pod network
Checking arktos containerd...
arktos containerd not found...
--2021-10-19 07:23:49--
https://github.com/containerd/containerd/releases/download/v1.4.2/containerd-1.4.2-li
nux-amd64.tar.gz
Resolving github.com (github.com)... 192.30.255.112
Connecting to github.com (github.com)|192.30.255.112|:443... connected.
HTTP request sent, awaiting response... 302 Found
Location:
https://github-releases.githubusercontent.com/46089560/5cad0000-2fc0-11eb-8e3a-ed435a
7b945c?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWNJYAX4CSVEH53A%2F20211
019%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20211019T072349Z&X-Amz-Expires=300&X-A
mz-Signature=87be84cac00d17eec20d3d214c1b6428a4c7ea00f3e83c5aa419273200dd9e55&X-Amz-S
ignedHeaders=host&actor_id=0&key_id=0&repo_id=46089560&response-content-disposition=a
ttachment%3B%20filename%3Dcontainerd-1.4.2-linux-amd64.tar.gz&response-content-type=a
pplication%2Foctet-stream [following]
--2021-10-19 07:23:49--
https://github-releases.githubusercontent.com/46089560/5cad0000-2fc0-11eb-8e3a-ed435a
7b945c?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWNJYAX4CSVEH53A%2F20211
019%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20211019T072349Z&X-Amz-Expires=300&X-A
mz-Signature=87be84cac00d17eec20d3d214c1b6428a4c7ea00f3e83c5aa419273200dd9e55&X-Amz-S
ignedHeaders=host&actor_id=0&key_id=0&repo_id=46089560&response-content-disposition=a
ttachment%3B%20filename%3Dcontainerd-1.4.2-linux-amd64.tar.gz&response-content-type=a
pplication%2Foctet-stream
Resolving github-releases.githubusercontent.com
(github-releases.githubusercontent.com)... 185.199.108.154, 185.199.111.154,
185.199.110.154, ...
Connecting to github-releases.githubusercontent.com
(github-releases.githubusercontent.com)|185.199.108.154|:443... connected.
HTTP request sent, awaiting response... 200 OK

```
Length: 31160021 (30M) [application/octet-stream]
Saving to: '/home/ubuntu/arktos-containerd/containerd-1.4.2-linux-amd64.tar.gz'

containerd-1.4.2-linux-amd64.tar.gz
100%[================================================================================
===>]  29.72M  40.2MB/s    in 0.7s

2021-10-19 07:23:50 (40.2 MB/s) -
'/home/ubuntu/arktos-containerd/containerd-1.4.2-linux-amd64.tar.gz' saved
[31160021/31160021]

installing arktos containerd...
installing loopback cni binary...
./loopback
2021-10-19 07:24:06
URL:https://github-releases.githubusercontent.com/84575398/53318d00-bf61-11e9-9a8f-40
364582e9ed?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWNJYAX4CSVEH53A%2F2
0211019%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20211019T072406Z&X-Amz-Expires=300
&X-Amz-Signature=dab58d4ebeadb8410287cbc106cfce1e12270a7dc0aa7f461908dcd863bc9c7a&X-A
mz-SignedHeaders=host&actor_id=0&key_id=0&repo_id=84575398&response-content-dispositi
on=attachment%3B%20filename%3Dcni-plugins-linux-amd64-v0.8.2.tgz&response-content-typ
e=application%2Foctet-stream [36662740/36662740] -> "-" [1]
WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables functionality; if
failures occur, retry as root.
Getting runtime deployment file  libvirt-qemu
--2021-10-19 07:24:07--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deplo
y/apparmor/libvirt-qemu
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.109.133,
185.199.110.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.109.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 6578 (6.4K) [text/plain]
Saving to: '/tmp/libvirt-qemu'

/tmp/libvirt-qemu
100%[================================================================================
===>]   6.42K  --.-KB/s    in 0s

2021-10-19 07:24:07 (71.9 MB/s) - '/tmp/libvirt-qemu' saved [6578/6578]

Getting runtime deployment file  libvirtd
--2021-10-19 07:24:07--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deplo
y/apparmor/libvirtd
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1617 (1.6K) [text/plain]
Saving to: '/tmp/libvirtd'
```

```
/tmp/libvirtd
100%[==============================================================================
===>]   1.58K  --.-KB/s    in 0s

2021-10-19 07:24:07 (32.5 MB/s) - '/tmp/libvirtd' saved [1617/1617]

Getting runtime deployment file  virtlet
--2021-10-19 07:24:07--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deplo
y/apparmor/virtlet
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 2582 (2.5K) [text/plain]
Saving to: '/tmp/virtlet'

/tmp/virtlet
100%[==============================================================================
===>]   2.52K  --.-KB/s    in 0s

2021-10-19 07:24:07 (53.2 MB/s) - '/tmp/virtlet' saved [2582/2582]

Getting runtime deployment file  vms
--2021-10-19 07:24:07--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deplo
y/apparmor/vms
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 485 [text/plain]
Saving to: '/tmp/vms'

/tmp/vms
100%[==============================================================================
===>]     485  --.-KB/s    in 0s

2021-10-19 07:24:07 (28.1 MB/s) - '/tmp/vms' saved [485/485]

Getting runtime deployment file  vmruntime.yaml
--2021-10-19 07:24:07--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deplo
y/data/virtlet-ds.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 11643 (11K) [text/plain]
Saving to: '/tmp/vmruntime.yaml'
```

```
/tmp/vmruntime.yaml
100%[==================================================================================
===>]  11.37K  --.-KB/s    in 0s

2021-10-19 07:24:07 (86.0 MB/s) - '/tmp/vmruntime.yaml' saved [11643/11643]

Getting runtime deployment file  images.yaml
--2021-10-19 07:24:07--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deplo
y/images.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 254 [text/plain]
Saving to: '/tmp/images.yaml'

/tmp/images.yaml
100%[==================================================================================
===>]     254  --.-KB/s    in 0s

2021-10-19 07:24:08 (16.0 MB/s) - '/tmp/images.yaml' saved [254/254]

Stopping Apparmor service
make: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
make[1]: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
+++ [1019 07:24:15] Building go targets for linux/amd64:
    ./vendor/k8s.io/code-generator/cmd/deepcopy-gen
+++ [1019 07:24:15] Building go targets for linux/amd64:
    ./vendor/k8s.io/code-generator/cmd/defaulter-gen
+++ [1019 07:24:15] Building go targets for linux/amd64:
    ./vendor/k8s.io/code-generator/cmd/conversion-gen
+++ [1019 07:24:15] Building go targets for linux/amd64:
    ./vendor/k8s.io/kube-openapi/cmd/openapi-gen
+++ [1019 07:24:18] Building go targets for linux/amd64:
    ./vendor/github.com/go-bindata/go-bindata/go-bindata
make[1]: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to
_output/ArktosCopyrightTool.log
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3064 and retry
the command.
~/go/src/k8s.io/arktos
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3064 and retry
the command.
~/go/src/k8s.io/arktos
Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.
+++ [1019 07:24:41] Building go targets for linux/amd64:
    cmd/kubectl
    cmd/hyperkube
```

```
      cmd/kube-apiserver
      cmd/kube-controller-manager
      cmd/workload-controller-manager
      cmd/cloud-controller-manager
      cmd/kubelet
      cmd/kube-proxy
      cmd/kube-scheduler
      cmd/arktos-network-controller
Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to
_output/ArktosCopyrightTool.log
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3064 and retry
the command.
~/go/src/k8s.io/arktos
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3064 and retry
the command.
~/go/src/k8s.io/arktos
Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.
make: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
cannot find etcd locally. will install one.
Downloading
https://github.com/centaurus-cloud/etcd/releases/download/v3.4.3/etcd-v3.4.3-linux-am
d64.tar.gz succeed
etcd v3.4.3 installed. To use:
export PATH="/home/ubuntu/go/src/k8s.io/arktos/third_party/etcd:${PATH}"

The current version is 3.4.3

API SERVER insecure port is free, proceeding...
API SERVER secure port is free, proceeding...
Unable to successfully run 'cfssl' from
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/ga
mes:/snap/bin:/usr/local/go/bin:/home/ubuntu/go/src/k8s.io/arktos/third_party/etcd;
downloading instead...
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
    0     0    0     0    0     0      0        0 --:--:-- --:--:-- --:--:--     0
100   623  100   623    0     0   2126        0 --:--:-- --:--:-- --:--:--  608k
100  9.8M  100  9.8M    0     0  14.3M        0 --:--:-- --:--:-- --:--:-- 14.3M
  % Total    % Received % Xferd  Average Speed   Time    Time     Time  Current
                                 Dload  Upload   Total   Spent    Left  Speed
    0     0    0     0    0     0      0        0 --:--:-- --:--:-- --:--:--     0
100   627  100   627    0     0   2679        0 --:--:-- --:--:-- --:--:--  2679
100 2224k  100 2224k    0     0  3676k        0 --:--:-- --:--:-- --:--:-- 22.0M
Detected host and ready to start services.  Doing some housekeeping first...
Using GO_OUT /home/ubuntu/go/src/k8s.io/arktos/_output/local/bin/linux/amd64
Starting services now!
Starting etcd

The current version is 3.4.3
```

```
etcd --name ip-172-31-18-107 --listen-peer-urls http://172.31.18.107:2380
--advertise-client-urls http://172.31.18.107:2379 --data-dir /tmp/tmp.4uktSCZSHw
--listen-client-urls http://172.31.18.107:2379,http://127.0.0.1:2379
--listen-peer-urls http://172.31.18.107:2380 --debug > "/tmp/etcd.log" 2>/dev/null
Waiting for etcd to come up.
+++ [1019 07:27:04] On try 2, etcd: : {"health":"true"}
{"header":{"cluster_id":"6574691488180105696","member_id":"10527243436894289199","rev
ision":"2","raft_term":"2"}}Starting 1 kube-apiserver instances. If you want to make
changes to the kube-apiserver nubmer, please run export APISERVER_SERVER=n(n=1,2,...).
Copied the apiserver partition config file  /var/run/kubernetes/apiserver.config...
Can't load /home/ubuntu/.rnd into RNG
139887742644672:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.+++++
............++++
writing new private key to '/var/run/kubernetes/server-ca.key'
-----
Can't load /home/ubuntu/.rnd into RNG
140088067797440:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
......+++++
...............................................++++
writing new private key to '/var/run/kubernetes/client-ca.key'
-----
Can't load /home/ubuntu/.rnd into RNG
140147065115072:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.............................................................................
..............++++
.............................................................................
.......................++++
writing new private key to '/var/run/kubernetes/request-header-ca.key'
-----
2021/10/19 07:27:04 [INFO] generate received request
2021/10/19 07:27:04 [INFO] received CSR
2021/10/19 07:27:04 [INFO] generating key: rsa-2048
2021/10/19 07:27:05 [INFO] encoded CSR
2021/10/19 07:27:05 [INFO] signed certificate with serial number
677628103700888499211693406731875923518234289362
2021/10/19 07:27:05 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/10/19 07:27:05 [INFO] generate received request
2021/10/19 07:27:05 [INFO] received CSR
2021/10/19 07:27:05 [INFO] generating key: rsa-2048
2021/10/19 07:27:05 [INFO] encoded CSR
2021/10/19 07:27:05 [INFO] signed certificate with serial number
612733551294624789605630846091946616623053253
```

```
2021/10/19 07:27:05 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/10/19 07:27:05 [INFO] generate received request
2021/10/19 07:27:05 [INFO] received CSR
2021/10/19 07:27:05 [INFO] generating key: rsa-2048
2021/10/19 07:27:05 [INFO] encoded CSR
2021/10/19 07:27:05 [INFO] signed certificate with serial number
536277868876235097682480976513566832044920934746
2021/10/19 07:27:05 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/10/19 07:27:05 [INFO] generate received request
2021/10/19 07:27:05 [INFO] received CSR
2021/10/19 07:27:05 [INFO] generating key: rsa-2048
2021/10/19 07:27:06 [INFO] encoded CSR
2021/10/19 07:27:06 [INFO] signed certificate with serial number
139889119399135810198913760613074319910092275706
2021/10/19 07:27:06 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/10/19 07:27:06 [INFO] generate received request
2021/10/19 07:27:06 [INFO] received CSR
2021/10/19 07:27:06 [INFO] generating key: rsa-2048
2021/10/19 07:27:06 [INFO] encoded CSR
2021/10/19 07:27:06 [INFO] signed certificate with serial number
312904210401436787308268325714192841620284307467
2021/10/19 07:27:06 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/10/19 07:27:06 [INFO] generate received request
2021/10/19 07:27:06 [INFO] received CSR
2021/10/19 07:27:06 [INFO] generating key: rsa-2048
2021/10/19 07:27:07 [INFO] encoded CSR
2021/10/19 07:27:07 [INFO] signed certificate with serial number
362894829533691151135933919393205287742723245213
2021/10/19 07:27:07 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
```

Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/10/19 07:27:07 [INFO] generate received request
2021/10/19 07:27:07 [INFO] received CSR
2021/10/19 07:27:07 [INFO] generating key: rsa-2048
2021/10/19 07:27:07 [INFO] encoded CSR
2021/10/19 07:27:07 [INFO] signed certificate with serial number
258387047972998508482283112707796527527303578546
2021/10/19 07:27:07 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/10/19 07:27:07 [INFO] generate received request
2021/10/19 07:27:07 [INFO] received CSR
2021/10/19 07:27:07 [INFO] generating key: rsa-2048
2021/10/19 07:27:07 [INFO] encoded CSR
2021/10/19 07:27:07 [INFO] signed certificate with serial number
530261648973306530418987045120446137821353503966
2021/10/19 07:27:07 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
2021/10/19 07:27:07 [INFO] generate received request
2021/10/19 07:27:07 [INFO] received CSR
2021/10/19 07:27:07 [INFO] generating key: rsa-2048
2021/10/19 07:27:08 [INFO] encoded CSR
2021/10/19 07:27:08 [INFO] signed certificate with serial number
349872139288800011951294538046540109573743518513
2021/10/19 07:27:08 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
Waiting for apiserver to come up
+++ [1019 07:27:18] On try 8, apiserver: : ok
clusterrolebinding.rbac.authorization.k8s.io/kube-apiserver-kubelet-admin created
Cluster "local-up-cluster" set.
use 'kubectl --kubeconfig=/var/run/kubernetes/admin-kube-aggregator0.kubeconfig' to use
the aggregated API server
2021/10/19 07:27:18 [INFO] generate received request
2021/10/19 07:27:18 [INFO] received CSR
2021/10/19 07:27:18 [INFO] generating key: rsa-2048
2021/10/19 07:27:19 [INFO] encoded CSR
2021/10/19 07:27:19 [INFO] signed certificate with serial number
283821297858485206977642318393623594535304966066

```
2021/10/19 07:27:19 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
service/kube-dns created
serviceaccount/kube-dns created
configmap/kube-dns created
deployment.apps/kube-dns created
Kube-dns addon successfully deployed.
2021/10/19 07:27:19 [INFO] generate received request
2021/10/19 07:27:19 [INFO] received CSR
2021/10/19 07:27:19 [INFO] generating key: rsa-2048
2021/10/19 07:27:19 [INFO] encoded CSR
2021/10/19 07:27:19 [INFO] signed certificate with serial number
417838829956688969529447924473516789549081 7822
2021/10/19 07:27:19 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
kubelet ( 9435 ) is running.
customresourcedefinition.apiextensions.k8s.io/bouncers.mizar.com created
customresourcedefinition.apiextensions.k8s.io/dividers.mizar.com created
customresourcedefinition.apiextensions.k8s.io/droplets.mizar.com created
customresourcedefinition.apiextensions.k8s.io/endpoints.mizar.com created
customresourcedefinition.apiextensions.k8s.io/subnets.mizar.com created
customresourcedefinition.apiextensions.k8s.io/vpcs.mizar.com created
serviceaccount/mizar-operator created
clusterrolebinding.rbac.authorization.k8s.io/mizar-operator created
daemonset.apps/mizar-daemon created
deployment.apps/mizar-operator created
Create default storage class for
storageclass.storage.k8s.io/standard created
customresourcedefinition.apiextensions.k8s.io/networks.arktos.futurewei.com created
*****************************************
Setup Arktos components ...

Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
```

```
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
```

```
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
Waiting for node ready at api server
ip-172-31-18-107   Ready   <none>   5m24s   v0.9.0
node/ip-172-31-18-107 labeled
configmap/virtlet-image-translations created
daemonset.apps/virtlet created
configmap/virtlet-config created
clusterrolebinding.rbac.authorization.k8s.io/virtlet created
clusterrole.rbac.authorization.k8s.io/virtlet created
clusterrole.rbac.authorization.k8s.io/configmap-reader created
clusterrole.rbac.authorization.k8s.io/virtlet-userdata-reader created
clusterrolebinding.rbac.authorization.k8s.io/kubelet-node-binding created
clusterrolebinding.rbac.authorization.k8s.io/vm-userdata-binding created
clusterrole.rbac.authorization.k8s.io/virtlet-crd created
clusterrolebinding.rbac.authorization.k8s.io/virtlet-crd created
serviceaccount/virtlet created
NAME      DESIRED   CURRENT   READY   UP-TO-DATE   AVAILABLE   NODE SELECTOR   AGE
virtlet   0         0         0       0            0           <none>          0s
clusterrole.rbac.authorization.k8s.io/system:arktos-network-reader created
clusterrolebinding.rbac.authorization.k8s.io/system:kubelet-network-reader created

Arktos Setup done.
*****************************************
Setup Kata Containers components ...
```

```
* Install Kata components
kata-containers 2.2.2 from Kata Containers (katacontainers✓) installed
* Checking Kata compatibility
No newer release available time="2021-10-19T07:33:02Z" level=error msg="CPU property not
found" arch=amd64 description="Virtualization support" name=vmx pid=30674 source=runtime
type=flag time="2021-10-19T07:33:02Z" level=error msg="Module is not loaded and it can
not be inserted. Please consider running with sudo or as root" arch=amd64 module=kvm
name=kata-runtime pid=30674 source=runtime time="2021-10-19T07:33:02Z" level=error
msg="kernel property not found" arch=amd64 description="Kernel-based Virtual Machine"
name=kvm pid=30674 source=runtime type=module time="2021-10-19T07:33:02Z" level=error
msg="Module is not loaded and it can not be inserted. Please consider running with sudo
or as root" arch=amd64 module=vhost name=kata-runtime pid=30674 source=runtime
time="2021-10-19T07:33:02Z" level=error msg="kernel property not found" arch=amd64
description="Host kernel accelerator for virtio" name=vhost pid=30674 source=runtime
type=module time="2021-10-19T07:33:02Z" level=error msg="Module is not loaded and it can
not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost_net
name=kata-runtime pid=30674 source=runtime time="2021-10-19T07:33:02Z" level=error
msg="kernel property not found" arch=amd64 description="Host kernel accelerator for
virtio network" name=vhost_net pid=30674 source=runtime type=module
time="2021-10-19T07:33:02Z" level=error msg="Module is not loaded and it can not be
inserted. Please consider running with sudo or as root" arch=amd64 module=vhost_vsock
name=kata-runtime pid=30674 source=runtime time="2021-10-19T07:33:02Z" level=error
msg="kernel property not found" arch=amd64 description="Host Support for Linux VM Sockets"
name=vhost_vsock pid=30674 source=runtime type=module time="2021-10-19T07:33:02Z"
level=error msg="Module is not loaded and it can not be inserted. Please consider running
with sudo or as root" arch=amd64 module=kvm_intel name=kata-runtime pid=30674
source=runtime time="2021-10-19T07:33:02Z" level=error msg="kernel property not found"
arch=amd64 description="Intel KVM" name=kvm_intel pid=30674 source=runtime type=module
time="2021-10-19T07:33:02Z" level=error msg="ERROR: System is not capable of running Kata
Containers" arch=amd64 name=kata-runtime pid=30674 source=runtime ERROR: System is not
capable of running Kata Containers
Aborted. Current system does not support Kata Containers.
Kata Setup done.
*****************************************
Local Kubernetes cluster is running. Press Ctrl-C to shut it down.

Logs:
  /tmp/kube-apiserver0.log
  /tmp/kube-controller-manager.log


  /tmp/kube-proxy.log
  /tmp/kube-scheduler.log
  /tmp/kubelet.log

To start using your cluster, you can open up another terminal/tab and run:

  export KUBECONFIG=/var/run/kubernetes/admin.kubeconfig
Or
  export KUBECONFIG=/var/run/kubernetes/adminN(N=0,1,...).kubeconfig

  cluster/kubectl.sh

Alternatively, you can write to the default kubeconfig:
```

```
export KUBERNETES_PROVIDER=local

cluster/kubectl.sh config set-cluster local --server=https://ip-172-31-18-107:6443
--certificate-authority=/var/run/kubernetes/server-ca.crt
cluster/kubectl.sh config set-credentials myself
--client-key=/var/run/kubernetes/client-admin.key
--client-certificate=/var/run/kubernetes/client-admin.crt
cluster/kubectl.sh config set-context local --cluster=local --user=myself
cluster/kubectl.sh config use-context local
cluster/kubectl.sh
```