

```
login as: ubuntu
Authenticating with public key "Imported-Openssh-Key:
C:\\Users\\amit.rahate\\Downloads\\amit-centaurus-awskeypair.pem"
```

```
• MobaXterm Personal Edition v21.3 •
(SSH client, X server and network tools)

→ SSH session to ubuntu@35.86.138.103
• Direct SSH      : v
• SSH compression : v
• SSH-browser     : v
• X11-forwarding  : v (remote display is forwarded through SSH)

→ For more info, ctrl+click on help or visit our website.
```

```
Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 5.4.0-1045-aws x86_64)
```

```
* Documentation: https://help.ubuntu.com
* Management:   https://landscape.canonical.com
* Support:      https://ubuntu.com/advantage
```

```
System information as of Mon Oct 25 04:57:56 UTC 2021
```

```
System load: 0.18          Processes:            192
Usage of /: 0.9% of 124.02GB Users logged in:        0
Memory usage: 0%          IP address for eth0: 172.31.19.109
Swap usage: 0%
```

```
0 packages can be updated.
0 of these updates are security updates.
```

```
The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.
```

```
Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.
```

```
/usr/bin/xauth: file /home/ubuntu/.Xauthority does not exist
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.
```

```
ubuntu@ip-172-31-19-109:~$ uname -a
Linux ip-172-31-19-109 5.4.0-1045-aws #47~18.04.1-Ubuntu SMP Tue Apr 13 15:58:14 UTC 2021
x86_64 x86_64 x86_64 GNU/Linux
ubuntu@ip-172-31-19-109:~$ wget
https://raw.githubusercontent.com/CentaurusInfra/mizar/dev-next/kernelupdate.sh
--2021-10-25 05:06:54--
https://raw.githubusercontent.com/CentaurusInfra/mizar/dev-next/kernelupdate.sh
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.111.133,
185.199.108.133, 185.199.109.133, ...
Connecting to raw.githubusercontent.com
```

```
(raw.githubusercontent.com)|185.199.111.133|:443... connected.  
HTTP request sent, awaiting response... 200 OK  
Length: 791 [text/plain]  
Saving to: 'kernelupdate.sh'
```

```
kernelupdate.sh
```

```
100%[=====]  
=====>] 791 --.-KB/s in 0s
```

```
2021-10-25 05:06:54 (36.1 MB/s) - 'kernelupdate.sh' saved [791/791]
```

```
ubuntu@ip-172-31-19-109:~$ sudo bash kernelupdate.sh
```

```
--2021-10-25 05:08:05--
```

```
https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb
```

```
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.216.230.131
```

```
Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.216.230.131|:443...  
connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

```
Length: 7621020 (7.3M) []
```

```
Saving to: './linux-5.6-rc2/linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb'
```

```
linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.d
```

```
100%[=====]  
=====>] 7.27M 5.10MB/s in 1.4s
```

```
2021-10-25 05:08:07 (5.10 MB/s) -
```

```
'./linux-5.6-rc2/linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb' saved  
[7621020/7621020]
```

```
--2021-10-25 05:08:07--
```

```
https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb
```

```
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.216.104.27
```

```
Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.216.104.27|:443...  
connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

```
Length: 857827912 (818M) [application/x-www-form-urlencoded]
```

```
Saving to: './linux-5.6-rc2/linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb'
```

```
linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64
```

```
100%[=====]  
=====>] 818.09M 19.6MB/s in 68s
```

```
2021-10-25 05:09:15 (12.1 MB/s) -
```

```
'./linux-5.6-rc2/linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb' saved  
[857827912/857827912]
```

```
--2021-10-25 05:09:15--
```

```
https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb
```

```
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.216.249.156
```

```
Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.216.249.156|:443...  
connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

Length: 56427036 (54M) [application/x-www-form-urlencoded]
Saving to: './linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb'

linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb

100%[=====]
=====>] 53.81M 6.28MB/s in 9.3s

2021-10-25 05:09:25 (5.80 MB/s) -
'./linux-5.6-rc2/linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb' saved
[56427036/56427036]

--2021-10-25 05:09:25--

https://mizar.s3.amazonaws.com/linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb
Resolving mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)... 52.217.96.124
Connecting to mizar.s3.amazonaws.com (mizar.s3.amazonaws.com)|52.217.96.124|:443...
connected.

HTTP request sent, awaiting response... 200 OK

Length: 1082248 (1.0M) []

Saving to: './linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb'

linux-libc-dev_5.6.0-rc2-1_amd64.deb

100%[=====]
=====>] 1.03M 1.73MB/s in 0.6s

2021-10-25 05:09:26 (1.73 MB/s) -
'./linux-5.6-rc2/linux-libc-dev_5.6.0-rc2-1_amd64.deb' saved [1082248/1082248]

Continue kernel update (y/n)?y

Updating kernel

Selecting previously unselected package linux-headers-5.6.0-rc2.

(Reading database ... 57240 files and directories currently installed.)

Preparing to unpack .../linux-headers-5.6.0-rc2_5.6.0-rc2-1_amd64.deb ...

Unpacking linux-headers-5.6.0-rc2 (5.6.0-rc2-1) ...

Selecting previously unselected package linux-image-5.6.0-rc2-dbg.

Preparing to unpack .../linux-image-5.6.0-rc2-dbg_5.6.0-rc2-1_amd64.deb ...

Unpacking linux-image-5.6.0-rc2-dbg (5.6.0-rc2-1) ...

Selecting previously unselected package linux-image-5.6.0-rc2.

Preparing to unpack .../linux-image-5.6.0-rc2_5.6.0-rc2-1_amd64.deb ...

Unpacking linux-image-5.6.0-rc2 (5.6.0-rc2-1) ...

Selecting previously unselected package linux-libc-dev:amd64.

Preparing to unpack .../linux-libc-dev_5.6.0-rc2-1_amd64.deb ...

Unpacking linux-libc-dev:amd64 (5.6.0-rc2-1) ...

Setting up linux-headers-5.6.0-rc2 (5.6.0-rc2-1) ...

Setting up linux-image-5.6.0-rc2-dbg (5.6.0-rc2-1) ...

Setting up linux-image-5.6.0-rc2 (5.6.0-rc2-1) ...

update-initramfs: Generating /boot/initrd.img-5.6.0-rc2

Sourcing file `/etc/default/grub'

Sourcing file `/etc/default/grub.d/50-cloudimg-settings.cfg'

Generating grub configuration file ...

Found linux image: /boot/vmlinuz-5.6.0-rc2

Found initrd image: /boot/initrd.img-5.6.0-rc2

Found linux image: /boot/vmlinuz-5.4.0-1045-aws

Found initrd image: /boot/initrd.img-5.4.0-1045-aws

done

Setting up linux-libc-dev:amd64 (5.6.0-rc2-1) ...

Reboot host (y/n)?y
Rebooting

Remote side unexpectedly closed network connection

Session stopped

- Press <return> to exit tab
- Press R to restart session
- Press S to save terminal output to file

login as: ubuntu

Authenticating with public key "Imported-Openssh-Key:

C:\\Users\\amit.rahate\\Downloads\\amit-centaurus-awskeypair.pem"

• MobaXterm Personal Edition v21.3 •
(SSH client, X server and network tools)

→ SSH session to **ubuntu@35.86.138.103**

- Direct SSH : v
- SSH compression : v
- SSH-browser : v
- X11-forwarding : v (remote display is forwarded through SSH)

→ For more info, ctrl+click on [help](#) or visit our [website](#).

Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 5.6.0-rc2 x86_64)

- * Documentation: <https://help.ubuntu.com>
- * Management: <https://landscape.canonical.com>
- * Support: <https://ubuntu.com/advantage>

System information as of Mon Oct 25 05:13:34 UTC 2021

System load:	0.8	Processes:	168
Usage of /:	6.5% of 124.02GB	Users logged in:	0
Memory usage:	0%	IP address for eth0:	172.31.19.109
Swap usage:	0%		

0 packages can be updated.
0 of these updates are security updates.

New release '20.04.3 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

Last login: Mon Oct 25 04:57:58 2021 from 114.143.207.106

ubuntu@ip-172-31-19-109:~\$ uname -a

Linux ip-172-31-19-109 5.6.0-rc2 #1 SMP Tue Feb 25 18:54:05 UTC 2020 x86_64 x86_64 x86_64
GNU/Linux

ubuntu@ip-172-31-19-109:~\$ git clone https://github.com/CentaurusInfra/arktos.git

```

~/go/src/k8s.io/arktos
Cloning into '/home/ubuntu/go/src/k8s.io/arktos'...
remote: Enumerating objects: 104105, done.
remote: Counting objects: 100% (663/663), done.
remote: Compressing objects: 100% (450/450), done.
remote: Total 104105 (delta 293), reused 388 (delta 190), pack-reused 103442
Receiving objects: 100% (104105/104105), 208.21 MiB | 24.87 MiB/s, done.
Resolving deltas: 100% (62787/62787), done.
Checking out files: 100% (20761/20761), done.
ubuntu@ip-172-31-19-109:~$ cd ~/go/src/k8s.io/arktos
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ git checkout default-cni-mizar
error: pathspec 'default-cni-mizar' did not match any file(s) known to git.
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ git checkout default-cni-mizar
error: pathspec 'default-cni-mizar' did not match any file(s) known to git.
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ ls
BUILD.bazel      Godeps      Makefile.generated_files  SUPPORT.md  aws_build_version
cluster          docs        hack                  perf-tests  readthedocs.yaml  third_party
CHANGELOG        LICENSE     OWNERS                WORKSPACE   aws_kube_params.inc
cmd              go.mod      logo                  pkg          staging            translations
CONTRIBUTING.md Makefile    README.md             api          build              vendor
code-of-conduct.md go.sum      mkdocs.yml           plugin       test
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ git clone
https://github.com/CentaurusInfra/arktos.git ~/go/src/k8s.io/arktos -b
default-cni-mizar
fatal: destination path '/home/ubuntu/go/src/k8s.io/arktos' already exists and is not an
empty directory.
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ cd ..
ubuntu@ip-172-31-19-109:~/go/src/k8s.io$ rm -rf arktos
ubuntu@ip-172-31-19-109:~/go/src/k8s.io$ git clone
https://github.com/Click2cloud-Centaurus/arktos.git ~/go/src/k8s.io/arktos -b
default-cni-mizar
Cloning into '/home/ubuntu/go/src/k8s.io/arktos'...
remote: Enumerating objects: 61570, done.
remote: Counting objects: 100% (974/974), done.
remote: Compressing objects: 100% (564/564), done.
remote: Total 61570 (delta 557), reused 637 (delta 393), pack-reused 60596
Receiving objects: 100% (61570/61570), 221.58 MiB | 24.43 MiB/s, done.
Resolving deltas: 100% (37714/37714), done.
Checking out files: 100% (20763/20763), done.
ubuntu@ip-172-31-19-109:~/go/src/k8s.io$ cd ~/go/src/k8s.io/arktos
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ git checkout default-cni-mizar
Already on 'default-cni-mizar'
Your branch is up to date with 'origin/default-cni-mizar'.
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ sudo bash ./hack/setup-dev-node.sh
The script is to help install prerequisites of Arktos development environment
on a fresh Linux installation.
It's been tested on Ubuntu 16.04 LTS and 18.04 LTS.
Update apt.
Hit:1 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic InRelease
Get:2 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease [88.7 kB]
Get:3 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6
kB]
Get:4 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 Packages
[8570 kB]
Get:5 http://security.ubuntu.com/ubuntu bionic-security InRelease [88.7 kB]

```

Get:6 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe Translation-en [4941 kB]
Get:7 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/multiverse amd64 Packages [151 kB]
Get:8 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/multiverse Translation-en [108 kB]
Get:9 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 Packages [2277 kB]
Get:10 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main Translation-en [442 kB]
Get:11 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/restricted amd64 Packages [513 kB]
Get:12 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/restricted Translation-en [69.7 kB]
Get:13 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/universe amd64 Packages [1759 kB]
Get:14 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/universe Translation-en [378 kB]
Get:15 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/multiverse amd64 Packages [27.3 kB]
Get:16 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/multiverse Translation-en [6808 B]
Get:17 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports/main amd64 Packages [10.0 kB]
Get:18 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports/main Translation-en [4764 B]
Get:19 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports/universe amd64 Packages [10.3 kB]
Get:20 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-backports/universe Translation-en [4588 B]
Get:21 http://security.ubuntu.com/ubuntu bionic-security/main amd64 Packages [1930 kB]
Get:22 http://security.ubuntu.com/ubuntu bionic-security/main Translation-en [348 kB]
Get:23 http://security.ubuntu.com/ubuntu bionic-security/restricted amd64 Packages [487 kB]
Get:24 http://security.ubuntu.com/ubuntu bionic-security/restricted Translation-en [65.7 kB]
Get:25 http://security.ubuntu.com/ubuntu bionic-security/universe amd64 Packages [1144 kB]
Get:26 http://security.ubuntu.com/ubuntu bionic-security/universe Translation-en [262 kB]
Get:27 http://security.ubuntu.com/ubuntu bionic-security/multiverse amd64 Packages [20.9 kB]
Get:28 http://security.ubuntu.com/ubuntu bionic-security/multiverse Translation-en [4732 B]
Fetched 23.8 MB in 7s (3582 kB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
89 packages can be upgraded. Run 'apt list --upgradable' to see them.
Install docker.
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
 bridge-utils containerd pigz runc ubuntu-fan

Suggested packages:

ifupdown aufs-tools cgroupfs-mount | cgroup-lite debootstrap docker-doc rinse zfs-fuse
| zfsutils

The following NEW packages will be installed:

bridge-utils containerd docker.io pigz runc ubuntu-fan

0 upgraded, 6 newly installed, 0 to remove and 89 not upgraded.

Need to get 74.0 MB of archives.

After this operation, 359 MB of additional disk space will be used.

Get:1 <http://us-west-2.ec2.archive.ubuntu.com/ubuntu> bionic/universe amd64 pigz amd64 2.4-1 [57.4 kB]

Get:2 <http://us-west-2.ec2.archive.ubuntu.com/ubuntu> bionic/main amd64 bridge-utils amd64 1.5-15ubuntu1 [30.1 kB]

Get:3 <http://us-west-2.ec2.archive.ubuntu.com/ubuntu> bionic-updates/universe amd64 runc amd64 1.0.0~rc95-0ubuntu1~18.04.2 [4087 kB]

Get:4 <http://us-west-2.ec2.archive.ubuntu.com/ubuntu> bionic-updates/universe amd64 containerd amd64 1.5.2-0ubuntu1~18.04.3 [32.8 MB]

Get:5 <http://us-west-2.ec2.archive.ubuntu.com/ubuntu> bionic-updates/universe amd64 docker.io amd64 20.10.7-0ubuntu1~18.04.2 [36.9 MB]

Get:6 <http://us-west-2.ec2.archive.ubuntu.com/ubuntu> bionic/main amd64 ubuntu-fan all 0.12.10 [34.7 kB]

Fetched 74.0 MB in 2s (45.6 MB/s)

Preconfiguring packages ...

Selecting previously unselected package pigz.

(Reading database ... 88826 files and directories currently installed.)

Preparing to unpack .../0-pigz_2.4-1_amd64.deb ...

Unpacking pigz (2.4-1) ...

Selecting previously unselected package bridge-utils.

Preparing to unpack .../1-bridge-utils_1.5-15ubuntu1_amd64.deb ...

Unpacking bridge-utils (1.5-15ubuntu1) ...

Selecting previously unselected package runc.

Preparing to unpack .../2-runc_1.0.0~rc95-0ubuntu1~18.04.2_amd64.deb ...

Unpacking runc (1.0.0~rc95-0ubuntu1~18.04.2) ...

Selecting previously unselected package containerd.

Preparing to unpack .../3-containerd_1.5.2-0ubuntu1~18.04.3_amd64.deb ...

Unpacking containerd (1.5.2-0ubuntu1~18.04.3) ...

Selecting previously unselected package docker.io.

Preparing to unpack .../4-docker.io_20.10.7-0ubuntu1~18.04.2_amd64.deb ...

Unpacking docker.io (20.10.7-0ubuntu1~18.04.2) ...

Selecting previously unselected package ubuntu-fan.

Preparing to unpack .../5-ubuntu-fan_0.12.10_all.deb ...

Unpacking ubuntu-fan (0.12.10) ...

Setting up runc (1.0.0~rc95-0ubuntu1~18.04.2) ...

Setting up containerd (1.5.2-0ubuntu1~18.04.3) ...

Created symlink /etc/systemd/system/multi-user.target.wants/containerd.service →
/lib/systemd/system/containerd.service.

Setting up bridge-utils (1.5-15ubuntu1) ...

Setting up ubuntu-fan (0.12.10) ...

Created symlink /etc/systemd/system/multi-user.target.wants/ubuntu-fan.service →
/lib/systemd/system/ubuntu-fan.service.

Setting up pigz (2.4-1) ...

Setting up docker.io (20.10.7-0ubuntu1~18.04.2) ...

Adding group `docker' (GID 115) ...

Done.

Created symlink /etc/systemd/system/multi-user.target.wants/docker.service →
/lib/systemd/system/docker.service.

```

Created symlink /etc/systemd/system/sockets.target.wants/docker.socket →
/lib/systemd/system/docker.socket.
Processing triggers for systemd (237-3ubuntu10.46) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for ureadahead (0.100.0-21) ...
Install make & gcc.
Reading package lists... Done
Building dependency tree
Reading state information... Done
Suggested packages:
  make-doc
The following NEW packages will be installed:
  make
0 upgraded, 1 newly installed, 0 to remove and 89 not upgraded.
Need to get 154 kB of archives.
After this operation, 381 kB of additional disk space will be used.
Get:1 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 make amd64
4.1-9.1ubuntu1 [154 kB]
Fetched 154 kB in 0s (12.6 MB/s)
Selecting previously unselected package make.
(Reading database ... 89149 files and directories currently installed.)
Preparing to unpack .../make_4.1-9.1ubuntu1_amd64.deb ...
Unpacking make (4.1-9.1ubuntu1) ...
Setting up make (4.1-9.1ubuntu1) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cpp cpp-7 gcc-7 gcc-7-base libasan4
  libatomic1 libbinutils libc-dev-bin libc6-dev libcc1-0 libcilkrts5 libgcc-7-dev
  libgomp1 libisl19 libitm1 liblsan0 libmpc3 libmpx2 libquadmath0 libtsan0 libubsan0
  manpages-dev
Suggested packages:
  binutils-doc cpp-doc gcc-7-locales gcc-multilib autoconf automake libtool flex bison
  gdb gcc-doc gcc-7-multilib gcc-7-doc libgcc1-dbg libgomp1-dbg libitm1-dbg
  libatomic1-dbg libasan4-dbg liblsan0-dbg libtsan0-dbg libubsan0-dbg libcilkrts5-dbg
  libmpx2-dbg libquadmath0-dbg glibc-doc
The following NEW packages will be installed:
  binutils binutils-common binutils-x86-64-linux-gnu cpp cpp-7 gcc gcc-7 gcc-7-base
  libasan4 libatomic1 libbinutils libc-dev-bin libc6-dev libcc1-0 libcilkrts5 libgcc-7-dev
  libgomp1 libisl19 libitm1 liblsan0 libmpc3 libmpx2 libquadmath0 libtsan0 libubsan0
  manpages-dev
0 upgraded, 26 newly installed, 0 to remove and 89 not upgraded.
Need to get 29.6 MB of archives.
After this operation, 112 MB of additional disk space will be used.
Get:1 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
binutils-common amd64 2.30-21ubuntu1~18.04.5 [197 kB]
Get:2 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libbinutils amd64 2.30-21ubuntu1~18.04.5 [489 kB]
Get:3 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
binutils-x86-64-linux-gnu amd64 2.30-21ubuntu1~18.04.5 [1839 kB]
Get:4 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 binutils
amd64 2.30-21ubuntu1~18.04.5 [3388 B]
Get:5 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64

```



```
gcc-7-base amd64 7.5.0-3ubuntu1~18.04 [18.3 kB]
Get:6 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 libisl19 amd64
0.19-1 [551 kB]
Get:7 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 libmpc3 amd64
1.1.0-1 [40.8 kB]
Get:8 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 cpp-7
amd64 7.5.0-3ubuntu1~18.04 [8591 kB]
Get:9 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 cpp
amd64 4:7.4.0-1ubuntu2.3 [27.7 kB]
Get:10 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libcc1-0 amd64 8.4.0-1ubuntu1~18.04 [39.4 kB]
Get:11 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libgomp1 amd64 8.4.0-1ubuntu1~18.04 [76.5 kB]
Get:12 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 libitm1
amd64 8.4.0-1ubuntu1~18.04 [27.9 kB]
Get:13 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libatomic1 amd64 8.4.0-1ubuntu1~18.04 [9192 B]
Get:14 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libasan4 amd64 7.5.0-3ubuntu1~18.04 [358 kB]
Get:15 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
liblsan0 amd64 8.4.0-1ubuntu1~18.04 [133 kB]
Get:16 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libtsan0 amd64 8.4.0-1ubuntu1~18.04 [288 kB]
Get:17 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libubsan0 amd64 7.5.0-3ubuntu1~18.04 [126 kB]
Get:18 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libcilkrts5 amd64 7.5.0-3ubuntu1~18.04 [42.5 kB]
Get:19 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 libmpx2
amd64 8.4.0-1ubuntu1~18.04 [11.6 kB]
Get:20 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libquadmath0 amd64 8.4.0-1ubuntu1~18.04 [134 kB]
Get:21 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libgcc-7-dev amd64 7.5.0-3ubuntu1~18.04 [2378 kB]
Get:22 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 gcc-7
amd64 7.5.0-3ubuntu1~18.04 [9381 kB]
Get:23 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64 gcc
amd64 4:7.4.0-1ubuntu2.3 [5184 B]
Get:24 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libc-dev-bin amd64 2.27-3ubuntu1.4 [71.8 kB]
Get:25 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
libc6-dev amd64 2.27-3ubuntu1.4 [2585 kB]
Get:26 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 manpages-dev
all 4.15-1 [2217 kB]
Fetched 29.6 MB in 1s (50.3 MB/s)
Selecting previously unselected package binutils-common:amd64.
(Reading database ... 89165 files and directories currently installed.)
Preparing to unpack .../00-binutils-common_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking binutils-common:amd64 (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package libbinutils:amd64.
Preparing to unpack .../01-libbinutils_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking libbinutils:amd64 (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package binutils-x86-64-linux-gnu.
Preparing to unpack .../02-binutils-x86-64-linux-gnu_2.30-21ubuntu1~18.04.5_amd64.deb
...
Unpacking binutils-x86-64-linux-gnu (2.30-21ubuntu1~18.04.5) ...
```

Selecting previously unselected package binutils.
Preparing to unpack .../03-binutils_2.30-21ubuntu1~18.04.5_amd64.deb ...
Unpacking binutils (2.30-21ubuntu1~18.04.5) ...
Selecting previously unselected package gcc-7-base:amd64.
Preparing to unpack .../04-gcc-7-base_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking gcc-7-base:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libisl19:amd64.
Preparing to unpack .../05-libisl19_0.19-1_amd64.deb ...
Unpacking libisl19:amd64 (0.19-1) ...
Selecting previously unselected package libmpc3:amd64.
Preparing to unpack .../06-libmpc3_1.1.0-1_amd64.deb ...
Unpacking libmpc3:amd64 (1.1.0-1) ...
Selecting previously unselected package cpp-7.
Preparing to unpack .../07-cpp-7_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking cpp-7 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package cpp.
Preparing to unpack .../08-cpp_4%3a7.4.0-1ubuntu2.3_amd64.deb ...
Unpacking cpp (4:7.4.0-1ubuntu2.3) ...
Selecting previously unselected package libcc1-0:amd64.
Preparing to unpack .../09-libcc1-0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libcc1-0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libgomp1:amd64.
Preparing to unpack .../10-libgomp1_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libgomp1:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libitm1:amd64.
Preparing to unpack .../11-libitm1_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libitm1:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libatomic1:amd64.
Preparing to unpack .../12-libatomic1_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libatomic1:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libasan4:amd64.
Preparing to unpack .../13-libasan4_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libasan4:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package liblsan0:amd64.
Preparing to unpack .../14-liblsan0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking liblsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libtsan0:amd64.
Preparing to unpack .../15-libtsan0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libtsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libubsan0:amd64.
Preparing to unpack .../16-libubsan0_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libubsan0:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libcilkrts5:amd64.
Preparing to unpack .../17-libcilkrts5_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libcilkrts5:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package libmpx2:amd64.
Preparing to unpack .../18-libmpx2_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libmpx2:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libquadmath0:amd64.
Preparing to unpack .../19-libquadmath0_8.4.0-1ubuntu1~18.04_amd64.deb ...
Unpacking libquadmath0:amd64 (8.4.0-1ubuntu1~18.04) ...
Selecting previously unselected package libgcc-7-dev:amd64.
Preparing to unpack .../20-libgcc-7-dev_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking libgcc-7-dev:amd64 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package gcc-7.

```
Preparing to unpack .../21-gcc-7_7.5.0-3ubuntu1~18.04_amd64.deb ...
Unpacking gcc-7 (7.5.0-3ubuntu1~18.04) ...
Selecting previously unselected package gcc.
Preparing to unpack .../22-gcc_4%3a7.4.0-1ubuntu2.3_amd64.deb ...
Unpacking gcc (4:7.4.0-1ubuntu2.3) ...
Selecting previously unselected package libc-dev-bin.
Preparing to unpack .../23-libc-dev-bin_2.27-3ubuntu1.4_amd64.deb ...
Unpacking libc-dev-bin (2.27-3ubuntu1.4) ...
Selecting previously unselected package libc6-dev:amd64.
Preparing to unpack .../24-libc6-dev_2.27-3ubuntu1.4_amd64.deb ...
Unpacking libc6-dev:amd64 (2.27-3ubuntu1.4) ...
Selecting previously unselected package manpages-dev.
Preparing to unpack .../25-manpages-dev_4.15-1_all.deb ...
Unpacking manpages-dev (4.15-1) ...
Setting up libquadmath0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libgomp1:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libatomic1:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libcc1-0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libtsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up liblsan0:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up gcc-7-base:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up binutils-common:amd64 (2.30-21ubuntu1~18.04.5) ...
Setting up libmpx2:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libmpc3:amd64 (1.1.0-1) ...
Setting up libc-dev-bin (2.27-3ubuntu1.4) ...
Setting up manpages-dev (4.15-1) ...
Setting up libc6-dev:amd64 (2.27-3ubuntu1.4) ...
Setting up libitm1:amd64 (8.4.0-1ubuntu1~18.04) ...
Setting up libisl19:amd64 (0.19-1) ...
Setting up libasan4:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up libbinutils:amd64 (2.30-21ubuntu1~18.04.5) ...
Setting up libcilkrts5:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up libubsan0:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up libgcc-7-dev:amd64 (7.5.0-3ubuntu1~18.04) ...
Setting up cpp-7 (7.5.0-3ubuntu1~18.04) ...
Setting up binutils-x86-64-linux-gnu (2.30-21ubuntu1~18.04.5) ...
Setting up cpp (4:7.4.0-1ubuntu2.3) ...
Setting up binutils (2.30-21ubuntu1~18.04.5) ...
Setting up gcc-7 (7.5.0-3ubuntu1~18.04) ...
Setting up gcc (4:7.4.0-1ubuntu2.3) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for libc-bin (2.27-3ubuntu1.4) ...
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  libjq1 libonig4
The following NEW packages will be installed:
  jq libjq1 libonig4
0 upgraded, 3 newly installed, 0 to remove and 89 not upgraded.
Need to get 276 kB of archives.
After this operation, 930 kB of additional disk space will be used.
Get:1 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 libonig4
amd64 6.7.0-1 [119 kB]
Get:2 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 libjq1 amd64
```

```

1.5+dfsg-2 [111 kB]
Get:3 http://us-west-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 jq amd64
1.5+dfsg-2 [45.6 kB]
Fetched 276 kB in 0s (13.9 MB/s)
Selecting previously unselected package libonig4:amd64.
(Reading database ... 92426 files and directories currently installed.)
Preparing to unpack .../libonig4_6.7.0-1_amd64.deb ...
Unpacking libonig4:amd64 (6.7.0-1) ...
Selecting previously unselected package libjq1:amd64.
Preparing to unpack .../libjq1_1.5+dfsg-2_amd64.deb ...
Unpacking libjq1:amd64 (1.5+dfsg-2) ...
Selecting previously unselected package jq.
Preparing to unpack .../jq_1.5+dfsg-2_amd64.deb ...
Unpacking jq (1.5+dfsg-2) ...
Setting up libonig4:amd64 (6.7.0-1) ...
Setting up libjq1:amd64 (1.5+dfsg-2) ...
Setting up jq (1.5+dfsg-2) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
Processing triggers for libc-bin (2.27-3ubuntu1.4) ...
Install golang.
--2021-10-25 06:12:52-- https://dl.google.com/go/go1.13.9.linux-amd64.tar.gz
Resolving dl.google.com (dl.google.com)... 142.250.217.110, 2607:f8b0:400a:80b::200e
Connecting to dl.google.com (dl.google.com)|142.250.217.110|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 120139686 (115M) [application/octet-stream]
Saving to: '/tmp/go1.13.9.linux-amd64.tar.gz'

```

```

go1.13.9.linux-amd64.tar.gz
100%[=====]
=====>] 114.57M 30.3MB/s in 3.9s

```

```

2021-10-25 06:12:56 (29.1 MB/s) - '/tmp/go1.13.9.linux-amd64.tar.gz' saved
[120139686/120139686]

```

Done.

```

Please run and add 'export PATH=$PATH:/usr/local/go/bin' into your shell profile.
You can proceed to run arktos-up.sh if you want to launch a single-node cluster.
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ echo export
PATH=$PATH:/usr/local/go/bin \>> ~/.profile
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ echo cd $HOME/go/src/k8s.io/arktos >>
~/.profile
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ source ~/.profile
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ ./hack/arktos-up.sh
DBG: bridge CNI plugin will be installed AFTER cluster is up
DBG: effective feature gates
AllAlpha=false,WorkloadInfoDefaulting=true,QPSDoubleGCController=true,QPSDoubleRSCont
roller=true,MandatoryArktosNetwork=true
DBG: effective disabling admission plugins
DBG: effective default network template file is
/home/ubuntu/go/src/k8s.io/arktos/hack/testdata/default-flat-network.tpl
DBG: kubelet arg RESOLV_CONF is /run/systemd/resolve/resolv.conf
WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables functionality; if
failures occur, retry as root.

```

```

cni plugin is bridge; arktos will use bridge to provision pod network
Ensuring firewall to allow traffic forward by default
-P FORWARD DROP
-P FORWARD ACCEPT
Ensuring minimum cni plugin installation...
installing cni plugin binaries
./
./flannel
./ptp
./host-local
./firewall
./portmap
./tuning
./vlan
./host-device
./bandwidth
./sbr
./static
./dhcp
./ipvlan
./macvlan
./loopback
./bridge
2021-10-25 06:19:25
URL:https://github-releases.githubusercontent.com/84575398/53318d00-bf61-11e9-9a8f-40
364582e9ed?X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAIWNJYAX4CSVEH53A%2F2
0211025%2Fus-east-1%2Fs3%2Faws4_request&X-Amz-Date=20211025T061924Z&X-Amz-Expires=300
&X-Amz-Signature=857e9ddbec829c79aafc5da56737548b56ccebcd5b9b145decf68328477a34f&X-A
mz-SignedHeaders=host&actor_id=0&key_id=0&repo_id=84575398&response-content-dispositi
on=attachment%3B%20filename%3Dcni-plugins-linux-amd64-v0.8.2.tgz&response-content-typ
e=application%2Foctet-stream [36662740/36662740] -> "-" [1]
setting up cni conf file...
copying /home/ubuntu/go/src/k8s.io/arktos/hack/testdata/cni-conf/bridge.conf to
/etc/cni/net.d/bridge.conf...
copied /home/ubuntu/go/src/k8s.io/arktos/hack/testdata/cni-conf/bridge.conf to
/etc/cni/net.d/bridge.conf
done with bridge cni plugin installation
WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables functionality; if
failures occur, retry as root.
Getting runtime deployment file  libvirt-qemu
--2021-10-25 06:19:25--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deplo
y/apparmor/libvirt-qemu
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.109.133,
185.199.110.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.109.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 6578 (6.4K) [text/plain]
Saving to: '/tmp/libvirt-qemu'

/tmp/libvirt-qemu
100%[=====

```

```
=====>] 6.42K --.-KB/s in 0s
```

```
2021-10-25 06:19:25 (55.3 MB/s) - '/tmp/libvirt-qemu' saved [6578/6578]
```

```
Getting runtime deployment file libvirtd
```

```
--2021-10-25 06:19:25--
```

```
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/libvirtd
```

```
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...
```

```
Connecting to raw.githubusercontent.com
```

```
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

```
Length: 1617 (1.6K) [text/plain]
```

```
Saving to: '/tmp/libvirtd'
```

```
/tmp/libvirtd
```

```
100%[=====
```

```
=====>] 1.58K --.-KB/s in 0s
```

```
2021-10-25 06:19:25 (25.0 MB/s) - '/tmp/libvirtd' saved [1617/1617]
```

```
Getting runtime deployment file virtlet
```

```
--2021-10-25 06:19:25--
```

```
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/virtlet
```

```
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...
```

```
Connecting to raw.githubusercontent.com
```

```
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

```
Length: 2582 (2.5K) [text/plain]
```

```
Saving to: '/tmp/virtlet'
```

```
/tmp/virtlet
```

```
100%[=====
```

```
=====>] 2.52K --.-KB/s in 0s
```

```
2021-10-25 06:19:25 (34.3 MB/s) - '/tmp/virtlet' saved [2582/2582]
```

```
Getting runtime deployment file vms
```

```
--2021-10-25 06:19:25--
```

```
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/vms
```

```
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...
```

```
Connecting to raw.githubusercontent.com
```

```
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

```
Length: 485 [text/plain]
```

```
Saving to: '/tmp/vms'
```

```
/tmp/vms
```

```
100%[=====
```

```
=====>] 485 --.-KB/s in 0s
```

2021-10-25 06:19:25 (24.7 MB/s) - '/tmp/vms' saved [485/485]

Getting runtime deployment file vmruntime.yaml

--2021-10-25 06:19:25--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/data/virtlet-ds.yaml

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.108.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 11643 (11K) [text/plain]

Saving to: '/tmp/vmruntime.yaml'

/tmp/vmruntime.yaml

100%[=====]
=====>] 11.37K --.-KB/s in 0s

2021-10-25 06:19:26 (56.5 MB/s) - '/tmp/vmruntime.yaml' saved [11643/11643]

Getting runtime deployment file images.yaml

--2021-10-25 06:19:26--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/images.yaml

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.108.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 254 [text/plain]

Saving to: '/tmp/images.yaml'

/tmp/images.yaml

100%[=====]
=====>] 254 --.-KB/s in 0s

2021-10-25 06:19:26 (9.87 MB/s) - '/tmp/images.yaml' saved [254/254]

Stopping Apparmor service

make: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'

make[1]: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'

+++ [1025 06:19:33] Building go targets for linux/amd64:

./vendor/k8s.io/code-generator/cmd/deepcopy-gen

+++ [1025 06:19:33] Building go targets for linux/amd64:

./vendor/k8s.io/code-generator/cmd/defaulter-gen

+++ [1025 06:19:33] Building go targets for linux/amd64:

./vendor/k8s.io/code-generator/cmd/conversion-gen

+++ [1025 06:19:33] Building go targets for linux/amd64:

./vendor/k8s.io/kube-openapi/cmd/openapi-gen

ln: failed to create symbolic link '/home/ubuntu/go/src/k8s.io/arktos/_output/bin': File exists

!!! [1025 06:19:36] Call tree:

!!! [1025 06:19:36] 1: hack/make-rules/build.sh:28 kube::golang::place_bins(...)

Makefile.generated_files:295: recipe for target '_output/bin/defaulter-gen' failed

```

make[1]: *** [_output/bin/defaulters-gen] Error 1
make[1]: *** Waiting for unfinished jobs....
make[1]: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
Makefile:560: recipe for target 'generated_files' failed
make: *** [generated_files] Error 2
make: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
!!! Error in ./hack/arktos-up.sh:142
  Error in ./hack/arktos-up.sh:142. 'make -j4 -C "${KUBE_ROOT}" WHAT="cmd/kubect1
cmd/hyperkube cmd/kube-apiserver cmd/kube-controller-manager
cmd/workload-controller-manager cmd/cloud-controller-manager cmd/kubelet
cmd/kube-proxy cmd/kube-scheduler cmd/arktos-network-controller"' exited with status 2
Call stack:
  1: ./hack/arktos-up.sh:142 main(...)
Exiting with status 1
ubuntu@ip-172-31-19-109:~/go/src/k8s.io/arktos$ ./hack/arktos-up.sh
DBG: bridge CNI plugin will be installed AFTER cluster is up
DBG: effective feature gates
AllAlpha=false,WorkloadInfoDefaulting=true,QPSDoubleGCController=true,QPSDoubleRSCont
roller=true,MandatoryArktosNetwork=true
DBG: effective disabling admission plugins
DBG: effective default network template file is
/home/ubuntu/go/src/k8s.io/arktos/hack/testdata/default-flat-network.tmpl
DBG: kubelet arg RESOLV_CONF is /run/systemd/resolve/resolv.conf
WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables functionality; if
failures occur, retry as root.
cni plugin is bridge; arktos will use bridge to provision pod network
Ensuring firewall to allow traffic forward by default
-P FORWARD ACCEPT
Ensuring minimum cni plugin installation...
found bridge, host-local, loopback
setting up cni conf file...
copying /home/ubuntu/go/src/k8s.io/arktos/hack/testdata/cni-conf/bridge.conf to
/etc/cni/net.d/bridge.conf...
copied /home/ubuntu/go/src/k8s.io/arktos/hack/testdata/cni-conf/bridge.conf to
/etc/cni/net.d/bridge.conf
done with bridge cni plugin installation
WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.
WARNING : This script MAY be run as root for docker socket / iptables functionality; if
failures occur, retry as root.
Getting runtime deployment file  libvirt-qemu
--2021-10-25 06:19:48--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deplo
y/apparmor/libvirt-qemu
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)[185.199.108.133]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 6578 (6.4K) [text/plain]
Saving to: '/tmp/libvirt-qemu'

/tmp/libvirt-qemu

```



```
100%[=====
=====>] 6.42K --.-KB/s in 0s
```

2021-10-25 06:19:48 (65.7 MB/s) - '/tmp/libvirt-qemu' saved [6578/6578]

Getting runtime deployment file libvirt

--2021-10-25 06:19:48--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/libvirt

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.108.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 1617 (1.6K) [text/plain]

Saving to: '/tmp/libvirt'

/tmp/libvirt

```
100%[=====
=====>] 1.58K --.-KB/s in 0s
```

2021-10-25 06:19:48 (26.8 MB/s) - '/tmp/libvirt' saved [1617/1617]

Getting runtime deployment file virtlet

--2021-10-25 06:19:48--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/virtlet

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.108.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 2582 (2.5K) [text/plain]

Saving to: '/tmp/virtlet'

/tmp/virtlet

```
100%[=====
=====>] 2.52K --.-KB/s in 0s
```

2021-10-25 06:19:48 (45.7 MB/s) - '/tmp/virtlet' saved [2582/2582]

Getting runtime deployment file vms

--2021-10-25 06:19:48--

https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/vms

Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...

Connecting to raw.githubusercontent.com

(raw.githubusercontent.com)|185.199.108.133|:443... connected.

HTTP request sent, awaiting response... 200 OK

Length: 485 [text/plain]

Saving to: '/tmp/vms'

/tmp/vms

```
100%[=====
```

```
=====>]      485  --.-KB/s    in 0s
```

```
2021-10-25 06:19:48 (25.5 MB/s) - '/tmp/vms' saved [485/485]
```

```
Getting runtime deployment file  vmruntime.yaml
```

```
--2021-10-25 06:19:48--
```

```
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/data/virtlet-ds.yaml
```

```
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...
```

```
Connecting to raw.githubusercontent.com
```

```
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

```
Length: 11643 (11K) [text/plain]
```

```
Saving to: '/tmp/vmruntime.yaml'
```

```
/tmp/vmruntime.yaml
```

```
100%[=====]  
=====>] 11.37K  --.-KB/s    in 0s
```

```
2021-10-25 06:19:48 (36.7 MB/s) - '/tmp/vmruntime.yaml' saved [11643/11643]
```

```
Getting runtime deployment file  images.yaml
```

```
--2021-10-25 06:19:48--
```

```
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/images.yaml
```

```
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133, 185.199.111.133, 185.199.110.133, ...
```

```
Connecting to raw.githubusercontent.com
```

```
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
```

```
HTTP request sent, awaiting response... 200 OK
```

```
Length: 254 [text/plain]
```

```
Saving to: '/tmp/images.yaml'
```

```
/tmp/images.yaml
```

```
100%[=====]  
=====>]      254  --.-KB/s    in 0s
```

```
2021-10-25 06:19:48 (15.8 MB/s) - '/tmp/images.yaml' saved [254/254]
```

```
Stopping Apparmor service
```

```
make: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
```

```
make[1]: Entering directory '/home/ubuntu/go/src/k8s.io/arktos'
```

```
+++ [1025 06:19:55] Building go targets for linux/amd64:
```

```
./vendor/github.com/go-bindata/go-bindata/go-bindata
```

```
make[1]: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
```

```
Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to  
_output/ArktosCopyrightTool.log
```

```
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
```

```
warning: inexact rename detection was skipped due to too many files.
```

```
warning: you may want to set your diff.renameLimit variable to at least 3064 and retry  
the command.
```

```
~/go/src/k8s.io/arktos
```

```
~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos
```

```
warning: inexact rename detection was skipped due to too many files.
```

warning: you may want to set your diff.renameLimit variable to at least 3064 and retry the command.

~/go/src/k8s.io/arktos

Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.

+++ [1025 06:20:16] Building go targets for linux/amd64:

cmd/kubect1
cmd/hyperkube
cmd/kube-apiserver
cmd/kube-controller-manager
cmd/workload-controller-manager
cmd/cloud-controller-manager
cmd/kubelet
cmd/kube-proxy
cmd/kube-scheduler
cmd/arktos-network-controller

Running copyright check for repo: /home/ubuntu/go/src/k8s.io/arktos, logging to _output/ArktosCopyrightTool.log

~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos

warning: inexact rename detection was skipped due to too many files.

warning: you may want to set your diff.renameLimit variable to at least 3064 and retry the command.

~/go/src/k8s.io/arktos

~/go/src/k8s.io/arktos ~/go/src/k8s.io/arktos

warning: inexact rename detection was skipped due to too many files.

warning: you may want to set your diff.renameLimit variable to at least 3064 and retry the command.

~/go/src/k8s.io/arktos

Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.

make: Leaving directory '/home/ubuntu/go/src/k8s.io/arktos'
cannot find etcd locally. will install one.

Downloading

<https://github.com/centaurus-cloud/etcd/releases/download/v3.4.3/etcd-v3.4.3-linux-amd64.tar.gz> succeed

etcd v3.4.3 installed. To use:

export PATH="/home/ubuntu/go/src/k8s.io/arktos/third_party/etcd:\${PATH}"

The current version is 3.4.3

API SERVER insecure port is free, proceeding...

API SERVER secure port is free, proceeding...

Unable to successfully run 'cfssl' from

/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/snap/bin:/usr/local/go/bin:/home/ubuntu/go/src/k8s.io/arktos/third_party/etcd;
downloading instead...

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0
100	623	100	623	0	0	2232	2232
100	9.8M	100	9.8M	0	0	11.2M	21.0M

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed
0	0	0	0	0	--:--:--	--:--:--	0
100	627	100	627	0	0	2668	2668

```
100 2224k 100 2224k 0 0 3200k 0 --:--:-- --:--:-- --:--:-- 6599k
Detected host and ready to start services. Doing some housekeeping first...
Using GO_OUT /home/ubuntu/go/src/k8s.io/arktos/_output/local/bin/linux/amd64
Starting services now!
Starting etcd
```

The current version is 3.4.3

```
etcd --name ip-172-31-19-109 --listen-peer-urls http://172.31.19.109:2380
--advertise-client-urls http://172.31.19.109:2379 --data-dir /tmp/tmp.U87B7poNdX
--listen-client-urls http://172.31.19.109:2379,http://127.0.0.1:2379
--listen-peer-urls http://172.31.19.109:2380 --debug > "/tmp/etcd.log" 2>/dev/null
Waiting for etcd to come up.
+++ [1025 06:22:51] On try 2, etcd: : {"health":"true"}
{"header":{"cluster_id":"2911832674751082708","member_id":"14296030703116921852","revision":"2","raft_term":"2"}}Starting 1 kube-apiserver instances. If you want to make
changes to the kube-apiserver nubmer, please run export APISERVER_SERVER=n(n=1,2,...).
Copied the apiserver partition config file /var/run/kubernetes/apiserver.config...
Can't load /home/ubuntu/.rnd into RNG
139652637606336:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/server-ca.key'
-----
Can't load /home/ubuntu/.rnd into RNG
139678403883456:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/client-ca.key'
-----
Can't load /home/ubuntu/.rnd into RNG
139985855242688:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/home/ubuntu/.rnd
Generating a RSA private key
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/request-header-ca.key'
-----
2021/10/25 06:22:51 [INFO] generate received request
2021/10/25 06:22:51 [INFO] received CSR
2021/10/25 06:22:51 [INFO] generating key: rsa-2048
2021/10/25 06:22:52 [INFO] encoded CSR
2021/10/25 06:22:52 [INFO] signed certificate with serial number
530812261208887535557123108288690779044342525523
2021/10/25 06:22:52 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
```

(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/10/25 06:22:52 [INFO] generate received request
2021/10/25 06:22:52 [INFO] received CSR
2021/10/25 06:22:52 [INFO] generating key: rsa-2048
2021/10/25 06:22:52 [INFO] encoded CSR
2021/10/25 06:22:52 [INFO] signed certificate with serial number
286759113605229744868461383950661589751412394556
2021/10/25 06:22:52 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/10/25 06:22:52 [INFO] generate received request
2021/10/25 06:22:52 [INFO] received CSR
2021/10/25 06:22:52 [INFO] generating key: rsa-2048
2021/10/25 06:22:52 [INFO] encoded CSR
2021/10/25 06:22:52 [INFO] signed certificate with serial number
387466686411776969704239511439527647097359016809
2021/10/25 06:22:52 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/10/25 06:22:52 [INFO] generate received request
2021/10/25 06:22:52 [INFO] received CSR
2021/10/25 06:22:52 [INFO] generating key: rsa-2048
2021/10/25 06:22:53 [INFO] encoded CSR
2021/10/25 06:22:53 [INFO] signed certificate with serial number
519902800047524467464412805543666525761660180611
2021/10/25 06:22:53 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/10/25 06:22:53 [INFO] generate received request
2021/10/25 06:22:53 [INFO] received CSR
2021/10/25 06:22:53 [INFO] generating key: rsa-2048
2021/10/25 06:22:53 [INFO] encoded CSR
2021/10/25 06:22:53 [INFO] signed certificate with serial number
613527514137256409911487421604186389238900151408
2021/10/25 06:22:53 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/10/25 06:22:53 [INFO] generate received request

2021/10/25 06:22:53 [INFO] received CSR
2021/10/25 06:22:53 [INFO] generating key: rsa-2048
2021/10/25 06:22:53 [INFO] encoded CSR
2021/10/25 06:22:53 [INFO] signed certificate with serial number
684184073420139643196431089148820769390469445850
2021/10/25 06:22:53 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/10/25 06:22:53 [INFO] generate received request
2021/10/25 06:22:53 [INFO] received CSR
2021/10/25 06:22:53 [INFO] generating key: rsa-2048
2021/10/25 06:22:53 [INFO] encoded CSR
2021/10/25 06:22:53 [INFO] signed certificate with serial number
584935724425716979884113824405261133065182449082
2021/10/25 06:22:53 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/10/25 06:22:53 [INFO] generate received request
2021/10/25 06:22:53 [INFO] received CSR
2021/10/25 06:22:53 [INFO] generating key: rsa-2048
2021/10/25 06:22:54 [INFO] encoded CSR
2021/10/25 06:22:54 [INFO] signed certificate with serial number
652931811999814161530203574083109258440380310903
2021/10/25 06:22:54 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/10/25 06:22:54 [INFO] generate received request
2021/10/25 06:22:54 [INFO] received CSR
2021/10/25 06:22:54 [INFO] generating key: rsa-2048
2021/10/25 06:22:54 [INFO] encoded CSR
2021/10/25 06:22:54 [INFO] signed certificate with serial number
331024072099155790419974133730512929645786211714
2021/10/25 06:22:54 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
Waiting for apiserver to come up
+++ [1025 06:23:04] On try 8, apiserver: : ok
clusterrolebinding.rbac.authorization.k8s.io/kube-apiserver-kubelet-admin created
Cluster "local-up-cluster" set.

```

use 'kubectl --kubeconfig=/var/run/kubernetes/admin-kube-aggregator0.kubeconfig' to use
the aggregated API server
2021/10/25 06:23:05 [INFO] generate received request
2021/10/25 06:23:05 [INFO] received CSR
2021/10/25 06:23:05 [INFO] generating key: rsa-2048
2021/10/25 06:23:05 [INFO] encoded CSR
2021/10/25 06:23:05 [INFO] signed certificate with serial number
601336167629011440884922792110493423384355696412
2021/10/25 06:23:05 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
service/kube-dns created
serviceaccount/kube-dns created
configmap/kube-dns created
deployment.apps/kube-dns created
Kube-dns addon successfully deployed.
2021/10/25 06:23:06 [INFO] generate received request
2021/10/25 06:23:06 [INFO] received CSR
2021/10/25 06:23:06 [INFO] generating key: rsa-2048
2021/10/25 06:23:06 [INFO] encoded CSR
2021/10/25 06:23:06 [INFO] signed certificate with serial number
467563255041114339320625328891419395301807451174
2021/10/25 06:23:06 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and
Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);
specifically, section 10.2.3 ("Information Requirements").
kubelet ( 9287 ) is running.
Create default storage class for
storageclass.storage.k8s.io/standard created
customresourcedefinition.apiextensions.k8s.io/networks.arktos.futurewei.com created
*****
Setup Arktos components ...

```

No resources found.

Waiting for node ready at api server

```
ip-172-31-19-109 Ready <none> 2s v0.9.0
```

node/ip-172-31-19-109 labeled

configmap/virtlet-image-translations created

daemonset.apps/virtlet created

configmap/virtlet-config created

clusterrolebinding.rbac.authorization.k8s.io/virtlet created

clusterrole.rbac.authorization.k8s.io/virtlet created

clusterrole.rbac.authorization.k8s.io/configmap-reader created

clusterrole.rbac.authorization.k8s.io/virtlet-userdata-reader created

clusterrolebinding.rbac.authorization.k8s.io/kubelet-node-binding created

clusterrolebinding.rbac.authorization.k8s.io/vm-userdata-binding created

clusterrole.rbac.authorization.k8s.io/virtlet-crd created

clusterrolebinding.rbac.authorization.k8s.io/virtlet-crd created

```
serviceaccount/virtlet created
NAME          DESIRED    CURRENT    READY    UP-TO-DATE    AVAILABLE    NODE SELECTOR    AGE
virtlet       0          0          0        0             0            <none>           0s
clusterrole.rbac.authorization.k8s.io/system:arktos-network-reader created
clusterrolebinding.rbac.authorization.k8s.io/system:kubelet-network-reader created
```

Arkτος Setup done.

Setup Kata Containers components ...

* Install Kata components

kata-containers 2.2.2 from Kata Containers (katacontainers✓) installed

* Checking Kata compatibility

No newer release available time="2021-10-25T06:23:27Z" level=error msg="CPU property not found" arch=amd64 description="Virtualization support" name=vmx pid=11799 source=runtime type=flag time="2021-10-25T06:23:27Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=kvm name=kata-runtime pid=11799 source=runtime time="2021-10-25T06:23:27Z" level=error msg="kernel property not found" arch=amd64 description="Kernel-based Virtual Machine" name=kvm pid=11799 source=runtime type=module time="2021-10-25T06:23:27Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost name=kata-runtime pid=11799 source=runtime time="2021-10-25T06:23:27Z" level=error msg="kernel property not found" arch=amd64 description="Host kernel accelerator for virtio" name=vhost pid=11799 source=runtime type=module time="2021-10-25T06:23:27Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost_net name=kata-runtime pid=11799 source=runtime time="2021-10-25T06:23:27Z" level=error msg="kernel property not found" arch=amd64 description="Host kernel accelerator for virtio network" name=vhost_net pid=11799 source=runtime type=module time="2021-10-25T06:23:27Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=vhost_vsock name=kata-runtime pid=11799 source=runtime time="2021-10-25T06:23:27Z" level=error msg="kernel property not found" arch=amd64 description="Host Support for Linux VM Sockets" name=vhost_vsock pid=11799 source=runtime type=module time="2021-10-25T06:23:27Z" level=error msg="Module is not loaded and it can not be inserted. Please consider running with sudo or as root" arch=amd64 module=kvm_intel name=kata-runtime pid=11799 source=runtime time="2021-10-25T06:23:27Z" level=error msg="kernel property not found" arch=amd64 description="Intel KVM" name=kvm_intel pid=11799 source=runtime type=module time="2021-10-25T06:23:27Z" level=error msg="ERROR: System is not capable of running Kata Containers" arch=amd64 name=kata-runtime pid=11799 source=runtime ERROR: System is not capable of running Kata Containers

Aborted. Current system does not support Kata Containers.

Kata Setup done.

Local Kubernetes cluster is running. Press Ctrl-C to shut it down.

Logs:

/tmp/kube-apiserver0.log

/tmp/kube-controller-manager.log

/tmp/kube-proxy.log

/tmp/kube-scheduler.log

/tmp/kubelet.log

To start using your cluster, you can open up another terminal/tab and run:


```
export KUBECONFIG=/var/run/kubernetes/admin.kubeconfig
Or
export KUBECONFIG=/var/run/kubernetes/adminN(N=0,1,...).kubeconfig

cluster/kubectl.sh
```

Alternatively, you can write to the default kubeconfig:

```
export KUBERNETES_PROVIDER=local

cluster/kubectl.sh config set-cluster local --server=https://ip-172-31-19-109:6443
--certificate-authority=/var/run/kubernetes/server-ca.crt
cluster/kubectl.sh config set-credentials myself
--client-key=/var/run/kubernetes/client-admin.key
--client-certificate=/var/run/kubernetes/client-admin.crt
cluster/kubectl.sh config set-context local --cluster=local --user=myself
cluster/kubectl.sh config use-context local
cluster/kubectl.sh
```