

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/vetfail/p1/p1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/vetfail/p2: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/vetfail/p2/p2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/vetfail/p2/p2_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/vetpkg: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/vetpkg/a_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/vetpkg/b.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/vetpkg/c.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/xtestonly: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/xtestonly/f.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/src/xtestonly/f_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/standalone_benchmark_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/standalone_fail_sub_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/standalone_main_normal_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/standalone_main_wrong_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/standalone_parallel_sub_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/standalone_sub_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/standalone_testmain_flag_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testcover: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testcover/pkg1: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testcover/pkg1/a.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testcover/pkg2: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testcover/pkg2/a.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testcover/pkg2/a_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testcover/pkg3: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testcover/pkg3/a.go: Cannot open: No such file or directory
```

[illegible]

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testvendor2/src/p/p.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testvendor2/vendor: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testvendor2/vendor/x: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/testvendor2/vendor/x/x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/timeoutbench_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/testdata/vendormod.txt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go/vendor_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go.mod: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/go.sum: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/gofmt.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/gofmt_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/internal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/long_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/rewrite.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/simplify.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/comments.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/comments.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/composites.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/composites.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/crlf.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/crlf.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/emptydecl.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/emptydecl.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/go2numbers.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/go2numbers.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/import.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/import.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/gofmt/testdata/ranges.golden: Cannot open: No such file or directory

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tar: go/src/cmd/internal/src/xpos.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/src/xpos_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/sys: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/sys/arch.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/sys/supported.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/test2json.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/test2json_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/ascii.json: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/ascii.test: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/bench.json: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/bench.test: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/benchfail.json: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/benchfail.test: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/benchshort.json: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/benchshort.test: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/issue23036.json: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/issue23036.test: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/issue23920.json: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/issue23920.test: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/smiley.json: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/smiley.test: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/internal/test2json/testdata/unicode.json: Cannot open: No such file or directory

[illegible]

[illegible]

directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue25459/main/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue26237: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue26237/b.dir: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue26237/b.dir/b.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue26237/main: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue26237/main/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue32233: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue32233/lib: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue32233/lib/ObjC.m: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue32233/lib/lib.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue32233/main: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/testdata/issue32233/main/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/typelink.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/util.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/ld/xcoeff.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/loadelf: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/loadelf/ldelf.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/loadmacho: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/loadmacho/ldmacho.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/loadpe: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/loadpe/ldpe.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/loadxcoeff: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/loadxcoeff/ldxcoeff.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/mips: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/mips/asm.go: Cannot open: No such file or directory

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/x86/l.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/internal/x86/obj.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/link_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/linkbig_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/testdata/lib.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/link/testdata/main.m: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/nm: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/nm/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/nm/nm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/nm/nm_cgo_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/nm/nm_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/objdump: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/objdump/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/objdump/objdump_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/objdump/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/objdump/testdata/fmthello.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/pack: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/pack/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/pack/pack.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/pack/pack_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/pprof: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/pprof/README: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/pprof/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/pprof/pprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/pprof/readlineui.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/test2json: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/test2json/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace/annotations.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/cmd/trace/annotations_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace/goroutines.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace/mmu.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace/pprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace/trace.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace/trace_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/trace/trace_unix_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/AUTHORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/CONTRIBUTORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/driver: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/driver/driver.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/binutils: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/binutils/addr2liner.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/binutils/addr2liner_llvm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/binutils/addr2liner_nm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/binutils/binutils.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/binutils/disasm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver: Cannot mkdir: No such

file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/cli.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/commands.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/driver.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/driver_focus.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/fetch.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/flags.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/flamegraph.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/interactive.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/options.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/svg.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/tempfile.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/webhtml.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/driver/webui.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/elfexec: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/elfexec/elfexec.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/graph: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/graph/dotgraph.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/graph/graph.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/measurement: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/measurement/measurement.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/plugin: Cannot mkdir: No such

file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/plugin/plugin.go: Cannot open:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/report: Cannot mkdir: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/report/report.go: Cannot open:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/report/source.go: Cannot open:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/report/source_html.go: Cannot
open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/symbolizer: Cannot mkdir: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/symbolizer/symbolizer.go:
Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/symbolz: Cannot mkdir: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/symbolz/symbolz.go: Cannot open:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/transport: Cannot mkdir: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/internal/transport/transport.go: Cannot
open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile: Cannot mkdir: No such file or
directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile/encode.go: Cannot open: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile/filter.go: Cannot open: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile/index.go: Cannot open: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile/legacy_java_profile.go: Cannot
open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile/legacy_profile.go: Cannot open:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile/merge.go: Cannot open: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile/profile.go: Cannot open: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile/proto.go: Cannot open: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/profile/prune.go: Cannot open: No such

file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party/d3: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party/d3/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party/d3/README.md: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party/d3/d3.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party/d3flamegraph: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party/d3flamegraph/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar:
go/src/cmd/vendor/github.com/google/pprof/third_party/d3flamegraph/d3_flame_graph.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party/svgpan: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party/svgpan/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/google/pprof/third_party/svgpan/svgpan.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/ianlancetaylor: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/ianlancetaylor/demangle: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/ianlancetaylor/demangle/.gitignore: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/ianlancetaylor/demangle/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/ianlancetaylor/demangle/README.md: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/ianlancetaylor/demangle/ast.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/github.com/ianlancetaylor/demangle/demangle.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/AUTHORS: Cannot open: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/CONTRIBUTORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/PATENTS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm/armasm: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm/armasm/Makefile: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm/armasm/decode.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm/armasm/gnu.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm/armasm/inst.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm/armasm/plan9x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm/armasm/tables.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm/arg.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm/condition.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm/condition_util.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm/decode.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm/gnu.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm/inst.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm/inst.json: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm/plan9x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/arm64/arm64asm/tables.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/cmd/vendor/golang.org/x/arch/ppc64: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/ppc64/ppc64asm: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/ppc64/ppc64asm/decode.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/ppc64/ppc64asm/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/ppc64/ppc64asm/field.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/ppc64/ppc64asm/gnu.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/ppc64/ppc64asm/inst.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/ppc64/ppc64asm/plan9.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/ppc64/ppc64asm/tables.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/x86: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/x86/x86asm: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/x86/x86asm/Makefile: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/x86/x86asm/decode.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/x86/x86asm/gnu.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/x86/x86asm/inst.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/x86/x86asm/intel.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/x86/x86asm/plan9x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/arch/x86/x86asm/tables.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/AUTHORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/CONTRIBUTORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/PATENTS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/cmd/vendor/golang.org/x/crypto/ssh: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/ssh/terminal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/ssh/terminal/terminal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/ssh/terminal/util.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/ssh/terminal/util_aix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/ssh/terminal/util_bsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/ssh/terminal/util_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/ssh/terminal/util_plan9.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/ssh/terminal/util_solaris.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/crypto/ssh/terminal/util_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/AUTHORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/CONTRIBUTORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/PATENTS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/.gitignore: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/README.md: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/affinity_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/aliases.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_aix_ppc64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_darwin_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_darwin_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_darwin_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_darwin_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_dragonfly_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_freebsd_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_freebsd_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_freebsd_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_freebsd_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_linux_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_linux_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_linux_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_linux_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_linux_mips64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_linux_mipsx.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_linux_ppc64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_linux_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_netbsd_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_netbsd_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_netbsd_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_netbsd_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_openbsd_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_openbsd_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_openbsd_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_openbsd_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/asm_solaris_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/bluetooth_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/cap_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/constants.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/dev_aix_ppc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/dev_aix_ppc64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/dev_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/dev_dragonfly.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/dev_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/dev_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/dev_netbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/dev_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/dirent.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/endian_big.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/endian_little.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/env_unix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/errors_freebsd_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/errors_freebsd_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/errors_freebsd_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/cmd/vendor/golang.org/x/sys/unix/fcntl.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/fcntl_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/fcntl_linux_32bit.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/gccgo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/gccgo_c.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/gccgo_linux_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ioctl.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/mkall.sh: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/mkerrors.sh: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/pagesize_unix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/pledge_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/race.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/race0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/sockcmmsg_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/sockcmmsg_unix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/str.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/syscall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/syscall_aix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/syscall_aix_ppc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/syscall_aix_ppc64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/syscall_bsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

tar: go/src/cmd/vendor/golang.org/x/sys/unix/syscall_unix_gc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/syscall_unix_gc_ppc64x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/timestruct.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/unveil_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/xattr_bsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_aix_ppc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_aix_ppc64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_darwin_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_darwin_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_darwin_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_darwin_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_dragonfly_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_freebsd_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_freebsd_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_freebsd_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_freebsd_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_linux_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_linux_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_linux_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_linux_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zerrors_linux_mips.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

[illegible]

```
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsyscall_solaris_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysctl_openbsd_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysctl_openbsd_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysctl_openbsd_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysctl_openbsd_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_darwin_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_darwin_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_darwin_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_darwin_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_dragonfly_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_freebsd_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_freebsd_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_freebsd_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_freebsd_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_mips.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_mips64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_mips64le.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
```

tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_mipsle.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_ppc64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_ppc64le.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_riscv64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_s390x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_linux_sparc64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_netbsd_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_netbsd_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_netbsd_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_netbsd_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_openbsd_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_openbsd_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_openbsd_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/zsysnum_openbsd_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_aix_ppc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_aix_ppc64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_darwin_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_darwin_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_darwin_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_darwin_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_dragonfly_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_openbsd_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_openbsd_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_openbsd_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_openbsd_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/unix/ztypes_solaris_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/aliases.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/asm_windows_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/asm_windows_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/asm_windows_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/dll_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/env_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/eventlog.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/exec_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/memory_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/mkerrors.bash: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/mkerrors.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/mksyscall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/race.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/race0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/security_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/service.go: Cannot open: No such file or

directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/str.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/syscall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/syscall_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/types_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/types_windows_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/types_windows_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/types_windows_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/zerrors_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/sys/windows/zsyscall_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/AUTHORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/CONTRIBUTORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/PATENTS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/analysis.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/internal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/internal/analysisflags: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/internal/analysisflags/flags.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/internal/analysisflags/help.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/internal/facts: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/internal/facts/facts.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/internal/facts/imports.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/asmdecl: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/asmdecl/asmdecl.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/assign: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/assign/assign.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/atomic: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/atomic/atomic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/bools: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/bools/bools.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/buildtag: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/buildtag/buildtag.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/cgocall: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/cgocall/cgocall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/composite: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/composite/composite.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/composite/whitelist.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/copylock: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/copylock/copylock.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

```
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/ctrlflow: Cannot mkdir: No
such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/ctrlflow/ctrlflow.go:
Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/errorsas: Cannot mkdir: No
such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/errorsas/errorsas.go:
Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/httpresponse: Cannot mkdir:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar:
go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/httpresponse/httpresponse.go:
Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/inspect: Cannot mkdir: No
such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/inspect/inspect.go: Cannot
open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/internal: Cannot mkdir: No
such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/internal/analysisutil:
Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar:
go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/internal/analysisutil/util.go:
Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/loopclosure: Cannot mkdir:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar:
go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/loopclosure/loopclosure.go:
Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/lostcancel: Cannot mkdir:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/lostcancel/lostcancel.go:
Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/nilfunc: Cannot mkdir: No
such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/nilfunc/nilfunc.go: Cannot
open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/printf: Cannot mkdir: No
such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/printf/printf.go: Cannot
open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/printf/types.go: Cannot
open: No such file or directory
tar: go: Cannot mkdir: Permission denied
```

tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/shift: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/shift/dead.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/shift/shift.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/stdmethods: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/stdmethods/stdmethods.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/structtag: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/structtag/structtag.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/tests: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/tests/tests.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/unmarshal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/unmarshal/unmarshal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/unreachable: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/unreachable/unreachable.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/unsafepttr: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/unsafepttr/unsafepttr.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/unusedresult: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/passes/unusedresult/unusedresult.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/unitchecker: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/unitchecker/unitchecker.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/unitchecker/unitchecker112.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/analysis/validate.go: Cannot open: No such

file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/ast: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/ast/astutil: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/ast/astutil/enclosing.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/ast/astutil/imports.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/ast/astutil/rewrite.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/ast/astutil/util.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/ast/inspector: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/ast/inspector/inspector.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/ast/inspector/typeof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/cfg: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/cfg/builder.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/cfg/cfg.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/types: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/types/objectpath: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/types/objectpath/objectpath.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/types/typeutil: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/types/typeutil/callee.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/types/typeutil/imports.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/types/typeutil/map.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/types/typeutil/methodsetcache.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vendor/golang.org/x/tools/go/types/typeutil/ui.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/cmd/vendor/modules.txt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/README: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/asm: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/asm/asm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/asm/asml.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/assign: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/assign/assign.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/atomic: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/atomic/atomic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/bool: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/bool/bool.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/buildtag: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/buildtag/buildtag.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/cgo: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/cgo/cgo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/composite: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/composite/composite.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/copylock: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/copylock/copylock.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/deadcode: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/deadcode/deadcode.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/httpresponse: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/httpresponse/httpresponse.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/lostcancel: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/lostcancel/lostcancel.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/method: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/cmd/vet/testdata/method/method.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/nilfunc: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/nilfunc/nilfunc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/print: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/print/print.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/rangeloop: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/rangeloop/rangeloop.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/shift: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/shift/shift.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/structtag: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/structtag/structtag.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/tagtest: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/tagtest/file1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/tagtest/file2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/testingpkg: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/testingpkg/tests.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/testingpkg/tests_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/unmarshal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/unmarshal/unmarshal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/unsafePtr: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/unsafePtr/unsafePtr.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/unused: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/testdata/unused/unused.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/vet/vet_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/cmd/cmp.bash: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/bit_reader.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/bzip2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/compress/bzip2/bzip2_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/huffman.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/move_to_front.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata/Isaac.Newton-Opticks.txt.bz2: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata/e.txt.bz2: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata/fail-issue5747.bz2: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata/pass-random1.bin: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata/pass-random1.bz2: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata/pass-random2.bin: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata/pass-random2.bz2: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata/pass-sawtooth.bz2: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/bzip2/testdata/random.data.bz2: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/deflate.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/deflate_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/deflatefast.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/dict_decoder.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/dict_decoder_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/flate_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/huffman_bit_writer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/huffman_bit_writer_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/huffman_code.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/inflate.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/inflate_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/reader_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

```
tar: go/src/compress/flite/testdata/huffman-null-max.dyn.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-null-max.dyn.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-null-max.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-null-max.in: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-null-max.wb.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-null-max.wb.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-pi.dyn.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-pi.dyn.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-pi.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-pi.in: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-pi.wb.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-pi.wb.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-rand-1k.dyn.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-rand-1k.dyn.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-rand-1k.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-rand-1k.in: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-rand-1k.wb.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-rand-1k.wb.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-rand-limit.dyn.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-rand-limit.dyn.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flite/testdata/huffman-rand-limit.golden: Cannot open: No such file or directory
```

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/huffman-text.wb.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/huffman-text.wb.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/huffman-zero.dyn.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/huffman-zero.dyn.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/huffman-zero.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/huffman-zero.in: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/huffman-zero.wb.expect: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/huffman-zero.wb.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/null-long-match.dyn.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/testdata/null-long-match.wb.expect-noinput: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/token.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/flate/writer_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/gzip: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/gzip/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/gzip/gunzip.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/gzip/gunzip_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/gzip/gzip.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/gzip/gzip_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/gzip/issue14937_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/gzip/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/gzip/testdata/issue6550.gz.base64: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/lzw: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/lzw/reader.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/lzw/reader_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/lzw/writer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/compress/lzw/writer_test.go: Cannot open: No such file or directory

[illegible]

[illegible]

[illegible]

tar: go/src/crypto/ed25519: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/ed25519/ed25519.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/ed25519/ed25519_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/ed25519/internal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/ed25519/internal/edwards25519: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/ed25519/internal/edwards25519/const.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/ed25519/internal/edwards25519/edwards25519.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/ed25519/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/ed25519/testdata/sign.input.gz: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/elliptic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/elliptic_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/fuzz_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/p224.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/p224_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/p256.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/p256_asm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/p256_asm_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/p256_asm_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/p256_asm_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/p256_generic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/elliptic/p256_s390x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/hmac: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/hmac/hmac.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/hmac/hmac_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/internal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/internal/randutil: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/internal/randutil/randutil.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/internal/subtle: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/internal/subtle/aliasing.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/internal/subtle/aliasing_appengine.go: Cannot open: No such file or

directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/internal/subtle/aliasing_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/issue21104_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/gen.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block_amd64p32.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block_decl.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block_generic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block_ppc64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/md5/md5block_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/eagain.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand_batched.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand_batched_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand_js.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand_unix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/rand/rand_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

tar: go/src/crypto/subtle/constant_time_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/alert.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/auth.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/auth_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/cipher_suites.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/common.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/conn.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/conn_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/generate_cert.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/handshake_client.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/handshake_client_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/handshake_client_tls13.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/handshake_messages.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/handshake_messages_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/handshake_server.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/handshake_server_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/handshake_server_tls13.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/handshake_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/key_agreement.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/key_schedule.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/key_schedule_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/prf.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/prf_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-ClientCert-ECDSA-ECDSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-ClientCert-ECDSA-RSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-ClientCert-Ed25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-ClientCert-RSA-ECDSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-ClientCert-RSA-RSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-ECDHE-ECDSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-ECDHE-RSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-Ed25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-ExportKeyingMaterial: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv10-RSA-RC4: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv11-ECDHE-ECDSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv11-ECDHE-RSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv11-Ed25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv11-RSA-RC4: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-AES128-GCM-SHA256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-AES128-SHA256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-AES256-GCM-SHA384: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ALPN: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ALPN-NoMatch: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ClientCert-ECDSA-ECDSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ClientCert-ECDSA-RSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ClientCert-Ed25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ClientCert-RSA-AES256-GCM-SHA384: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ClientCert-RSA-ECDSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ClientCert-RSA-RSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/crypto/tls/testdata/Client-TLSv12-ClientCert-RSA-RSAPKCS1v15: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ClientCert-RSA-RSAPSS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ECDHE-ECDSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ECDHE-ECDSA-AES-GCM: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ECDHE-ECDSA-AES128-SHA256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ECDHE-ECDSA-AES256-GCM-SHA384: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ECDHE-ECDSA-CHACHA20-POLY1305: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ECDHE-RSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ECDHE-RSA-AES128-SHA256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ECDHE-RSA-CHACHA20-POLY1305: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-Ed25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-ExportKeyingMaterial: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-P256-ECDHE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-RSA-RC4: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-RenegotiateOnce: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-RenegotiateTwice: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-RenegotiateTwiceRejected: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-RenegotiationRejected: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-SCT: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv12-X25519-ECDHE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-AES128-SHA256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-AES256-SHA384: Cannot open: No such file or

directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-ALPN: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-CHACHA20-SHA256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-ClientCert-ECDSA-RSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-ClientCert-Ed25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-ClientCert-RSA-ECDSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-ClientCert-RSA-RSAPSS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-ECDSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-Ed25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-ExportKeyingMaterial: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-HelloRetryRequest: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-KeyUpdate: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-P256-ECDHE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Client-TLSv13-X25519-ECDHE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-SSLv3-RSA-3DES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-SSLv3-RSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-SSLv3-RSA-RC4: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv10-ECDHE-ECDSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv10-ExportKeyingMaterial: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv10-RSA-3DES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv10-RSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv10-RSA-RC4: Cannot open: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv11-FallbackSCSV: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv11-RSA-RC4: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ALPN: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ALPN-NoMatch: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-CipherSuiteCertPreferenceECDSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-CipherSuiteCertPreferenceRSA: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ClientAuthRequestedAndECDSAGiven: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ClientAuthRequestedAndEd25519Given: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ClientAuthRequestedAndGiven: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ClientAuthRequestedAndPKCS1v15Given: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ClientAuthRequestedNotGiven: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ECDHE-ECDSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-Ed25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ExportKeyingMaterial: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-IssueTicket: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-IssueTicketPreDisable: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-P256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-RSA-3DES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-RSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-RSA-AES-GCM: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-RSA-AES256-GCM-SHA384: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-RSA-RC4: Cannot open: No such file or

directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-RSA-RSAPKCS1v15: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-RSA-RSAPSS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-Resume: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-ResumeDisabled: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-SNI: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-SNI-GetCertificate: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-SNI-GetCertificateNotFound: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv12-X25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-AES128-SHA256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-AES256-SHA384: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-ALPN: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-ALPN-NoMatch: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-CHACHA20-SHA256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-ClientAuthRequestedAndECDSAGiven: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-ClientAuthRequestedAndEd25519Given: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-ClientAuthRequestedAndGiven: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-ClientAuthRequestedNotGiven: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-ECDHE-ECDSA-AES: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-Ed25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-ExportKeyingMaterial: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-HelloRetryRequest: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/crypto/tls/testdata/Server-TLSv13-IssueTicket: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-IssueTicketPreDisable: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-P256: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-RSA-RSAPSS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-Resume: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-Resume-HelloRetryRequest: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-ResumeDisabled: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/Server-TLSv13-X25519: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/example-cert.pem: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/testdata/example-key.pem: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/ticket.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/tls.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/tls/tls_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/cert_pool.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/name_constraints_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/pem_decrypt.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/pem_decrypt_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/pkcs1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/pkcs8.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/pkcs8_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/pkix: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/pkix/pkix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_aix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_bsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_cgo_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/crypto/x509/root_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_darwin_arm_gen.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_darwin_armx.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_darwin_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_js.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_nacl.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_nocgo_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_plan9.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_solaris.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_unix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_unix_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/root_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/sec1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/sec1_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/test-file.crt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/testdata/test-dir.crt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/verify.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/verify_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/x509.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/x509_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/crypto/x509/x509_test_import.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/convert.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/convert_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/ctxutil.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/doc.txt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/driver: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/driver/driver.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/driver/types.go: Cannot open: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/driver/types_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/example_cli_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/example_service_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/fakedb_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/sql.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/database/sql/sql_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/attr_string.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/buf.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/class_string.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/const.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/entry.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/entry_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/export_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/line.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/line_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/open.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/tag_string.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/cppunsubtypes.cc: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/cppunsubtypes.elf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/cycle.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/cycle.elf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/line-clang.elf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/line-gcc-win.bin: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/line-gcc.elf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/line1.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/line1.h: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/line2.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/debug/dwarf/testdata/ranges.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/ranges.elf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/split.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/split.elf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/typedef.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/typedef.elf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/typedef.elf4: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/testdata/typedef.macho: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/type.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/type_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/typeunit.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/dwarf/unit.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/elf.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/elf_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/file.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/file_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/reader.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/symbols_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/compressed-32.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/compressed-64.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/gcc-386-freebsd-exec: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/gcc-amd64-linux-exec: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/gcc-amd64-openbsd-debug-with-rela.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-clang-arm.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-clang-x86.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc424-x86-64.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc441-x86-64.obj: Cannot open: No such

file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc441-x86.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc482-aarch64.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc482-ppc64le.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc492-arm.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc492-mips64.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc492-mipsle.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc493-mips64le.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc5-ppc.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc531-s390x.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc540-mips.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc620-sparc64.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/go-relocation-test-gcc720-riscv64.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/hello-world-core.gz: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/hello.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/elf/testdata/zdebug-test-gcc484-x86-64.obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/gosym: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/gosym/pclntab.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/gosym/pclntab_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/gosym/symtab.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/gosym/symtab_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/gosym/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/gosym/testdata/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/gosym/testdata/pclinetest.h: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/gosym/testdata/pclinetest.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/debug/macho: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/fat.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/file.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/file_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/macho.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/reloctype.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/reloctype_string.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata/clang-386-darwin-exec-with-rpath.base64: Cannot open:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata/clang-386-darwin.obj.base64: Cannot open: No such file
or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata/clang-amd64-darwin-exec-with-rpath.base64: Cannot open:
No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata/clang-amd64-darwin.obj.base64: Cannot open: No such file
or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata/fat-gcc-386-amd64-darwin-exec.base64: Cannot open: No
such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata/gcc-386-darwin-exec.base64: Cannot open: No such file or
directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata/gcc-amd64-darwin-exec-debug.base64: Cannot open: No such
file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata/gcc-amd64-darwin-exec.base64: Cannot open: No such file
or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/macho/testdata/hello.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/file.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/file_cgo_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/file_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/pe.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/section.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/string.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/symbol.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/testdata/gcc-386-mingw-exec: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/testdata/gcc-386-mingw-no-symbols-exec: Cannot open: No such file or

directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/testdata/gcc-386-mingw-obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/testdata/gcc-amd64-mingw-exec: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/testdata/gcc-amd64-mingw-obj: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/pe/testdata/hello.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/plan9obj: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/plan9obj/file.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/plan9obj/file_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/plan9obj/plan9obj.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/plan9obj/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/plan9obj/testdata/386-plan9-exec: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/plan9obj/testdata/amd64-plan9-exec: Cannot open: No such file or directory
directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/debug/plan9obj/testdata/hello.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/ascii85: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/ascii85/ascii85.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/ascii85/ascii85_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/asn1: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/asn1/asn1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/asn1/asn1_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/asn1/common.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/asn1/marshal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/asn1/marshal_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/base32: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/base32/base32.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/base32/base32_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/base32/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/base64: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/base64/base64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/base64/base64_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/encoding/base64/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tar: go/src/go/build/testdata/withvendor/src/a/b: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/build/testdata/withvendor/src/a/b/b.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/build/testdata/withvendor/src/a/vendor: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/build/testdata/withvendor/src/a/vendor/c: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/build/testdata/withvendor/src/a/vendor/c/d: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/build/testdata/withvendor/src/a/vendor/c/d/d.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/build/zcgo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/constant: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/constant/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/constant/value.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/constant/value_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/Makefile: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/comment.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/comment_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/doc_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/example.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/exports.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/filter.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/headscan.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/reader.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/synopsis.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/synopsis_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/a.0.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/a.1.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/a.2.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

tar: go/src/go/doc/testdata/issue22856.2.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/issue22856.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/predeclared.0.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/predeclared.1.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/predeclared.2.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/predeclared.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/template.txt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/testing.0.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/testing.1.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/testing.2.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/doc/testdata/testing.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/format: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/format/benchmark_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/format/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/format/format.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/format/format_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/format/internal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/importer: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/importer/importer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/importer/importer_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/ar.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/gccgoinstallation.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/gccgoinstallation_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/importer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/importer_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/parser.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/parser_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata: Cannot mkdir: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/aliases.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/aliases.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/complexnums.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/complexnums.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/conversions.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/conversions.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/escapeinfo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/escapeinfo.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/imports.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/imports.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/issue27856.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/issue27856.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/issue29198.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/issue29198.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/issue30628.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/issue30628.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/issue31540.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/issue31540.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/libimportsar.a: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/nointerface.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/nointerface.gox: Cannot open: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/pointer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/pointer.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/time.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/unicode.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gccgoimporter/testdata/vlreflect.gox: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/bimport.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/exportdata.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/gcimporter.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/gcimporter_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/iimport.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/a.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/b.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/exports.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/issue15920.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/issue20046.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/issue25301.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/issue25596.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/p.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions/test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions/test_go1.11_0i.a: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions/test_go1.11_6b.a: Cannot open: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions/test_gol.11_999b.a: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions/test_gol.11_999i.a: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions/test_gol.7_0.a: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions/test_gol.7_1.a: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions/test_gol.8_4.a: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/gcimporter/testdata/versions/test_gol.8_5.a: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter/srcimporter.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter/srcimporter_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter/testdata/issue20855: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter/testdata/issue20855/issue20855.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter/testdata/issue23092: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter/testdata/issue23092/issue23092.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter/testdata/issue24392: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/internal/srcimporter/testdata/issue24392/issue24392.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/error_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/interface.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/parser.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/parser_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/performance_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/short_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/testdata: Cannot mkdir: No such file or directory

```
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/testdata/commas.src: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/testdata/issue11377.src: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/testdata/issue23434.src: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/parser/testdata/issue3106.src: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/nodes.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/performance_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/prINTER.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/prINTER_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/alignment.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/alignment.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/comments.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/comments.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/comments.x: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/comments2.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/comments2.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/complit.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/complit.x: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/declarations.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/declarations.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/empty.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/empty.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/expressions.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/expressions.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/expressions.raw: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/linebreaks.golden: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/linebreaks.input: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/pArser.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/prINTER/testdata/slow.golden: Cannot open: No such file or directory
```

[illegible]

tar: go/src/go/types/expr.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/exprstring.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/exprstring_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/gccgosizes.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/gotype.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/hilbert_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/initorder.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/interfaces.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/issues_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/labels.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/lookup.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/methodset.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/object.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/object_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/objset.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/operand.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/package.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/predicates.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/resolver.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/resolver_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/return.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/scope.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/selection.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/self_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/sizes.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/sizes_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/stdlib_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/stmt.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/testdata/blank.src: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/testdata/builtins.src: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/go/types/testdata/const0.src: Cannot open: No such file or directory

[illegible]

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_generic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_otherarch.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_ppc64le.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_ppc64le.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_s390x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_table_ppc64le.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/crc32_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc32/gen_const_ppc64le.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc64: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc64/crc64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/crc64/crc64_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/fnv: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/fnv/fnv.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/fnv/fnv_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/hash.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/marshal_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/test_cases.txt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/hash/test_gen.awk: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/html: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/html/entity.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/html/entity_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/html/escape.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/html/escape_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/html/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/html/fuzz.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/html/template: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

tar: go/src/image/jpeg/dct_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/jpeg/fdct.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/jpeg/huffman.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/jpeg/idct.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/jpeg/reader.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/jpeg/reader_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/jpeg/scan.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/jpeg/writer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/jpeg/writer_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/names.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/fuzz.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/paeth.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/paeth_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/reader.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/reader_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/benchGray.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/benchNRGBA-gradient.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/benchNRGBA-opaque.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/benchPaletted.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/benchRGB-interlace.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/benchRGB.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/gray-gradient.interlaced.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/gray-gradient.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/invalid-crc32.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/invalid-noend.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/invalid-palette.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/invalid-trunc.png: Cannot open: No such file or directory

[illegible]

[illegible]

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftbyn3p08.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftbyn3p08.sng: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftp0n0g08.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftp0n0g08.sng: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftp0n2c08.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftp0n2c08.sng: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftp0n3p08.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftp0n3p08.sng: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftpln3p08.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/testdata/pngsuite/ftpln3p08.sng: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/writer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/png/writer_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/triangle-001.gif: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.221212.jpeg: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.221212.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.5bpp.gif: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.cmyk.jpeg: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.cmyk.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.gif: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.interlaced.gif: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.jpeg: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.png: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.progressive.jpeg: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/image/testdata/video-001.progressive.truncated.jpeg: Cannot open: No such file or directory

[illegible]

[illegible]

[illegible]

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/lazyregexp/lazyre.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/lazytemplate: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/lazytemplate/lazytemplate.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/nettrace: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/nettrace/nettrace.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/obscuretestdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/obscuretestdata/obscuretestdata.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/oserror: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/oserror/errors.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/errno_unix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/errno_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/error_linux_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/error_stub_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/error_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/export_posix_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/export_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/export_windows_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_fsync_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_fsync_posix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_fsync_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_io_plan9.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_mutex.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_mutex_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_opendir_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_plan9.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_poll_nacljs.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_poll_runtime.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_posix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/poll/fd_posix_test.go: Cannot open: No such file or directory

[illegible]

tar: go/src/internal/reflectlite/export_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/reflectlite/set_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/reflectlite/swapper.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/reflectlite/tostring_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/reflectlite/type.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/reflectlite/value.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/singleflight: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/singleflight/singleflight.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/singleflight/singleflight_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/asm_aix_ppc64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/asm_solaris.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_aix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_libc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_solaris.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_sysnum_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_sysnum_dragonfly.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_sysnum_fstatat64_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_sysnum_fstatat_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_sysnum_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_sysnum_netbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_sysnum_newfstatat_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/at_sysnum_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/internal/syscall/unix/getentropy_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_linux_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_linux_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_linux_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_linux_generic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_linux_mips64x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_linux_mipsx.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_linux_ppc64x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/getrandom_linux_s390x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/ioctl_aix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/nonblocking.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/nonblocking_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/nonblocking_js.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/unix/nonblocking_nacl.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/exec_windows_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/mksyscall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/psapi_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/registry: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/registry/export_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/registry/key.go: Cannot open: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/registry/mksyscall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/registry/registry_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/registry/syscall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/registry/value.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/registry/zsyscall_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/reparse_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/security_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/symlink_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/syscall_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/sysdll: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/sysdll/sysdll.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/syscall/windows/zsyscall_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/testenv: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/testenv/testenv.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/testenv/testenv_cgo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/testenv/testenv_notwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/testenv/testenv_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/testlog: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/testlog/log.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/trace: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/trace/gc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/trace/gc_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/trace/goroutines.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/trace/mkcanned.bash: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/trace/mud.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/trace/mud_test.go: Cannot open: No such file or directory

[illegible]

tar: go/src/internal/xcoff/file.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/file_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/testdata/bigar-empty: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/testdata/bigar-ppc64: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/testdata/gcc-ppc32-aix-dwarf2-exec: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/testdata/gcc-ppc64-aix-dwarf2-exec: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/testdata/hello.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/testdata/printbye.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/testdata/printhello.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/internal/xcoff/xcoff.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/io.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/io_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/ioutil: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/ioutil/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/ioutil/ioutil.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/ioutil/ioutil_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/ioutil/tempfile.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/ioutil/tempfile_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/ioutil/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/ioutil/testdata/hello: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/multi.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/multi_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/pipe.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/io/pipe_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/iostest.bash: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/log: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/log/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/log/log.go: Cannot open: No such file or directory

[illegible]

[illegible]

[illegible]

```
tar: go/src/math/bits/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/bits/export_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/bits/make_examples.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/bits/make_tables.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/bits.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cbrt.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/abs.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/asin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/cmath_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/conj.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/exp.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/isinf.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/isnan.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/log.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/phase.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/polar.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/pow.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/rect.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/sin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/sqrt.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cmplx/tan.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/const.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/copysign.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/cosh_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/dim.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/dim_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/dim_amd64p32.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/dim_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/dim_s390x.s: Cannot open: No such file or directory
```


[illegible]

[illegible]

[illegible]

tar: go/src/math/stubs_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/stubs_mips64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/stubs_mipsx.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/stubs_ppc64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/stubs_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/stubs_wasm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/tan.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/tan_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/tanh.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/tanh_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/trig_reduce.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/math/unsafe.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/encodedword.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/encodedword_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/grammar.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/mediatype.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/mediatype_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart/formdata.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart/formdata_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart/multipart.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart/multipart_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart/testdata/nested-mime: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart/writer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/multipart/writer_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/quotedprintable: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/quotedprintable/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/quotedprintable/reader.go: Cannot open: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/quotedprintable/reader_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/quotedprintable/writer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/quotedprintable/writer_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/testdata/test.types: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/testdata/test.types.plan9: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/type.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/type_dragonfly.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/type_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/type_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/type_plan9.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/type_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/type_unix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/mime/type_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/naclmake.bash: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/nacltest.bash: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/addrselect.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/addrselect_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_aix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_android.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_bsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_netbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_resnew.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_resold.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_socknew.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_sockold.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_solaris.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/cgo_stub.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/net/tcpsockopt_plan9.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/tcpsockopt_posix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/tcpsockopt_solaris.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/tcpsockopt_stub.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/tcpsockopt_unix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/tcpsockopt_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/case-hosts: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/domain-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/empty-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/freebsd-usevc-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/hosts: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/igmp: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/igmp6: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/invalid-ndots-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/ipv4-hosts: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/ipv6-hosts: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/large-ndots-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/linux-use-vc-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/negative-ndots-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/openbsd-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/openbsd-tcp-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/search-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/single-request-reopen-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/single-request-resolv.conf: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/testdata/singleline-hosts: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/textproto: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/textproto/header.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/net/textproto/pipeline.go: Cannot open: No such file or directory

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tar: go/src/path/filepath/symlink_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/path/match.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/path/match_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/path/path.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/path/path_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/plugin: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/plugin/plugin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/plugin/plugin_dlopen.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/plugin/plugin_stubs.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/plugin/plugin_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/race.bash: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/race.bat: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/all_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_amd64p32.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_mips64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_mipsx.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_ppc64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/asm_wasm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/deepequal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/export_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/makefunc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/set_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/swapper.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/tostring_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/type.go: Cannot open: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/reflect/value.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/all_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/backtrack.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/exec.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/exec2_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/exec_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/find_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/onepass.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/onepass_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/regexp.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/compile.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/make_perl_groups.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/op_string.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/parse.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/parse_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/perl_groups.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/prog.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/prog_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/regexp.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/simplify.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/syntax/simplify_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/testdata/README: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/testdata/basic.dat: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/testdata/nullsubexpr.dat: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/testdata/re2-exhaustive.txt.bz2: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/testdata/re2-search.txt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/regexp/testdata/repetition.dat: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/regexp/testdata/testregex.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/run.bash: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/run.bat: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/run.rc: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/HACKING.md: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/Makefile: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/alg.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_amd64p32.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_mips64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_mipsx.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_ppc64x.h: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_ppc64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/asm_wasm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/atomic_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/atomic_mips64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/atomic_mipsx.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/atomic_pointer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/atomic_ppc64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/auxv_none.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/callers_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/asm_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/asm_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/asm_arm.s: Cannot open: No such file or directory

[illegible]

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/gcc_windows_amd64.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/iscgo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/libcgo.h: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/libcgo_unix.h: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/mmap.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/netbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/setenv.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/sigaction.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/signal_darwin_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/signal_darwin_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo/signal_darwin_armx.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo_mmap.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo_ppc64x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgo_sigaction.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgocall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgocallback.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cgocheck.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/chan.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/chan_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/chanbarrier_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/closure_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/compiler.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/complex.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/complex_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cpuflags.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cpuflags_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cpuprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/cputicks.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/crash_cgo_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_amd64p32.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_linux_amd64_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_mips64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_mipsx.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_plan9_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_plan9_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_ppc64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/memmove_wasmlib.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mfinal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mfinal_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mfixalloc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mgc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mgcclarge.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mgcmark.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mgcscavenge.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mgcstack.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mgcswEEP.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mgcswEEPbuf.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mgcwork.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mheap.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mkduff.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mkfastlog2table.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mknac1.sh: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mksizeclasses.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mmap.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/mprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tar: go/src/runtime/syscall_nacl.h: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/syscall_solaris.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/syscall_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/syscall_windows_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/abort.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/badtraceback.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/crash.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/deadlock.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/gc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/lockosthread.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/map.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/memprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/misc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/numcpu_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/panicrace.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/signal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/sleep.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/stringconcat.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/syscall_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/syscalls.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/syscalls_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/syscalls_none.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/timeprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprog/traceback_ancestors.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testproggcgo: Cannot mkdir: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/aprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/bigstack_windows.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/bigstack_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/callback.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/catchpanic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/cgo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/crash.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/deadlock.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/dll_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/dropm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/dropm_stub.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/exec.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/lockosthread.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/lockosthread.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/numgoroutine.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/pprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/raceprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/racesig.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/sigpanic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/sigstack.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/stack_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogco/threadpanic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/runtime/testdata/testprogogo/threadpanic_unix.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogogo/threadpanic_windows.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogogo/threadpprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogogo/threadprof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogogo/traceback.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogogo/tracebackctxt.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogogo/tracebackctxt_c.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogogo/windows: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogogo/windows/win.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogonet: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogonet/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogonet/net.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogonet/signal.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/testdata/testprogonet/signalexec.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/textflag.h: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/time.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/timeasm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/timestub.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/timestub2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/tls_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/tls_arm64.h: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/tls_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/tls_mips64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/tls_mipsx.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/tls_ppc64x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/tls_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/trace: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/runtime/trace/annotation.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/trace/annotation_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/trace/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/trace/trace.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/trace/trace_stack_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/trace/trace_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/trace.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/traceback.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/treap_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/type.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/typekind.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/utf8.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_elf32.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_elf64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_freebsd_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_freebsd_x86.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_in_none.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_linux_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_linux_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_linux_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_linux_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vdso_linux_ppc64x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vlop_386.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vlop_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vlop_arm_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/vlrt.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/wincallback.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/write_err.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/write_err_android.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/runtime/zcallback_windows.go: Cannot open: No such file or directory

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tar: go/src/syscall/forkpipe.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/forkpipe2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/fs_js.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/fs_nacl.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/getdirentries_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/js: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/js/func.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/js/js.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/js/js_js.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/js/js_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/lsf_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mkall.sh: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mkasm_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mkerrors.sh: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mkpost.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksyscall.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksyscall_libc.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksyscall_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksysctl_openbsd.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksysnum_darwin.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksysnum_dragonfly.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksysnum_freebsd.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksysnum_linux.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksysnum_netbsd.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksysnum_openbsd.pl: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mksysnum_plan9.sh: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/mmap_unix_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/msan.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/msan0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/net.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/net_js.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/net_nacl.go: Cannot open: No such file or directory

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tar: go/src/syscall/ztypes_openbsd_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/syscall/ztypes_solaris_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testdata: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testdata/Isaac.Newton-Opticks.txt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/allocs.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/allocs_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/benchmark.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/benchmark_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/cover.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/example.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/export_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/helper_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/helperfuncs_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/internal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/internal/testdeps: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/internal/testdeps/deps.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/iotest: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/iotest/logger.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/iotest/reader.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/iotest/writer.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/match.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/match_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/quick: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/quick/quick.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/quick/quick_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/run_example.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/run_example_js.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/sub_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/testing.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/testing/testing_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/text: Cannot mkdir: No such file or directory

[illegible]

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/casetables.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/digit.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/digit_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/graphic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/graphic_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/letter.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/letter_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/script_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/tables.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/utf16: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/utf16/export_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/utf16/utf16.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/utf16/utf16_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/utf8: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/utf8/example_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/utf8/utf8.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unicode/utf8/utf8_test.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unsafe: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/unsafe/unsafe.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/AUTHORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/CONTRIBUTORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/PATENTS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/chacha20poly1305: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/chacha20poly1305/chacha20poly1305.go: Cannot open: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/chacha20poly1305/chacha20poly1305_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/chacha20poly1305/chacha20poly1305_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/chacha20poly1305/chacha20poly1305_generic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/chacha20poly1305/chacha20poly1305_noasm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/chacha20poly1305/xchacha20poly1305.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/cryptobyte: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/cryptobyte/asn1: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/cryptobyte/asn1/asn1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/cryptobyte/asn1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/cryptobyte/builder.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/cryptobyte/string.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/const_amd64.h: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/const_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/cswap_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/curve25519.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/doc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/freeze_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/ladderstep_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/mont25519_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/mul_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/curve25519/square_amd64.s: Cannot open: No such

file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/hkdf: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/hkdf/hkdf.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20/asm_arm64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20/asm_ppc64le.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20/chacha_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20/chacha_generic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20/chacha_noasm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20/chacha_ppc64le.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20/chacha_s390x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20/chacha_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/chacha20/xor.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/subtle: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/subtle/aliasing.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/internal/subtle/aliasing_appengine.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/mac_noasm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/poly1305.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_arm.go: Cannot open: No such file or

directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_arm.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_generic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_noasm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_ppc64le.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_ppc64le.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_s390x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/crypto/poly1305/sum_vmsl_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/AUTHORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/CONTRIBUTORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/PATENTS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/dns: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/dns/dnsmessage: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/dns/dnsmessage/message.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http/httpguts: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http/httpguts/guts.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http/httpguts/httpplex.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http/httpproxy: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http/httpproxy/proxy.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http2: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http2/hpack: Cannot mkdir: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http2/hpack/encode.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http2/hpack/hpack.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http2/hpack/huffman.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/http2/hpack/tables.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/idna: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/idna/idna10.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/idna/idna9.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/idna/punycode.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/idna/tables10.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/idna/tables11.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/idna/tables9.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/idna/trie.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/idna/trieval.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/lif: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/lif/address.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/lif/binary.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/lif/lif.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/lif/link.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/lif/sys.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/lif/sys_solaris_amd64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/lif/syscall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/lif/zsys_solaris_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/nettest: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/nettest/conntest.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/vendor/golang.org/x/net/nettest/nettest.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/nettest/nettest_stub.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/nettest/nettest_unix.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/nettest/nettest_windows.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/address.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/binary.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/empty.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/interface.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/interface_announce.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/interface_classic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/interface_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/interface_multicast.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/interface_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/message.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/route.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/route_classic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/route_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/sys.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/sys_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/sys_dragonfly.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/sys_freebsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/sys_netbsd.go: Cannot open: No such file or

directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/sys_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/syscall.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/syscall_gol_11_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/syscall_gol_12_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/zsys_darwin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/zsys_dragonfly.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/zsys_freebsd_386.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/zsys_freebsd_amd64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/zsys_freebsd_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/zsys_freebsd_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/zsys_netbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/net/route/zsys_openbsd.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/AUTHORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/CONTRIBUTORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/PATENTS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/asm_aix_ppc64.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/byteorder.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_aix_ppc64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_arm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/vendor/golang.org/x/sys/cpu/cpu_gc_s390x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_gc_x86.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_gccgo.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_gccgo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_gccgo_s390x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_linux.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_linux_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_linux_ppc64x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_linux_s390x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_mips64x.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_mipsx.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_other_arm64.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_s390x.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_wasm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_x86.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/cpu_x86.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/sys/cpu/syscall_aix_ppc64_gc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/AUTHORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/CONTRIBUTORS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/LICENSE: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/PATENTS: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/secure: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/secure/bidirule: Cannot mkdir: No such file or directory

tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/secure/bidirule/bidirule.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/secure/bidirule/bidirule10.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/secure/bidirule/bidirule9.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/transform: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/transform/transform.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/bidi: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/bidi/bidi.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/bidi/bracket.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/bidi/core.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/bidi/prop.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/bidi/tables10.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/bidi/tables11.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/bidi/tables9.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/bidi/trieval.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/composition.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/forminfo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/input.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/iter.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/normalize.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/readwriter.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

tar: go/src/vendor/golang.org/x/text/unicode/norm/tables10.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/tables11.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/tables9.0.0.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/transform.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/golang.org/x/text/unicode/norm/trie.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/src/vendor/modules.txt: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/235.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/64bit.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/README.md: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/alg.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/alias.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/alias1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/alias2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/alias3.dir: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/alias3.dir/a.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/alias3.dir/b.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/alias3.dir/c.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/alias3.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/align.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/append.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/append1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/args.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/armimm.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/assign.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/assign1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/atomicload.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/bench: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/bench/garbage: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

tar: go/test/closure3.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/closure4.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/cmp.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/cmp6.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/cmplx.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/cmplxdivide.c: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/cmplxdivide.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/cmplxdivide1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/README: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/alloc.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/arithmetic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/bitfield.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/bits.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/comparisons.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/condmove.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/copy.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/floats.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/issue22703.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/issue25378.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/issue31618.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/mapaccess.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/maps.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/math.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/mathbits.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/memcombine.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/memops.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/noextend.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/race.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/rotate.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/shift.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/codegen/slices.go: Cannot open: No such file or directory

[illegible]

[illegible]

tar: go: Cannot mkdir: Permission denied
tar: go/test/dwarf/linedirectives.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/empty.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/env.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/eof.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/eof1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape2n.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape3.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape4.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape5.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_array.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_because.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_calls.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_closure.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_field.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_iface.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_indir.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_level.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_map.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_param.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_runtime_atomic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_selfassign.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_slice.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_struct_param1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_struct_param2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_struct_return.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_sync_atomic.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/escape_unsafe.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/fibo.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/finprofiled.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

tar: go/test/oldescape_linkname.dir/linkname3.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/oldescape_linkname.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/oldescape_param.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/oldescape_struct_return.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/opt_branchlikely.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/parentype.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/peano.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/phiopt.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/print.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/print.out: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/printbig.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/printbig.out: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/prove.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/range.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/recover.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/recover1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/recover2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/recover3.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/recover4.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/recover5.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/reflectmethod1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/reflectmethod2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/reflectmethod3.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/reflectmethod4.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/rename.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/rename1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/reorder.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/reorder2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/retjmp.dir: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/retjmp.dir/a.s: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/retjmp.dir/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/retjmp.go: Cannot open: No such file or directory

[illegible]

[illegible]

```

tar: go: Cannot mkdir: Permission denied
tar: go/test/syntax/topexpr.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/syntax/typesw.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/syntax/vareq.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/syntax/vareql.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/tinyfin.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/torture.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/turing.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/typecheck.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/typecheckloop.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/typeswitch.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/typeswitch1.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/typeswitch2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/typeswitch3.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/uintptrescapes.dir: Cannot mkdir: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/uintptrescapes.dir/a.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/uintptrescapes.dir/main.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/uintptrescapes.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/uintptrescapes2.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/undef.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/utf.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/varerr.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/varinit.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/writebarrier.go: Cannot open: No such file or directory
tar: go: Cannot mkdir: Permission denied
tar: go/test/zerodivide.go: Cannot open: No such file or directory
tar: Exiting with failure status due to previous errors
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ ls
BUILD.bazel      Godeps      Makefile.generated_files  SUPPORT.md  aws_build_version
cluster          docs        go1.13.9.linux-amd64.tar.gz  mkdocs.yml  plugin
test            vendor
CHANGELOG        LICENSE     OWNERS                                WORKSPACE   aws_kube_params.inc
cmd              go.mod     hack                                perf-tests  readthedocs.yaml
third_party
CONTRIBUTING.md  Makefile   README.md                          api          build
code-of-conduct.md  go.sum    logo                                pkg          staging
translations
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo mkdir -p $GOPATH/src/github.com
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ cd $GOPATH/src/github.com
ubuntu@ip-172-31-35-226:/src/github.com$ git clone
https://github.com/CentaurusInfra/arktos

```

```

fatal: destination path 'arktos' already exists and is not an empty directory.
ubuntu@ip-172-31-35-226:/src/github.com$ cd arktos
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo bash hack/setup-dev-node.sh
The script is to help install prerequisites of Arktos development environment
on a fresh Linux installation.
It's been tested on Ubuntu 16.04 LTS and 18.04 LTS.
Update apt.
Hit:1 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic InRelease
Hit:2 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease
Get:3 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6 kB]
Get:4 http://security.ubuntu.com/ubuntu bionic-security InRelease [88.7 kB]
Fetched 163 kB in 1s (296 kB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
13 packages can be upgraded. Run 'apt list --upgradable' to see them.
Install docker.
Reading package lists... Done
Building dependency tree
Reading state information... Done
docker.io is already the newest version (20.10.7-0ubuntu5~18.04.3).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Install make & gcc.
Reading package lists... Done
Building dependency tree
Reading state information... Done
make is already the newest version (4.1-9.1ubuntu1).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Reading package lists... Done
Building dependency tree
Reading state information... Done
gcc is already the newest version (4:7.4.0-1ubuntu2.3).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Reading package lists... Done
Building dependency tree
Reading state information... Done
jq is already the newest version (1.5+dfsg-2).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Install golang.
--2021-12-17 07:24:44-- https://dl.google.com/go/go1.13.9.linux-amd64.tar.gz
Resolving dl.google.com (dl.google.com)... 142.250.191.174, 2607:f8b0:4009:81c::200e
Connecting to dl.google.com (dl.google.com)|142.250.191.174|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 120139686 (115M) [application/octet-stream]
Saving to: '/tmp/go1.13.9.linux-amd64.tar.gz.2'

go1.13.9.linux-amd64.tar.gz.2
100%[=====] 114.57M 2.75MB/s in 41s

2021-12-17 07:25:25 (2.81 MB/s) - '/tmp/go1.13.9.linux-amd64.tar.gz.2' saved
[120139686/120139686]

Done.
Please run and add 'export PATH=$PATH:/usr/local/go/bin' into your shell profile.
You can proceed to run arktos-up.sh if you want to launch a single-node cluster.
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ export PATH=$PATH:/usr/local/go/bin
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo arktos-up.sh
sudo: arktos-up.sh: command not found
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ arktos-up.sh
arktos-up.sh: command not found
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo bash hack/setup-dev-node.sh
The script is to help install prerequisites of Arktos development environment

```

```

on a fresh Linux installation.
It's been tested on Ubuntu 16.04 LTS and 18.04 LTS.
Update apt.
Hit:1 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic InRelease
Hit:2 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease
Get:3 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6 kB]
Hit:4 http://security.ubuntu.com/ubuntu bionic-security InRelease
Fetched 74.6 kB in 0s (213 kB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
13 packages can be upgraded. Run 'apt list --upgradable' to see them.
Install docker.
Reading package lists... Done
Building dependency tree
Reading state information... Done
docker.io is already the newest version (20.10.7-0ubuntu5~18.04.3).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Install make & gcc.
Reading package lists... Done
Building dependency tree
Reading state information... Done
make is already the newest version (4.1-9.1ubuntu1).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Reading package lists... Done
Building dependency tree
Reading state information... Done
gcc is already the newest version (4:7.4.0-1ubuntu2.3).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Reading package lists... Done
Building dependency tree
Reading state information... Done
jq is already the newest version (1.5+dfsg-2).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Install golang.
--2021-12-17 07:26:32-- https://dl.google.com/go/go1.13.9.linux-amd64.tar.gz
Resolving dl.google.com (dl.google.com)... 142.250.190.110, 2607:f8b0:4009:819::200e
Connecting to dl.google.com (dl.google.com)|142.250.190.110|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 120139686 (115M) [application/octet-stream]
Saving to: '/tmp/go1.13.9.linux-amd64.tar.gz.3'

go1.13.9.linux-amd64.tar.gz.3
100%[=====>] 114.57M  16.5MB/s   in 24s

2021-12-17 07:26:56 (4.75 MB/s) - '/tmp/go1.13.9.linux-amd64.tar.gz.3' saved
[120139686/120139686]

Done.
Please run and add 'export PATH=$PATH:/usr/local/go/bin' into your shell profile.
You can proceed to run arktos-up.sh if you want to launch a single-node cluster.
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ make
hack/make-rules/helpers/cache_go_dirs.sh: line 70: .make/all_go_dirs.mk: Permission
denied
rm: cannot remove '.make/all_go_dirs.mk': Permission denied
^CMakefile:560: recipe for target 'generated_files' failed
make: *** [generated_files] Interrupt

ubuntu@ip-172-31-35-226:/src/github.com/arktos$ export PATH=$PATH:/usr/local/go/bin
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ make
hack/make-rules/helpers/cache_go_dirs.sh: line 70: .make/all_go_dirs.mk: Permission
denied

```



```
rm: cannot remove '.make/all_go_dirs.mk': Permission denied
^CMakefile:560: recipe for target 'generated_files' failed
make: *** [generated_files] Interrupt
```

```
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo ufw status
Status: inactive
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ swapoff -a
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ make
hack/make-rules/helpers/cache_go_dirs.sh: line 70: .make/all_go_dirs.mk: Permission
denied
rm: cannot remove '.make/all_go_dirs.mk': Permission denied
^CMakefile:560: recipe for target 'generated_files' failed
make: *** [generated_files] Interrupt
```

```
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo apt-get update
Hit:1 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic InRelease
Hit:2 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease
Get:3 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6 kB]
Hit:4 http://security.ubuntu.com/ubuntu bionic-security InRelease
Fetched 74.6 kB in 0s (217 kB/s)
Reading package lists... Done
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo apt-get install ubuntu-make
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following additional packages will be installed:
  python3-argcomplete python3-bs4 python3-gnupg python3-html5lib python3-lxml
python3-progressbar python3-webencodings python3-xdg
Suggested packages:
  python3-genshi python3-lxml-dbg python-lxml-doc
The following NEW packages will be installed:
  python3-argcomplete python3-bs4 python3-gnupg python3-html5lib python3-lxml
python3-progressbar python3-webencodings python3-xdg ubuntu-make
0 upgraded, 9 newly installed, 0 to remove and 13 not upgraded.
Need to get 1400 kB of archives.
After this operation, 5950 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64
python3-argcomplete all 1.8.1-1ubuntu1 [26.9 kB]
Get:2 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 python3-bs4 all
4.6.0-1 [67.8 kB]
Get:3 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/universe amd64
python3-gnupg all 0.4.1-1ubuntu1.18.04.1 [17.1 kB]
Get:4 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64
python3-webencodings all 0.5-2 [10.4 kB]
Get:5 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic/main amd64 python3-html5lib
all 0.99999999-1 [81.9 kB]
Get:6 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
python3-lxml amd64 4.2.1-1ubuntu0.4 [1097 kB]
Get:7 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64
python3-progressbar all 2.3-4 [9630 B]
Get:8 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-updates/main amd64
python3-xdg all 0.25-4ubuntu1.1 [31.3 kB]
Get:9 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic/universe amd64 ubuntu-make
all 16.11.1ubuntu1 [57.6 kB]
Fetched 1400 kB in 0s (8308 kB/s)
Selecting previously unselected package python3-argcomplete.
(Reading database ... 92801 files and directories currently installed.)
Preparing to unpack .../0-python3-argcomplete_1.8.1-1ubuntu1_all.deb ...
Unpacking python3-argcomplete (1.8.1-1ubuntu1) ...
Selecting previously unselected package python3-bs4.
Preparing to unpack .../1-python3-bs4_4.6.0-1_all.deb ...
Unpacking python3-bs4 (4.6.0-1) ...
```

```

Selecting previously unselected package python3-gnupg.
Preparing to unpack .../2-python3-gnupg_0.4.1-1ubuntu1.18.04.1_all.deb ...
Unpacking python3-gnupg (0.4.1-1ubuntu1.18.04.1) ...
Selecting previously unselected package python3-webencodings.
Preparing to unpack .../3-python3-webencodings_0.5-2_all.deb ...
Unpacking python3-webencodings (0.5-2) ...
Selecting previously unselected package python3-html5lib.
Preparing to unpack .../4-python3-html5lib_0.999999999-1_all.deb ...
Unpacking python3-html5lib (0.999999999-1) ...
Selecting previously unselected package python3-lxml:amd64.
Preparing to unpack .../5-python3-lxml_4.2.1-1ubuntu0.4_amd64.deb ...
Unpacking python3-lxml:amd64 (4.2.1-1ubuntu0.4) ...
Selecting previously unselected package python3-progressbar.
Preparing to unpack .../6-python3-progressbar_2.3-4_all.deb ...
Unpacking python3-progressbar (2.3-4) ...
Selecting previously unselected package python3-xdg.
Preparing to unpack .../7-python3-xdg_0.25-4ubuntu1.1_all.deb ...
Unpacking python3-xdg (0.25-4ubuntu1.1) ...
Selecting previously unselected package ubuntu-make.
Preparing to unpack .../8-ubuntu-make_16.11.1ubuntu1_all.deb ...
Unpacking ubuntu-make (16.11.1ubuntu1) ...
Setting up python3-webencodings (0.5-2) ...
Setting up python3-progressbar (2.3-4) ...
Setting up python3-lxml:amd64 (4.2.1-1ubuntu0.4) ...
Setting up python3-gnupg (0.4.1-1ubuntu1.18.04.1) ...
Setting up python3-xdg (0.25-4ubuntu1.1) ...
Setting up python3-bs4 (4.6.0-1) ...
Setting up python3-argcomplete (1.8.1-1ubuntu1) ...
Setting up python3-html5lib (0.999999999-1) ...
Setting up ubuntu-make (16.11.1ubuntu1) ...
Processing triggers for man-db (2.8.3-2ubuntu0.1) ...
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ make
hack/make-rules/helpers/cache_go_dirs.sh: line 70: .make/all_go_dirs.mk: Permission
denied
rm: cannot remove '.make/all_go_dirs.mk': Permission denied
^CMakefile:560: recipe for target 'generated_files' failed
make: *** [generated_files] Interrupt

```

```
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo make
```

```

Can't find 'go' in PATH, please fix and retry.
See http://golang.org/doc/install for installation instructions.

```

```

!!! [1217 07:30:30] Call tree:
!!! [1217 07:30:30] 1: hack/run-in-gopath.sh:30 kube::golang::setup_env(...)

```

```

Can't find 'go' in PATH, please fix and retry.
See http://golang.org/doc/install for installation instructions.

```

```

!!! [1217 07:30:30] Call tree:
!!! [1217 07:30:30] 1: /src/github.com/arktos/hack/lib/golang.sh:775
kube::golang::setup_env(...)
!!! [1217 07:30:30] 2: hack/make-rules/build.sh:27 kube::golang::build_binaries(...)
!!! [1217 07:30:30] Call tree:
!!! [1217 07:30:30] 1: hack/make-rules/build.sh:27 kube::golang::build_binaries(...)
Makefile.generated_files:201: recipe for target '_output/bin/deepcopy-gen' failed
make[1]: *** [_output/bin/deepcopy-gen] Error 1
Makefile:560: recipe for target 'generated_files' failed
make: *** [generated_files] Error 2
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ go -version
flag provided but not defined: -version
Go is a tool for managing Go source code.

```

Usage:

```
go <command> [arguments]
```

The commands are:

bug	start a bug report
build	compile packages and dependencies
clean	remove object files and cached files
doc	show documentation for package or symbol
env	print Go environment information
fix	update packages to use new APIs
fmt	gofmt (reformat) package sources
generate	generate Go files by processing source
get	add dependencies to current module and install them
install	compile and install packages and dependencies
list	list packages or modules
mod	module maintenance
run	compile and run Go program
test	test packages
tool	run specified go tool
version	print Go version
vet	report likely mistakes in packages

Use "go help <command>" for more information about a command.

Additional help topics:

buildmode	build modes
c	calling between Go and C
cache	build and test caching
environment	environment variables
filetype	file types
go.mod	the go.mod file
gopath	GOPATH environment variable
gopath-get	legacy GOPATH go get
goproxy	module proxy protocol
importpath	import path syntax
modules	modules, module versions, and more
module-get	module-aware go get
module-auth	module authentication using go.sum
module-private	module configuration for non-public modules
packages	package lists and patterns
testflag	testing flags
testfunc	testing functions

Use "go help <topic>" for more information about that topic.

```
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ which go
/usr/local/go/bin/go
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ go -version
flag provided but not defined: -version
Go is a tool for managing Go source code.
```

Usage:

```
go <command> [arguments]
```

The commands are:

bug	start a bug report
build	compile packages and dependencies
clean	remove object files and cached files

doc	show documentation for package or symbol
env	print Go environment information
fix	update packages to use new APIs
fmt	gofmt (reformat) package sources
generate	generate Go files by processing source
get	add dependencies to current module and install them
install	compile and install packages and dependencies
list	list packages or modules
mod	module maintenance
run	compile and run Go program
test	test packages
tool	run specified go tool
version	print Go version
vet	report likely mistakes in packages

Use "go help <command>" for more information about a command.

Additional help topics:

buildmode	build modes
c	calling between Go and C
cache	build and test caching
environment	environment variables
filetype	file types
go.mod	the go.mod file
gopath	GOPATH environment variable
gopath-get	legacy GOPATH go get
goproxy	module proxy protocol
importpath	import path syntax
modules	modules, module versions, and more
module-get	module-aware go get
module-auth	module authentication using go.sum
module-private	module configuration for non-public modules
packages	package lists and patterns
testflag	testing flags
testfunc	testing functions

Use "go help <topic>" for more information about that topic.

```
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo make
```

```
Can't find 'go' in PATH, please fix and retry.
See http://golang.org/doc/install for installation instructions.
```

```
!!! [1217 07:31:59] Call tree:
!!! [1217 07:31:59] 1: hack/run-in-gopath.sh:30 kube::golang::setup_env(...)
```

```
Can't find 'go' in PATH, please fix and retry.
See http://golang.org/doc/install for installation instructions.
```

```
!!! [1217 07:31:59] Call tree:
!!! [1217 07:31:59] 1: /src/github.com/arktos/hack/lib/golang.sh:775
kube::golang::setup_env(...)
!!! [1217 07:31:59] 2: hack/make-rules/build.sh:27 kube::golang::build_binaries(...)
!!! [1217 07:31:59] Call tree:
!!! [1217 07:31:59] 1: hack/make-rules/build.sh:27 kube::golang::build_binaries(...)
Makefile.generated_files:201: recipe for target '_output/bin/deepcopy-gen' failed
make[1]: *** [_output/bin/deepcopy-gen] Error 1
Makefile:560: recipe for target 'generated_files' failed
make: *** [generated_files] Error 2
ubuntu@ip-172-31-35-226:/src/github.com/arktos$ sudo su -
root@ip-172-31-35-226:~# sudo bash hack/setup-dev-node.sh
bash: hack/setup-dev-node.sh: No such file or directory
```

```

root@ip-172-31-35-226:~# mkdir -p $GOPATH/src/github.com
root@ip-172-31-35-226:~# cd $GOPATH/src/github.com
root@ip-172-31-35-226:/src/github.com# git clone
https://github.com/CentaurusInfra/arktos
fatal: destination path 'arktos' already exists and is not an empty directory.
root@ip-172-31-35-226:/src/github.com# cd arktos
root@ip-172-31-35-226:/src/github.com/arktos# sudo bash hack/setup-dev-node.sh
The script is to help install prerequisites of Arktos development environment
on a fresh Linux installation.
It's been tested on Ubuntu 16.04 LTS and 18.04 LTS.
Update apt.
Hit:1 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic InRelease
Hit:2 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-updates InRelease
Get:3 http://us-east-2.ec2.archive.ubuntu.com/ubuntu bionic-backports InRelease [74.6 kB]
Hit:4 http://security.ubuntu.com/ubuntu bionic-security InRelease
Fetched 74.6 kB in 0s (213 kB/s)
Reading package lists... Done
Building dependency tree
Reading state information... Done
13 packages can be upgraded. Run 'apt list --upgradable' to see them.
Install docker.
Reading package lists... Done
Building dependency tree
Reading state information... Done
docker.io is already the newest version (20.10.7-0ubuntu5~18.04.3).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Install make & gcc.
Reading package lists... Done
Building dependency tree
Reading state information... Done
make is already the newest version (4.1-9.1ubuntu1).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Reading package lists... Done
Building dependency tree
Reading state information... Done
gcc is already the newest version (4:7.4.0-1ubuntu2.3).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Reading package lists... Done
Building dependency tree
Reading state information... Done
jq is already the newest version (1.5+dfsg-2).
0 upgraded, 0 newly installed, 0 to remove and 13 not upgraded.
Install golang.
--2021-12-17 07:34:54-- https://dl.google.com/go/go1.13.9.linux-amd64.tar.gz
Resolving dl.google.com (dl.google.com)... 142.250.191.174, 2607:f8b0:4009:81b::200e
Connecting to dl.google.com (dl.google.com)|142.250.191.174|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 120139686 (115M) [application/octet-stream]
Saving to: '/tmp/go1.13.9.linux-amd64.tar.gz.4'

go1.13.9.linux-amd64.tar.gz.4
100%[=====] 114.57M 2.85MB/s in 39s

2021-12-17 07:35:33 (2.94 MB/s) - '/tmp/go1.13.9.linux-amd64.tar.gz.4' saved
[120139686/120139686]

Done.
Please run and add 'export PATH=$PATH:/usr/local/go/bin' into your shell profile.
You can proceed to run arktos-up.sh if you want to launch a single-node cluster.
root@ip-172-31-35-226:/src/github.com/arktos# export PATH=$PATH:/usr/local/go/bin
root@ip-172-31-35-226:/src/github.com/arktos# make
++ [1217 07:35:57] Building go targets for linux/amd64:

```

```

./vendor/k8s.io/code-generator/cmd/deepcopy-gen
+++ [1217 07:36:05] Building go targets for linux/amd64:
./vendor/k8s.io/code-generator/cmd/defaulter-gen
+++ [1217 07:36:12] Building go targets for linux/amd64:
./vendor/k8s.io/code-generator/cmd/conversion-gen
+++ [1217 07:36:22] Building go targets for linux/amd64:
./vendor/k8s.io/kube-openapi/cmd/openapi-gen
+++ [1217 07:36:33] Building go targets for linux/amd64:
./vendor/github.com/go-bindata/go-bindata/go-bindata
Running copyright check for repo: /src/github.com/arktos, logging to
_output/ArktosCopyrightTool.log
/src/github.com/arktos /src/github.com/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3067 and retry the
command.
/src/github.com/arktos
/src/github.com/arktos /src/github.com/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3067 and retry the
command.
/src/github.com/arktos
Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.
+++ [1217 07:36:44] Building go targets for linux/amd64:
cmd/kube-proxy
cmd/kube-apiserver
cmd/kube-controller-manager
cmd/cloud-controller-manager
cmd/workload-controller-manager
cmd/kubelet
cmd/kubeadm
cmd/hyperkube
cmd/kube-scheduler
vendor/k8s.io/apiextensions-apiserver
cluster/gce/gci/mounter
cmd/kubect1
cmd/gendocs
cmd/genkubedocs
cmd/genman
cmd/genyaml
cmd/genswaggertypedocs
cmd/linkcheck
vendor/github.com/onsi/ginkgo/ginkgo
test/e2e/e2e.test
cmd/kubemark
vendor/github.com/onsi/ginkgo/ginkgo
test/e2e_node/e2e_node.test
Running copyright check for repo: /src/github.com/arktos, logging to
_output/ArktosCopyrightTool.log
/src/github.com/arktos /src/github.com/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3067 and retry the
command.
/src/github.com/arktos
/src/github.com/arktos /src/github.com/arktos
warning: inexact rename detection was skipped due to too many files.
warning: you may want to set your diff.renameLimit variable to at least 3067 and retry the
command.
/src/github.com/arktos
Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log
Done.
root@ip-172-31-35-226:/src/github.com/arktos# cd $GOPATH/src/github.com/arktos
root@ip-172-31-35-226:/src/github.com/arktos# hack/arktos-up.sh

```

```

DBG: Flannel CNI plugin will be installed AFTER cluster is up
DBG: effective feature gates
AllAlpha=false,WorkloadInfoDefaulting=true,QPSDoubleGCCController=true,QPSDoubleRSContr
oller=true,MandatoryArktosNetwork=true
DBG: effective disabling admission plugins
DBG: effective default network template file is
/src/github.com/arktos/hack/testdata/default-flat-network.tmpl
DBG: kubelet arg RESOLV_CONF is /run/systemd/resolve/resolv.conf
WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.
cni plugin is bridge; arktos will use bridge to provision pod network
Ensuring firewall to allow traffic forward by default
-P FORWARD ACCEPT
Ensuring minimum cni plugin installation...
found bridge, host-local, loopback
setting up cni conf file...
/etc/cni/net.d/bridge.conf already exists; keep it.
done with bridge cni plugin installation
WARNING : The kubelet is configured to not fail even if swap is enabled; production
deployments should disable swap.
Getting runtime deployment file  libvirt-qemu
--2021-12-17 07:40:57--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy
/apparmor/libvirt-qemu
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.109.133,
185.199.110.133, 185.199.111.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.109.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 6578 (6.4K) [text/plain]
Saving to: '/tmp/libvirt-qemu'

/tmp/libvirt-qemu
100%[=====
=====>] 6.42K --.-KB/s in 0s

2021-12-17 07:40:57 (62.8 MB/s) - '/tmp/libvirt-qemu' saved [6578/6578]

Getting runtime deployment file  libvirtd
--2021-12-17 07:40:57--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy
/apparmor/libvirtd
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1617 (1.6K) [text/plain]
Saving to: '/tmp/libvirtd'

/tmp/libvirtd
100%[=====
=====>] 1.58K --.-KB/s in 0s

2021-12-17 07:40:57 (26.5 MB/s) - '/tmp/libvirtd' saved [1617/1617]

Getting runtime deployment file  virtlet
--2021-12-17 07:40:57--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy
/apparmor/virtlet
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com

```

```
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 2582 (2.5K) [text/plain]
Saving to: '/tmp/virtlet'

/tmp/virtlet
100%[=====
=====>]    2.52K  --.-KB/s    in 0s

2021-12-17 07:40:57 (34.9 MB/s) - '/tmp/virtlet' saved [2582/2582]

Getting runtime deployment file vms
--2021-12-17 07:40:57--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/apparmor/vms
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 485 [text/plain]
Saving to: '/tmp/vms'

/tmp/vms
100%[=====
=====>]      485  --.-KB/s    in 0s

2021-12-17 07:40:58 (26.3 MB/s) - '/tmp/vms' saved [485/485]

Getting runtime deployment file vmruntime.yaml
--2021-12-17 07:40:58--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/data/virtlet-ds.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 11643 (11K) [text/plain]
Saving to: '/tmp/vmruntime.yaml'

/tmp/vmruntime.yaml
100%[=====
=====>]   11.37K  --.-KB/s    in 0s

2021-12-17 07:40:58 (76.4 MB/s) - '/tmp/vmruntime.yaml' saved [11643/11643]

Getting runtime deployment file images.yaml
--2021-12-17 07:40:58--
https://raw.githubusercontent.com/futurewei-cloud/arktos-vm-runtime/release-0.6/deploy/images.yaml
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.108.133,
185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com
(raw.githubusercontent.com)|185.199.108.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 254 [text/plain]
Saving to: '/tmp/images.yaml'

/tmp/images.yaml
100%[=====
=====>]      254  --.-KB/s    in 0s
```


2021-12-17 07:40:58 (12.1 MB/s) - '/tmp/images.yaml' saved [254/254]

Stopping Apparmor service

make: Entering directory '/src/github.com/arktos'

make[1]: Entering directory '/src/github.com/arktos'

make[1]: Leaving directory '/src/github.com/arktos'

Running copyright check for repo: /src/github.com/arktos, logging to
_output/ArktosCopyrightTool.log

/src/github.com/arktos /src/github.com/arktos

warning: inexact rename detection was skipped due to too many files.

warning: you may want to set your diff.renameLimit variable to at least 3067 and retry the
command.

/src/github.com/arktos

/src/github.com/arktos /src/github.com/arktos

warning: inexact rename detection was skipped due to too many files.

warning: you may want to set your diff.renameLimit variable to at least 3067 and retry the
command.

/src/github.com/arktos

Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log

Done.

+++ [1217 07:41:25] Building go targets for linux/amd64:

cmd/kubect1

cmd/hyperkube

cmd/kube-apiserver

cmd/kube-controller-manager

cmd/workload-controller-manager

cmd/cloud-controller-manager

cmd/kubelet

cmd/kube-proxy

cmd/kube-scheduler

cmd/arktos-network-controller

Running copyright check for repo: /src/github.com/arktos, logging to
_output/ArktosCopyrightTool.log

/src/github.com/arktos /src/github.com/arktos

warning: inexact rename detection was skipped due to too many files.

warning: you may want to set your diff.renameLimit variable to at least 3067 and retry the
command.

/src/github.com/arktos

/src/github.com/arktos /src/github.com/arktos

warning: inexact rename detection was skipped due to too many files.

warning: you may want to set your diff.renameLimit variable to at least 3067 and retry the
command.

/src/github.com/arktos

Inspecting copyright files, writing logs to _output/ArktosCopyrightTool.log

Done.

make: Leaving directory '/src/github.com/arktos'

cannot find etcd locally. will install one.

Downloading

<https://github.com/centaurus-cloud/etcd/releases/download/v3.4.3/etcd-v3.4.3-linux-amd64.tar.gz> succeed

etcd v3.4.3 installed. To use:

export PATH="/src/github.com/arktos/third_party/etcd:\${PATH}"

The current version is 3.4.3

API SERVER insecure port is free, proceeding...

API SERVER secure port is free, proceeding...

Unable to successfully run 'cfssl' from

/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/snap/bin:/usr/local/go/bin:/src/github.com/arktos/third_party/etcd; downloading
instead...

% Total	% Received	% Xferd	Average Speed	Time	Time	Time	Current
			Dload Upload	Total	Spent	Left	Speed

```

0      0      0      0      0      0      0      0  --:--:-- --:--:-- --:--:--      0
100    654    100    654      0      0    3535      0  --:--:-- --:--:-- --:--:--    10900
100    9.8M    100    9.8M      0      0    19.5M      0  --:--:~ --:~:~ --:~:~    19.5M
% Total      % Received % Xferd  Average Speed   Time    Time     Time  Current
                       Dload  Upload    Total      Spent      Left   Speed

0      0      0      0      0      0      0      0  --:~:~ --:~:~ --:~:~      0
100    658    100    658      0      0    3537      0  --:~:~ --:~:~ --:~:~    3537
100 2224k    100 2224k      0      0   2542k      0  --:~:~ --:~:~ --:~:~   3803k
Detected host and ready to start services.  Doing some housekeeping first...
Using GO_OUT /src/github.com/arktos/_output/local/bin/linux/amd64
Starting services now!
Starting etcd

```

The current version is 3.4.3

```

etcd --name ip-172-31-35-226 --listen-peer-urls http://172.31.35.226:2380
--advertise-client-urls http://172.31.35.226:2379 --data-dir /tmp/tmp.LRzvBOVAft
--listen-client-urls http://172.31.35.226:2379,http://127.0.0.1:2379 --listen-peer-urls
http://172.31.35.226:2380 --debug > "/tmp/etcd.log" 2>/dev/null
Waiting for etcd to come up.
+++ [1217 07:42:18] On try 2, etcd: : {"health":"true"}
{"header":{"cluster_id":"12782326809768201429","member_id":"14812170251247643707","revision":"2","raft_term":"2"}}Starting 1 kube-apiserver instances. If you want to make
changes to the kube-apiserver nubmer, please run export APISERVER_SERVER=n(n=1,2,...).
Copied the apiserver partition config file /var/run/kubernetes/apiserver.config...
Can't load /root/.rnd into RNG
140504829968832:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/root/.rnd
Generating a RSA private key
.....+++++
.....
.....+++++
writing new private key to '/var/run/kubernetes/server-ca.key'
-----
Can't load /root/.rnd into RNG
140648570274240:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/root/.rnd
Generating a RSA private key
.....
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/client-ca.key'
-----
Can't load /root/.rnd into RNG
140054826566080:error:2406F079:random number generator:RAND_load_file:Cannot open
file:../crypto/rand/randfile.c:88:Filename=/root/.rnd
Generating a RSA private key
.....+++++
.....+++++
writing new private key to '/var/run/kubernetes/request-header-ca.key'
-----
2021/12/17 07:42:18 [INFO] generate received request
2021/12/17 07:42:18 [INFO] received CSR
2021/12/17 07:42:18 [INFO] generating key: rsa-2048
2021/12/17 07:42:18 [INFO] encoded CSR
2021/12/17 07:42:18 [INFO] signed certificate with serial number
263858505834528349108771287104468044566064547955
2021/12/17 07:42:18 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(https://cabforum.org);

```

specifically, section 10.2.3 ("Information Requirements").
2021/12/17 07:42:18 [INFO] generate received request
2021/12/17 07:42:18 [INFO] received CSR
2021/12/17 07:42:18 [INFO] generating key: rsa-2048
2021/12/17 07:42:19 [INFO] encoded CSR
2021/12/17 07:42:19 [INFO] signed certificate with serial number
688628834830964435898001875314378097202339961713
2021/12/17 07:42:19 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/12/17 07:42:19 [INFO] generate received request
2021/12/17 07:42:19 [INFO] received CSR
2021/12/17 07:42:19 [INFO] generating key: rsa-2048
2021/12/17 07:42:19 [INFO] encoded CSR
2021/12/17 07:42:19 [INFO] signed certificate with serial number
44721480504241134740333731582751638689735511352
2021/12/17 07:42:19 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/12/17 07:42:19 [INFO] generate received request
2021/12/17 07:42:19 [INFO] received CSR
2021/12/17 07:42:19 [INFO] generating key: rsa-2048
2021/12/17 07:42:19 [INFO] encoded CSR
2021/12/17 07:42:19 [INFO] signed certificate with serial number
319839550396241277010690031378856644423018132948
2021/12/17 07:42:19 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/12/17 07:42:19 [INFO] generate received request
2021/12/17 07:42:19 [INFO] received CSR
2021/12/17 07:42:19 [INFO] generating key: rsa-2048
2021/12/17 07:42:20 [INFO] encoded CSR
2021/12/17 07:42:20 [INFO] signed certificate with serial number
218969863059677375999504752607796841557825501188
2021/12/17 07:42:20 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/12/17 07:42:20 [INFO] generate received request
2021/12/17 07:42:20 [INFO] received CSR
2021/12/17 07:42:20 [INFO] generating key: rsa-2048
2021/12/17 07:42:20 [INFO] encoded CSR
2021/12/17 07:42:20 [INFO] signed certificate with serial number
562262416054542269004068089289816679678493545143
2021/12/17 07:42:20 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/12/17 07:42:20 [INFO] generate received request
2021/12/17 07:42:20 [INFO] received CSR

2021/12/17 07:42:20 [INFO] generating key: rsa-2048
2021/12/17 07:42:20 [INFO] encoded CSR
2021/12/17 07:42:20 [INFO] signed certificate with serial number
189603960206561892731730061222652581308076012547
2021/12/17 07:42:20 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/12/17 07:42:20 [INFO] generate received request
2021/12/17 07:42:20 [INFO] received CSR
2021/12/17 07:42:20 [INFO] generating key: rsa-2048
2021/12/17 07:42:20 [INFO] encoded CSR
2021/12/17 07:42:20 [INFO] signed certificate with serial number
628786166461383003960219171181796917445585184438
2021/12/17 07:42:20 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
2021/12/17 07:42:20 [INFO] generate received request
2021/12/17 07:42:20 [INFO] received CSR
2021/12/17 07:42:20 [INFO] generating key: rsa-2048
2021/12/17 07:42:21 [INFO] encoded CSR
2021/12/17 07:42:21 [INFO] signed certificate with serial number
594961793805509211512317134968785692074260519167
2021/12/17 07:42:21 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
Waiting for apiserver to come up
+++ [1217 07:42:30] On try 8, apiserver: : ok
clusterrolebinding.rbac.authorization.k8s.io/kube-apiserver-kubelet-admin created
Cluster "local-up-cluster" set.
use 'kubectl --kubeconfig=/var/run/kubernetes/admin-kube-aggregator0.kubeconfig' to use
the aggregated API server
2021/12/17 07:42:31 [INFO] generate received request
2021/12/17 07:42:31 [INFO] received CSR
2021/12/17 07:42:31 [INFO] generating key: rsa-2048
2021/12/17 07:42:31 [INFO] encoded CSR
2021/12/17 07:42:31 [INFO] signed certificate with serial number
420849334099876299380751812685753125850954083882
2021/12/17 07:42:31 [WARNING] This certificate lacks a "hosts" field. This makes it
unsuitable for
websites. For more information see the Baseline Requirements for the Issuance and Management
of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum
(<https://cabforum.org>);
specifically, section 10.2.3 ("Information Requirements").
service/kube-dns created
serviceaccount/kube-dns created
configmap/kube-dns created
deployment.apps/kube-dns created
Kube-dns addon successfully deployed.
2021/12/17 07:42:32 [INFO] generate received request
2021/12/17 07:42:32 [INFO] received CSR
2021/12/17 07:42:32 [INFO] generating key: rsa-2048
2021/12/17 07:42:32 [INFO] encoded CSR
2021/12/17 07:42:32 [INFO] signed certificate with serial number
505445033738372659828225866737373954288972490909

2021/12/17 07:42:32 [WARNING] This certificate lacks a "hosts" field. This makes it unsuitable for websites. For more information see the Baseline Requirements for the Issuance and Management of Publicly-Trusted Certificates, v.1.1.6, from the CA/Browser Forum (<https://cabforum.org>); specifically, section 10.2.3 ("Information Requirements").
kubelet (1714) is running.
Create default storage class for storageclass.storage.k8s.io/standard created
customresourcedefinition.apiextensions.k8s.io/networks.arktos.futurewei.com created

Setup Arktos components ...

No resources found.
Waiting for node ready at api server
ip-172-31-35-226 Ready <none> 3s v0.9.0
node/ip-172-31-35-226 labeled
configmap/virtlet-image-translations created
daemonset.apps/virtlet created
configmap/virtlet-config created
clusterrolebinding.rbac.authorization.k8s.io/virtlet created
clusterrole.rbac.authorization.k8s.io/virtlet created
clusterrole.rbac.authorization.k8s.io/configmap-reader created
clusterrole.rbac.authorization.k8s.io/virtlet-userdata-reader created
clusterrolebinding.rbac.authorization.k8s.io/kubelet-node-binding created
clusterrolebinding.rbac.authorization.k8s.io/vm-userdata-binding created
clusterrole.rbac.authorization.k8s.io/virtlet-crd created
clusterrolebinding.rbac.authorization.k8s.io/virtlet-crd created
serviceaccount/virtlet created

NAME	DESIRED	CURRENT	READY	UP-TO-DATE	AVAILABLE	NODE SELECTOR	AGE
virtlet	0	0	0	0	0	<none>	0s

clusterrole.rbac.authorization.k8s.io/system:arktos-network-reader created
clusterrolebinding.rbac.authorization.k8s.io/system:kubelet-network-reader created

Arktos Setup done.

Setup Kata Containers components ...
* Install Kata components
kata-containers 2.3.0 from Kata Containers (katacontainers✓) installed
* Checking Kata compatibility
time="2021-12-17T07:42:49Z" level=warning msg="Not running network checks as super user"
arch=amd64 name=kata-runtime pid=4109 source=runtime time="2021-12-17T07:42:49Z"
level=error msg="CPU property not found" arch=amd64 description="Virtualization support"
name=vmx pid=4109 source=runtime type=flag time="2021-12-17T07:42:49Z" level=warning
msg="modprobe insert module failed" arch=amd64 error="exit status 1" module=kvm_intel
name=kata-runtime output="modprobe: ERROR: could not insert 'kvm_intel': Operation not supported\n" pid=4109 source=runtime time="2021-12-17T07:42:49Z" level=error msg="kernel property kvm_intel not found" arch=amd64 description="Intel KVM" name=kvm_intel pid=4109
source=runtime type=module time="2021-12-17T07:42:49Z" level=error msg="ERROR: System is not capable of running Kata Containers" arch=amd64 name=kata-runtime pid=4109
source=runtime ERROR: System is not capable of running Kata Containers
Aborted. Current system does not support Kata Containers.
Kata Setup done.

Local Kubernetes cluster is running. Press Ctrl-C to shut it down.

Logs:
/tmp/kube-apiserver0.log
/tmp/kube-controller-manager.log

/tmp/kube-proxy.log
/tmp/kube-scheduler.log

```
/tmp/kubelet.log
```

To start using your cluster, you can open up another terminal/tab and run:

```
export KUBECONFIG=/var/run/kubernetes/admin.kubeconfig
Or
export KUBECONFIG=/var/run/kubernetes/adminN(N=0,1,...).kubeconfig

cluster/kubect1.sh
```

Alternatively, you can write to the default kubeconfig:

```
export KUBERNETES_PROVIDER=local

cluster/kubect1.sh config set-cluster local --server=https://ip-172-31-35-226:6443
--certificate-authority=/var/run/kubernetes/server-ca.crt
cluster/kubect1.sh config set-credentials myself
--client-key=/var/run/kubernetes/client-admin.key
--client-certificate=/var/run/kubernetes/client-admin.crt
cluster/kubect1.sh config set-context local --cluster=local --user=myself
cluster/kubect1.sh config use-context local
cluster/kubect1.sh
```