



Adaptive Beamforming for future ITS

A neural network approach to antenna beam steering for mmWave Systems

Clifford Beta

Anne Okemwa

October 10, 2017

Table of contents

Introduction

- multi-gigabit-per second communication

- multi-gigabit-per second communication
- very low latency

Applications

- Autonomous driving



Applications

- Autonomous driving
- Immersive gaming



Applications

- Autonomous driving
- Immersive gaming
- Virtual reality



Applications

- Autonomous driving
- Immersive gaming
- Virtual reality
- **Augmented reality**



Two Figures aside

- increased vehicular motion



Figure 1: Caption of Figure B

Two Figures aside

- increased vehicular motion
- constant beam realignments



Figure 1: Caption of Figure B

Sections group slides of the same topic

```
\section{Elements}
```

for which **metropolis** provides a nice progress indicator ...

Titleformats

metropolis supports 4 different titleformats:

- Regular
- SMALLCAPS
- ALLSMALLCAPS
- ALLCAPS

They can either be set at once for every title type or individually.

This frame uses the `smallcaps` titleformat.

Potential Problems

Be aware, that not every font supports small caps. If for example you typeset your presentation with pdfTeX and the Computer Modern Sans Serif font, every text in smallcaps will be typeset with the Computer Modern Serif font instead.

This frame uses the `allsmallcaps` titleformat.

Potential problems

As this titleformat also uses smallcaps you face the same problems as with the `smallcaps` titleformat. Additionally this format can cause some other problems. Please refer to the documentation if you consider using it.

As a rule of thumb: Just use it for plaintext-only titles.

This frame uses the `allcaps` titleformat.

Potential Problems

This titleformat is not as problematic as the `allsmallcaps` format, but basically suffers from the same deficiencies. So please have a look at the documentation if you want to use it.

Elements

The theme provides sensible defaults to
`\emph{emphasize}` text, `\alert{accent}` parts
or show `\textbf{bold}` results.

becomes

The theme provides sensible defaults to *emphasize* text, **accent** parts or
show **bold** results.

Font feature test

- Regular
- *Italic*
- SMALLCAPS
- **Bold**
- **Bold Italic**
- **Bold SmallCaps**
- Monospace
- *Monospace Italic*
- Monospace Bold
- *Monospace Bold Italic*

Items

- Milk
- Eggs
- Potatos

Enumerations

1. First,
2. Second and
3. Last.

Descriptions

PowerPoint Meeh.
Beamer Yeeeha.

- This is important

- This is important
- Now this

- This is important
- Now this
- And now this

- This is really important
- Now this
- And now this




Figure 2: Rotated square from texample.net.

Table 1: Largest cities in the world (source: Wikipedia)

City	Population
Mexico City	20,116,842
Shanghai	19,210,000
Peking	15,796,450
Istanbul	14,160,467

Three different block environments are pre-defined and may be styled with an optional background color.

Default

Block content.

Alert

Block content.

Example

Block content.

Default

Block content.

Alert


Block content.

Example


Block content.

$$e = \lim_{n \rightarrow \infty} \left(1 + \frac{1}{n}\right)^n$$

Line plots



Bar charts



Veni, Vidi, Vici

metropolis defines a custom beamer template to add a text to the footer. It can be set via

```
\setbeamertemplate{frame footer}{My custom footer}
```

Some references to showcase `[allowframebreaks]` `[?, ?, ?, ?, ?]`

Conclusion

Get the source of this theme and the demo presentation from

`github.com/matze/mtheme`

The theme *itself* is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.



Questions?

Backup slides

Sometimes, it is useful to add slides at the end of your presentation to refer to during audience questions.

The best way to do this is to include the `appendixnumberbeamer` package in your preamble and call `\appendix` before your backup slides.

metropolis will automatically turn off slide numbering and progress bars for slides in the appendix.

