



Institut Universitaire des sciences

- Faculté des sciences et de technologie

✓ TD N°3 Atelier Informatique

Nom & Prénom : COFFY Cliford
Bichotte Kendy

Niveau : L3


Prof. : Ismael SAINT AMOUR


Date : 15/04/2026

Étape 1.1 : Vérification en équipe


Teste de navigation de Cliford



- *# Ouvrir le site dans le navigateur*






- **# Sur VS Code : utiliser l'extension Live Server**








Teste de navigation de Bichotte






- # Ouvrir le site dans le navigateur





- # Sur VS Code : utiliser l'extension Live Server





Étape 1.2 : Dernière synchronisation

Pour Cliford

MINGW64:/c/Users/User/Desktop/cafe-associatif

```
Git-2.51.1-64-bit.exe*
PacketTracer822_64bit_setup_signed.exe*
Programme/
SGBD-IUS-CLIFORD1.accdb
SGBD-IUS-CLIFORD1.zip
SetupKms/
TD/
TD-/
TD3Design
TP1Cliford-COFFY.zip
'This PC - Shortcut.lnk'*
'Visual Studio Code.lnk'*
'WPS Office.lnk'*
'WPS PDF.lnk'*
'Zoom Workplace.lnk'*
cafe-associatif/
desktop.ini
fr_office_professional_plus_2013_x64_dvd_1134000/
index.html
mon-projet/
mysetup.exe*
'office crak'/
projet-git/
projet1/
python/


CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop (main)
$ cd cafe-associatif

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (main)
$ git checkout main
M      README.md
M      index.html
Already on 'main'
Your branch is up to date with 'origin/main'.

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (main)
$ git pull origin main
From https://github.com/Cliford26/cafe-associatif
 * branch      main      -> FETCH_HEAD
Already up to date.

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (main)
$
```

Pour Bichotte



```
MINGW64:/c/Users/afjte/desktop/Atelier Informatique/cafe-associatif
afjte@DESKTOP-39B67QH MINGW64 ~/desktop (master)
$ cd "Atelier Informatique"

afjte@DESKTOP-39B67QH MINGW64 ~/desktop/Atelier Informatique (kendy)
$ cd cafe-associatif

afjte@DESKTOP-39B67QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (kendy)
$ git checkout main
M       index.html
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

afjte@DESKTOP-39B67QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (main)
$ git pull origin main
From github.com:Cliford26/cafe-associatif
 * branch      main      -> FETCH_HEAD
Already up to date.

afjte@DESKTOP-39B67QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (main)
$ |
```

Étape 1.3 : Création d'une branche de déploiement (bonne pratique)

Un seul membre crée la branche (créer par Cliford)

```
CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (main)
$ git checkout -b deploy/preparation
Switched to a new branch 'deploy/preparation'

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif
$ git push origin deploy/preparation
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'deploy/preparation' on GitHub by visiting:
remote:   https://github.com/Cliford26/cafe-associatif/pull/new/deploy/preparation
remote:
To https://github.com/Cliford26/cafe-associatif.git
 * [new branch]      deploy/preparation -> deploy/preparation

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (deploy/preparation)
$ |
```

Un seul membre crée la branche(Créer par Bichotte)

```
afjte@DESKTOP-39B67QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (main)
$ git fetch origin
remote: Enumerating objects: 20, done.
remote: Counting objects: 100% (20/20), done.
remote: Compressing objects: 100% (18/18), done.
remote: Total 20 (delta 1), reused 20 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (20/20), 3.51 MiB | 4.20 MiB/s, done.
From github.com:Cliford26/cafe-associatif
 * [new branch]      deploy/preparation -> origin/deploy/preparation
 * [new branch]      kendy               -> origin/kendy

afjte@DESKTOP-39B67QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (main)
$ git checkout -b deploy/preparation origin/deploy/preparation
M       index.html
branch 'deploy/preparation' set up to track 'origin/deploy/preparation'.
Switched to a new branch 'deploy/preparation'

afjte@DESKTOP-39B67QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (deploy/preparation)
$ |
```

Activation de GitHub Pages

Étape 2.1 : Désigner le "déployeur"

Étape 2.2 : Activation pas à pas

← → ↻

github.com/Cliford26/cafe-associatif/settings/pages

Général

Accéder

Collaborateurs

Options de modération

Code et automatisation

Succursales

Étiquettes

Règles

Actes

Modèles

Webhooks

Copilote

Environnements

Espaces de code

Pages GitHub

GitHub Pages est conçu pour héberger vos pages personnelles, d'organisa

Construction et déploiement

Source

Déployer à partir d'une branche

Actions GitHub

Idéal pour utiliser des frameworks et personnaliser votre processus de compilation

✓ Déployer à partir d'une branche

Expérience des Pages Classiques

Apprenez comment [ajouter un thème Jekyll](#) à votre site.

Domaine personnalisé

Les domaines personnalisés vous permettent d'héberger votre site sur un [plus sur la configuration des domaines personnalisés](#).

Travaux et devoirs de LSI

Pages

Cliford26/café-associatif

Café Associatif - Contact

Café Associatif

github.com/Cliford26/café-associatif/settings/pages

Général

Accéder

Collaborateurs

Options de modération

Code et automatisation

Succursales

Étiquettes

Règles

Actes

Modèles

Webhooks

Copilote

Environnements

Espaces de code

Pages

Sécurité et qualité

Pages GitHub

GitHub Pages est conçu pour héberger vos pages personnelles, d'organisation ou de projet issues d'un dépôt GitHub.

Construction et déploiement

Source

Déployer à partir d'une branche

Bifurquer

Votre site GitHub Pages est actuellement en cours de création à partir de la mainbranche. Apprenez-en davantage sur la configuration de la source de publication de votre site .

déploiement/préparation / (racine) Sauvegarder

Sélectionner une succursale

principal

déploiement/préparation

Kendy

Aucun

Retirer

Requis pour votre site car vous utilisez le domaine par défaut (cliford26.github.io)

github.com/Cliford26/café-associatif/settings/pages

Général

Accéder

Collaborateurs

Options de modération

Code et automatisation

Succursales

Étiquettes

Règles

Actes

Modèles

Webhooks

Copilote

Environnements

Espaces de code

Pages

Pages GitHub

GitHub Pages est conçu pour héberger vos pages personnelles, d'organisation ou de projet issues d'un dépôt GitHub.

Construction et déploiement

Source

Déployer à partir d'une branche

Bifurquer

Votre site GitHub Pages est actuellement en cours de création à partir de la mainbranche. Apprenez-en davantage sur la configuration de la source de publication de votre site .

déploiement/préparation / (racine) Sauvegarder

Apprenez comment ajouter un thème .

Domaine personnalisé


Les domaines personnalisés vous permettent de publier votre site sur un domaine autre que cliford26.github.io. En savoir plus sur la configuration des domaines

Sélectionner un dossier

/ (racine)


/docs

Bichotte observe en direct .



Étape 2.3 : Communication de l'URL


Bichotte teste immédiatement l'URL sur son navigateur.




Mise à jour collaborative du site en ligne

Scénario : Ajouter une nouvelle section "Événements"


Étape 4.1 : Répartition des tâches



Le HTML de Clifford



Le CSS de Bichotte



The image shows a screenshot of a Visual Studio Code editor window. The Explorer panel on the left shows a project named 'CAFE-ASSOCIATIF' with a 'css' folder containing 'style.css', 'contact.html', 'menu.html', and 'README.md'. The main editor area displays the 'style.css' file, which contains CSS rules for styling a website. The code is as follows:

```
57 }
58
59 /* Section Événements */
60 .evenements {
61     padding: 40px;
62     background-color: #fff7ec;
63 }
64
65 .evenements h2 {
66     text-align: center;
67     margin-bottom: 30px;
68 }
69
70 .event-card {
71     background-color: #ffffff;
72     border: 1px solid #e0d2c2;
73     border-radius: 8px;
74     padding: 20px;
75     margin: 0 auto 20px auto;
76     max-width: 700px;
77     box-shadow: 0 2px 4px rgba(0,0,0,0.05);
78 }
79
80 .event-card h3 {
81     margin-top: 0;
82     color: #5a3b25;
83 }
84
85 .event-date {
86     font-weight: bold;
87     color: #b36b2c;
88     margin-bottom: 10px;
```

The status bar at the bottom indicates the current line is 88, column 2, with 4 spaces, UTF-8 encoding, CRLF line endings, and the CSS file type. It also shows the Prettier formatter is active and the port is 5500.

Étape 4.2 : Travail en parallèle (Travail de Cliford)

```
MINGW64:/c/Users/User/Desktop/cafe-associatif
* [new branch]      deploy/preparation -> deploy/preparation

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (deploy/preparation)
$ git checkout main
M      README.md
M      index.html
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (main)
$ git pull
remote: Enumerating objects: 20, done.
remote: Counting objects: 100% (20/20), done.
remote: Compressing objects: 100% (18/18), done.
remote: Total 20 (delta 1), reused 20 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (20/20), 3.51 MiB | 2.95 MiB/s, done.
From https://github.com/Cliford26/cafe-associatif
* [new branch]      kendy      -> origin/kendy
Already up to date.

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (main)
$ git checkout -b feature/events-html
Switched to a new branch 'feature/events-html'

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (feature/events-html)
$ git add index.html

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (feature/events-html)
$ git commit -m "Ajout structure HTML section événements"
[feature/events-html 79d331d] Ajout structure HTML section événements
1 file changed, 44 insertions(+)

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (feature/events-html)
$ git push origin feature/events-html
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 963 bytes | 963.00 KiB/s, done.
```

Travail de Bichotte

```
$ git checkout main
M    css/style.css
M    index.html
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

afjfe@DESKTOP-39867QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (main)
$ git pull
Already up to date.

afjfe@DESKTOP-39867QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (main)
$ git checkout -b feature/events-css
Switched to a new branch 'feature/events-css'

afjfe@DESKTOP-39867QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (feature/events-css)
$ git add css/style.css


afjfe@DESKTOP-39867QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (feature/events-css)
$ git commit -m "Ajout style section événements"
[feature/events-css c4709cd] Ajout style section événements
1 file changed, 32 insertions(+)

afjfe@DESKTOP-39867QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (feature/events-css)
$ git push origin feature/events-css
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 640 bytes | 640.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'feature/events-css' on GitHub by visiting:
remote:   https://github.com/Cliford26/cafe-associatif/pull/new/feature/events-css
remote:
To github.com:Cliford26/cafe-associatif.git
 * [new branch]      feature/events-css -> feature/events-css

afjfe@DESKTOP-39867QH MINGW64 ~/desktop/Atelier Informatique/cafe-associatif (feature/events-css)
$ |
```

Étape 4.3 : Pull Requests et fusion

Travail de Cliford



The screenshot shows a web browser window with multiple tabs. The active tab is 'Pull requests - Cliford26/'. The address bar shows 'github.com/Cliford26/cafe-associatif/pulls'. The page header includes the repository name 'Cliford26 / cafe-associatif' and a search bar. The main content area displays a pull request for 'feature/events-css' with a 'Compare & pull request' button. Below this, there is a 'Welcome to pull requests!' message and a 'New pull request' button. The page also shows a 'Label issues and pull requests for new contributors' notification.

Travaux et devoirs de LSI x Pages x Comparing main...feature x Café Associatif - Contact x Café Associatif x + -

github.com/Cliford26/cafe-associatif/compare/main...feature/events-html

Cliford26 / cafe-associatif

Code Issues Pull requests Actions Projects Wiki Security and quality Insights Settings

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base: main ← compare: feature/events-html ✓ **Able to merge.** These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#) **Create pull request**

1 commit 1 file changed 1 contributor

Commits on Apr 16, 2026

Ajout structure HTML section événements 79d331d <>
Cliford26 committed 8 minutes ago

Showing 1 changed file with 44 additions and 0 deletions. Split Unified

index.html

```
... @@ -0,0 +1,44 @@
```

Travaux et devoirs de LSI x Pages x Comparing main...feature x Café Associatif - Contact x Café Associatif x + -

github.com/Cliford26/cafe-associatif/compare/main...feature/events-html

Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#). [Learn more about diff comparisons here](#).

base: main ← compare: feature/events-html ✓ **Able to merge.** These branches can be automatically merged.

Add a title *
Ajout structure HTML section événements

Add a description

Write Preview H B I

Add your description here...

Markdown is supported Paste, drop, or click to add files

Reviewers
No reviews

Assignees
No one—[assign yourself](#)

Labels
None yet

Projects
None yet

Milestone
No milestone

Development
Use [Closing keywords](#) in the description to automatically close issues

Structure d'ajout Section HTML événements # 2

Cliford26 souhaite fusionner 1 commit dans principal depuis fonctionnalité/événements-html

Conversation 0 Engagements 1 Vérifications 0 Fichiers modifiés 1

Cliford26 commenté maintenant

Aucune description fournie.

Ajout structure HTML section événements

Cette branche n'a pas été déployée

Vérification de la possibilité de fusionner automatiquement...

Merging can be performed automatically.

Fusionner la demande d'extraction

Vous pouvez également combiner cela avec la ligne de commande. Consultez les instructions de la ligne de commande.

Évaluateurs

Aucun avis

Toujours en cours ? Convertir en brouillon

Cessionnaires

Personne-assignez-vous

Étiquettes

Aucun pour l'instant

Projets

Aucun pour l'instant

Jalon

Aucun jalon

Développement

Travail de Bichotte

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base: main compare: feature/events-css

✓ Able to merge. These branches can be automatically merged.

Discuss and review the changes in this comparison with others. [Learn about pull requests](#)

Create pull request

1 commit 1 file changed 1 contributor

Commits on Apr 16, 2026

Ajout style section événements

kendybichotte committed 7 minutes ago

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#). [Learn more about diff comparisons here](#).

 Ramamkar contributions to this repository should follow our [GitHub Community Guidelines](#)

Cliford26 / cafe-associatif

<> Code Issues **Pull requests 1** Agents Actions Projects Wiki Security and quality Insights Settings

Ajout style section événements #1

 Open [kendybichotte](#) wants to merge 1 commit into [main](#) from [feature/events-css](#) 

Conversation 0 Commits 1 Checks 0 Files changed 1 +32 

 [kendybichotte](#) commented [now](#) Collaborator ...

No description provided.



 [Ajout style section événements](#) c4709cd

 This branch has not been deployed
No deployments

 **No conflicts with base branch**
Merging can be performed automatically.

 Merge pull request You can also merge this with the command line. [View command line instructions.](#)

Still in progress? [Convert to draft](#)

Reviews 

Suggestions

 [Cliford26](#) [Request](#)

Still in progress? [Convert to draft](#)

Assignees 

No one—[assign yourself](#)

Labels 

None yet

Projects 

None yet

Milestone 

No milestone

Development 

Successfully merging this pull request may close these issues.

Les deux PR sont fusionnées

The screenshot shows the GitHub interface for the repository 'Cliford26 / cafe-associatif'. At the top, there's a navigation bar with links to Code, Issues, Pull requests (1), Agents, Actions, Projects, Wiki, Security and quality, Insights, and Settings. Below this, a banner message states: 'Label issues and pull requests for new contributors. Now, GitHub will help potential first-time contributors discover issues labeled with good first issue.' Below the banner, there's a filters section with a search bar containing 'is:pr is:open', a 'Labels' button with 9 labels, a 'Milestones' button with 0 milestones, and a 'New pull request' button. The pull requests list shows two open pull requests: 'Ajout structure HTML section événements #2' opened 5 minutes ago by Cliford26 (Owner), and 'Ajout style section événements #1' opened 5 minutes ago by kandybichotte (Collaborator). At the bottom, there's a 'ProTip!' message: 'Updated in the last three days: updated>2026-04-13.'

Pour Cliford

The screenshot shows the GitHub pull request page for 'Ajout structure HTML section événements #2'. The pull request is open, showing a commit from 'Cliford26' merged into 'main' from 'feature/events-html'. Below the commit, there's a message: 'This branch has not been deployed. No deployments.' Below this, there's a message: 'Pull request successfully merged and closed. You're all set — the feature/events-html branch can be safely deleted.' Below this, there's a 'Add a comment' section with a text area and a 'Comment' button. On the right side, there's a sidebar with various settings: 'None yet' for Projects, 'None yet' for Milestone, 'No milestone' for Development, 'Successfully merging this pull request may close these issues.', 'None yet' for Notifications, 'Unsubscribe' button, '1 participant', and 'Lock conversation'.

Pour Bichotte

Merged

Ajout style section événements #1

kendybichotte merged 1 commit into `main` from `feature/events-css`

🔍

Ajout style section événements

c4789cd

🔗

kendybichotte merged commit e6ae2c3 into `main` now

Revert

🚀

This branch has not been deployed

No deployments

🔗

Pull request successfully merged and closed

You're all set — the `feature/events-css` branch can be safely deleted.

Delete branch

Add a comment

Write

Preview

H B I

Add your comment here...

📄 Markdown is supported

📎 Paste, drop, or click to add files

Comment

📌 Remember, contributions to this repository should follow our [GitHub Community Guidelines](#).

💡 ProTip! Add `.patch` or `.diff` to the end of URLs for Git's plaintext views.

Still in progress? [Convert to draft](#)

Assignees

No one — [assign yourself](#)

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Customize

🔔 Unsubscribe

You're receiving notifications because you modified the open/close state.

1 participant

🔒 Lock conversation

Étape 4.4 : Mise à jour du site en ligne

Travail de Clifford


```
CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (feature/events-html)
$ git checkout main
M      README.md
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (main)
$ git pull origin main
remote: Enumerating objects: 13, done.
remote: Counting objects: 100% (11/11), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 7 (delta 3), reused 4 (delta 2), pack-reused 0 (from 0)
Unpacking objects: 100% (7/7), 2.45 KiB | 61.00 KiB/s, done.
From https://github.com/Cliford26/cafe-associatif
* branch            main          -> FETCH_HEAD
   cd6949a..e6ae2c3  main          -> origin/main
Updating cd6949a..e6ae2c3
Fast-forward
 css/style.css | 32 +++++++++++++++++++++++++++++++++++++
 index.html    | 44 +++++++++++++++++++++++++++++++++++++
 2 files changed, 76 insertions(+)
```

CLIF.MULTI-SERVICES@CLIF-MULTI-SERVICES-26 MINGW64 ~/Desktop/cafe-associatif (main)


\$ |

Travail de Bichotte




Après le déploiement : Comprendre et utiliser l'onglet Actions


Pour Clifford dans Action



Pour Bichotte dans Action



Analyse



Café Associatif

Accueil Menu Contact

Bienvenue au Café Associatif, un lieu chaleureux et convivial !



Événements à venir

Soirée Jeux de Société

Vendredi 24 avril, 19h00

Venez partager un moment convivial autour de jeux de société pour tous les âges.

Atelier d'Écriture

Samedi 2 mai, 15h00

Un atelier pour libérer votre créativité et échanger avec d'autres passionnés.

Projection – Ciné Débat

Dimanche 10 mai, 17h00

Projection d'un film suivie d'un échange autour des thèmes abordés.

