

Index Number.....

Signature.....



CHRISTIAN SERVICE UNIVERSITY COLLEGE

KUMASI, GHANA

FACULTY OF HEALTH AND APPLIED SCIENCE

DEPARTMENT OF NURSING AND MIDWIFERY

BACHELOR OF SCIENCE IN NURSING

END OF FIRST SEMESTER EXAMINATION -2021/2022 ACADEMIC YEAR

LEVEL 300

NURC 325: PAEDIATRIC NURSING

January, 2022

40 Marks

Time allowed: 30 Minutes

GENERAL INSTRUCTION TO CANDIDATES

- Answer **ALL** the following questions
- Circle the correct answer
- Write your index number on the space provided at the top of the paper

1. An infant should be able to hold its head erect at
 - A. 1 month
 - B. 2 months
 - ☒ C. 3 months
 - D. 4 months
2. Permanent dentition begins at/around what age (in years)?
 - A. 2
 - B. 4
 - ☒ C. 6
 - D. 5
3. If a child develops a reaction during blood transfusion the nurse should
 - A. call the paediatrician
 - B. relieve the symptoms with drugs
 - ☒ C. slow the flow rate
 - D. stop the blood immediately
4. Kodjo who has tetralogy of Fallot usually squats when he is dyspnoeic. The squatting relieves the symptom by
 - A. allowing maximal chest expansion and oxygenation
 - B. delaying venous return to the heart
 - C. increasing the production of red blood cells
 - ☒ D. increasing venous return to the chest
5. In the post-operative care of the infant with a cleft lip, the nurse should:
 - ☒ A. restrain the arms to prevent the infant from injuring the operative site
 - B. feed baby with a regular bottle
 - C. hold baby as little as possible
 - D. position baby on his abdomen
6. The nurse caring for the child with hydrocephalus should know that hydrocephalus is due to:
 - A. a blockage in the cerebral arteries
 - ☒ B. a blockage that prevents proper circulation of cerebrospinal fluid
 - C. an absence of the dura mater
 - D. an increase amount of cerebrospinal fluid proteins
7. When caring for premature infants, the nurse must always remember that premature infants.....
 - A. almost always develop cerebral palsy
 - B. are able to manufacture their own antibodies
 - ☒ C. have not received antibody protection from their mothers and are vulnerable to infections
 - D. require respiratory assistance with a ventilator
8. Which of these is an early complication of meningitis?
 - ☒ A. cerebral oedema
 - B. deafness
 - C. hydrocephalus
 - D. paralysis
9. In measles infection, on which day does the rash appear?
 - A. 1
 - B. 2
 - ☒ C. 3
 - D. 4
10. Congenital Talipes Equinovarus is a term used to denote:
 - ☒ A. congenital clubfoot
 - B. congenital myelomeningocele
 - C. spina bifida
 - D. congenital hip dislocation

11. Which one of the following would you consider abnormal for a baby aged 3 months?
- A. attempt to roll over
 - B. holds rattle
 - C. physically very active
 - ☒ D. unable to raise his head off a flat surface
12. The following primitive reflexes are all present at birth in the neonate **EXCEPT**:
- A. rooting reflex
 - B. sucking reflex
 - C. stepping reflex
 - ☒ D. walking reflex
13. The principles of caring for children in the hospital include:
- i. answering children's questions honestly
 - ii. changing the children's usual routine as little as possible
 - iii. disguising their drugs so that they do not know that they are drugs
 - iv. making their environment as pleasant as the ward permits
- A. i, ii and iii
 - ☒ B. i, ii and iv
 - C. i, iii and iv
 - D. i, ii, iii, and iv
14. Which of the followings are the reasons for studying child development?
- i. advice parents on child care
 - ii. advise father on his role in the house
 - iii. assist in developing care appropriate to age
- iv. know what to expect at any age
- A. i, and ii
 - B. i, ii, and iii
 - ☒ C. i, iii, and iv
 - D. i, ii, iii and iv
15. Human milk is preferable to cow's milk because:
- A. human milk has a non-laxative effect
 - B. human milk has more calories per ounce
 - C. human milk has greater mineral content
 - ☒ D. human milk offers greater immunologic benefits
16. Another name for trisomy 21 is:
- A. phenylketonuria
 - B. turner's syndrome
 - ☒ C. down syndrome
 - D. galactosemia
17. Separation anxiety would be most expected in the hospitalized child at age:
- A. 3 to 6 months
 - ☒ B. 16 to 30 months
 - C. 30 months to 2 years
 - D. 2 to 4 years
18. Preparation for hospitalization reduces stress in which of the following age group?
- A. infancy
 - B. toddlerhood
 - C. preschool
 - ☒ D. all the above
19. Which of the following condition (s) involves narrowing of the outlet of the stomach?
- ☒ A. pylorus stenosis
 - B. pyloroplasty
 - C. hirschsprung's disease
 - D. pyloric hypertrophy

20. Which of the following will indicate that a child with measles is developing bronchopneumonia
- A. increased pulse rate
 - ☒ B. increased respiration
 - C. redness of eyes
 - D. wheezing respiration
21. The growth chart of a year old has been static for three consecutive times, this may be caused by
- A. anaemia
 - B. childhood infections
 - C. dehydration
 - ☒ D. marasmus
22. Nursing care for a child with tetanus should be primarily directed towards
- A. carefully recording urinary output
 - ☒ B. decreasing external stimuli
 - C. encouraging copious fluids
 - D. maintaining body alignment
23. The stool of a 2 year old with hirschsprung's disease can be described as
- A. cord like
 - B. large anal
 - ☒ C. ribbon-like
 - D. small hard pebbles
24. The urine output of a neonate with imperforate anus is assessed for which of the following?
- A. Acetone
 - B. Bile
 - ☒ C. Blood
 - D. Meconium
25. The vomitus in pyloric stenosis is not bile stained because
- A. The bile duct is obstructed
 - ☒ B. The obstruction is above the opening of the common bile duct
 - C. The obstruction of the cardiac sphincter prevents bile from entering the oesophagus
 - D. The sphincter of the bile duct is connected to the hypertrophied pyloric muscle
26. Enemas are ordered preoperatively to cleanse the bowel. Which is the best solution to use for a child who has been admitted for surgery to correct a congenital mega colon?
- A. Hypertonic saline
 - ☒ B. Isotonic saline
 - C. Soap suds
 - D. Tape water
27. All parents of children with the following conditions will need counselling **EXCEPT**:
- A. Down syndrome
 - B. Glucose 6 phosphate dehydrogenase deficiency
 - C. Haemophilia
 - ☒ D. ABO incompatibility
28. Which of the following disease has Jane developed showing reddened rash on the cheeks which later involved the arm flexures, legs and groin?
- ☒ A. Eczema
 - B. Impetigo
 - C. Psoriasis
 - D. Scabies
29. An infant turns towards the stimulus and opens the mouth when the cheek is touched. This reflex is called?
- A. Babinsky
 - B. Moro
 - ☒ C. Rooting
 - D. Suckling

30. Which of the following is an early complication of meningitis?
☒ A. Cerebral oedema
B. Deafness
C. Hydrocephalus
D. Paralysis
31. Kerning's sign is a characteristic sign of
A. Brain tumour
B. Cerebral palsy
☒ C. Meningitis
D. Osteomyelitis
32. When developing the pre-operative care plan for an infant with Hirschsprung's Disease, the nurse is expected to include
A. Administration of soap enema
B. Insertion of gastrostomy
☒ C. Restriction of oral intake
D. Using povidine iodine solution to prepare the perineum
33. Which of the following set of symptoms will indicate that a child is suffering from meningitis?
A. Fever, headache, vomiting, spasms
☒ B. Fever, headache, trismus, opisthotonus
C. Fever, headache, trismus, spasms
D. Photophobia, trismus, headache, opisthotonus
34. The largest body part in the infant is
☒ A. Head
B. Neck
C. Pelvic area
D. Trunk
35. For children younger than 2 years, which of the following is used to measure the pulse rate?
☒ A. Apical pulse
B. Brachial pulse
C. Distal pulse
D. Radical pulse
36. Baby Kwame has eyes with widest position, upward slant and thick epicanthal folds. This is suggestive of
☒ A. Down syndrome
B. Hypothyroidism
C. Mallory Weiss syndrome
D. Post maturity
37. Prevention of neonatal tetanus include;
i. Allowing cord to dry b dry gangrene
ii. Cutting cord with clean blade
iii. Using antibiotic powder on the cord
iv. Using aseptic technique in dressing cord
A. I and II
B. I and IV
C. II and III
☒ D. I, II, III and IV
38. Children with burns should receive a tetanus booster immunization if they have not received a booster in the last..... years.
A. 2
B. 4
☒ C. 5
D. 7
39. The following conditions are all neurological disorders in infants EXCEPT:
☒ A. Exomphalus
B. Hydrocephalus
C. Myelomeningocele
D. Spina bifida occulta
40. The main purpose of placing a urethral catheter after surgical repair of hypospadias is to.....
A. decrease pain at the surgical site
☒ B. keep the new urethra from closing
C. measure urine correctly
D. prevent bladder spasm