

1. A paediatrician notices that a 2-year-old child has a BMI significantly above the healthy range. What steps should the paediatrician take to address this issue?

- a. Refer the child to a nutritionist immediately
- b. Suggest the parents not worry about it
- c. Recommend a strict diet plan
- d. Assess the child's dietary habits and activity level

Answer: d. Assess the child's dietary habits and activity level

2. 2-year-old child is brought in for a growth assessment. How would the nurse differentiate between a child with normal height and one with stunted growth?

- a. Using family history as the main determinant
- b. Measuring the child's weight and head circumference
- c. Observing the child's ability to walk and talk
- d. By comparing the child's length to the standard growth chart for age

Answer: d. By comparing the child's length to the standard growth chart for age

3. A 4-month-old infant is brought in for a check-up. If the infant's birth weight was 3.0 kg, what would the nurse expect the infant's weight to be at this visit, assuming normal growth?

- a. 12.0 kg b. 9.0 kg c. 6.0 kg d. 4.5 kg

Answer: c. 6.0 kg

4. What age should solid foods be introduced to an infant alongside breast milk or formula?

- a. 12 months b. 6 months c. 4 months d. 3 months

Answer: b. 6 months

5. Which benefit is associated with colostrum specifically?

- a. It helps the baby sleep better
- b. It provides unnecessary calories
- c. It acts as a laxative to assist in passing meconium
- d. It increases the risk of gastrointestinal infections

Answer: c. It acts as a laxative to assist in passing meconium

6. A child starts to use simple sentences and can identify common objects. What developmental milestone is this child achieving?

- a. Personal and social development b. Fine motor skills c. Gross motor skills
- d. Speech and language development

Answer: d. Speech and language development

7. A 38-year-old mother gives birth to a baby with a low birth weight. Which of the following factors could explain this outcome?

- a. Fetal position b. Maternal age c. Preterm birth d. Hereditary factors

Answer: c. Preterm birth

8. A lactation consultant explains the importance of milk volume increase during the transition from colostrum to transitional milk. What reason does she give?

- a. It helps to prevent the baby from crying
- b. It has no significant impact on the baby
- c. It reduces the mother's milk supply
- d. It meets the baby's growing appetite

Answer: d. It meets the baby's growing appetite

9. A parent notices their child can stack blocks and manipulate small objects with ease. Which aspect of development is this child demonstrating?

- a. Fine motor development b. Vision development c. Gross motor development d. Speech and language development

Answer: a. Fine motor development

10. A paediatrician is educating parents about the importance of breastfeeding. What is one critical immune benefit of breastfeeding that they should highlight?

- a. Breastfeeding reduces the need for medical check-ups
b. Formula is just as effective as breast milk for immune support
c. Breastfeeding is unnecessary if the baby is healthy
d. Breast milk provides antibodies that help protect against infections

Answer: d. Breast milk provides antibodies that help protect against infections

FILL IN THE SPACES

41. _____ is the first milk produced after birth, _____ proteins, immunoglobulins and lower in fat. It provides essential nutrients and immune protection to newborns.

Answer: Colostrum, rich in

42. Transitional milk occurs for about _____ postpartum.

Answer: 2 weeks

43. _____ fat and lactose content as the milk transitions from _____ to _____.

Answer: increasing, colostrum, mature milk

44. The _____ milk produced after the transitional phase is called _____ milk.

Answer: final, mature

45. The first milk produced after birth is called _____.

Answer: colostrum

46. The milk produced from day 4–14 postpartum is called _____ milk.

Answer: transitional

47. The process of milk production is called _____.

Answer: lactogenesis

48. The hormone responsible for milk ejection (let-down reflex) is _____.

Answer: oxytocin

49. The colour of colostrum is _____.

Answer: yellowish

50. The fat content of mature milk is _____ than colostrum.

Answer: higher

51. The protein content of mature milk is _____ than colostrum.

Answer: lower

52. The main carbohydrate in breast milk is _____.

Answer: lactose

53. The milk produced after the transitional phase is called _____ milk.

Answer: mature

54. Breast milk (especially colostrum) is a rich source of _____ A.

Answer: vitamin

55. Breast milk provides _____ that help protect against infections.

Answer: antibodies

56. Colostrum has a _____ effect.

Answer: laxative

57. Colostrum helps the baby pass _____.

Answer: meconium

TRUE/FALSE

58. The weight of a newborn should be recorded to the nearest 0.5 kg.

Answer: FALSE (correct is to the nearest 0.01 kg or 10 g)

59. Breastfeeding is recommended for at least 6 months.

Answer: TRUE (exclusive breastfeeding for first 6 months)

60. Solid foods should be introduced to infants at 4 months.

Answer: FALSE (recommended at about 6 months)

61. Colostrum is the first milk produced after birth.

Answer: TRUE

MULTIPLE CHOICE (continued)

62–77 series (corrected answers)

62. Mixed feeding

63. Commercial infant formula

64. 6 months

65. First 6 months (exclusive)

66. Desired by mother and child

67. Commercial infant formula

68. Optimal nutritional profile

69. Complementary feeding

70. Commercial formula (homemade is NOT recommended)

71. Breastfeeding

72. Formula feeding

73. Exclusive up to 6 months; continue up to 2 years or beyond

74. Complementary feeding

75–77. Benefits include bonding, reduced risk of breast/ovarian cancer, weight loss for mother, etc.

78. How many weeks does it take for the mother's milk to come in after giving birth?

Answer: c. 1 to 2 weeks (mature milk established around 2 weeks)

79. Average birth weight of a newborn baby?

Answer: c. 3.5 kg (commonly accepted average range 2.5–4.0 kg, most sources use 3.0–3.5 kg)

80. By what age does a baby usually double its birth weight?

Answer: b. 6 months (doubles by 5–6 months, triples by 1 year)

81. Approximate composition of mature breast milk (per 100 mL)

Answer: Protein 1.1 g, Fat 3.8–4.2 g, Carbohydrate (lactose) 7 g, Minerals 0.2 g, Water ≈87–88 %

82. Is breast milk a complete food for the first 6 months?

Answer: TRUE

83. Three main types of infant feeding?

Answer: Exclusive breastfeeding, formula feeding, mixed feeding

84. Alternative feeding methods when breastfeeding not possible?

Answer: Cup feeding, spoon feeding, tube (NG) feeding

85. Percentage of water in breast milk?

Answer: 87–88 %

86. What to do when baby has hiccoughs?

Answer: Offer a feed, burp the baby, or hold upright; usually harmless and self-resolve

87. Hormone responsible for milk secretion/production?

Answer: a. prolactin

88. Hormones produced by which part of pituitary?

Answer: b. anterior pituitary (prolactin) & posterior (oxytocin)

89. Hormones involved in initiation & maintenance of lactation?

Answer: b. prolactin and oxytocin