

15. A community health nurse is evaluating children for potential malnutrition. Which measurement would most accurately indicate if a child is stunted?

- a. Height-for-age
- b. Weight-for-age
- c. Mid-upper arm circumference
- d. Head circumference

16. What stage of development are certain growth and developmental changes considered most critical?

a. The first 10 to 12 weeks after conception

b. After the age of 20

c. During the first year of life

e. During adolescence

17. What stage of development are certain growth and developmental changes considered most critical?

a. The first 10 to 12 weeks after conception

b. After the age of 20

c. During the first year of life

d. During adolescence

18. A nurse is providing education on the transition from colostrum to transitional milk. What key point should she emphasize about this transition?

a. It involves an increase in fat and lactose to support the growing baby.

b. The baby should be exclusively fed colostrum until one month old.

c. It has no effect on the baby's health or growth.

d. It occurs abruptly without warning.

17. During a breastfeeding consultation, a nurse discusses the nutritional needs of a growing baby. What significant change occurs in breast milk composition as the baby develops?

a. The composition remains constant throughout breastfeeding.

b. The fat content remains unchanged.

c. The composition shifts to accommodate the growing baby's nutritional needs.

d. The protein content decreases drastically.

19. A teacher observes that a 4-year-old child plays well with others but sometimes struggles with sharing toys. What field of development does this situation illustrate?

a. Gross motor development

b. Hearing and speech development

c. Vision and fine motor development

d. Personal and social development

20. What stage can children typically perform actions like rolling over before they can grasp objects?

a. Adolescence

b. Infancy

c. Toddler stage

d. Early childhood

21. Child born to tall parents is noted to have significantly shorter height than expected.
Which factor could best explain the discrepancy

a. Growth hormone deficiency

b. The child's race

c. The child's sex

d. Parental genetics

22. During a breastfeeding class, a lactation consultant explains the role of immunoglobulins in breast milk. What is the significance of IgA in newborn health?

- a. It promotes the growth of bacteria.
- b. It aids in digestion.
- c. It provides protection against infections.
- d. It has no effect on immune function.

23. Healthcare provider explains that development includes both behavioural changes and skills acquired through environmental interactions. Which of the following best exemplifies this?

a. A child developing a liking for certain foods

b. A child learning to run after watching peers

24. A full-term infant weighs 2.5 kg at birth. Which factor might explain the lower-than-average birth weight?

a. Proper prenatal care

b. Hereditary predisposition

c. Maternal age of 20 years

d. Full-term pregnancy

25. Breastfeeding counsellor advises a mother on the importance of feeding her newborn colostrum. Which physiological role of colostrum should the counsellor highlight?

a. It has no significant impact on the baby's health.

b. It serves as a primary source of carbohydrates.

c. It is solely for hydration purposes.