

c. It helps in promoting the evacuation of meconium.

d. It contains high levels of fat for energy.

37. Health professional is giving a talk on the significance of monitoring BMI in children over 1 year of age. What key message should they communicate regarding early intervention?

a. Individual variations in BMI make it an unreliable measure.

b. BMI is only relevant during adolescence.

c. Early detection can help identify weight-related health issues.

d. Growth assessments are unnecessary for seemingly healthy children.

38. A child is able to identify colours and shapes during playtime. This ability reflects growth in which field of development?

a. Personal and social development

b. Speech and language development

c. Fine motor development

d. Vision development

39. A 3-year-old child is being assessed for stunted growth. The nurse notices the child's height is below the expected range for their age. Which factor would the nurse consider most likely when assessing the cause?

a. Family history of short stature

b. The child's activity level

c. Malnutrition or chronic illness

d. Rapid growth during infancy

A paediatrician is educated that41.....is the first milk produced after birth,.....42..... proeteins,immunoglobulins and lower in fat.it provides essential nutrients and immune protection to newborns.

Transitional milk occurs for about43.....postpartum.with44..... fat and lactose content as the milk transitions from45..... To46.....

Mature milk fully develop by about47.....postpartum containing a.....48..... Of nutrients and immune factors that continue to support the infants growth and development.

41.fore milk, first milk,white milk, colostrum

42.poor in,rich in stable, no.

43. 2 weeks ,6 days,12 days, and 3 days

44. stable ,increasing, decreasing, and no

45. fore milk ,white milk, colostrum ,meconium

46. colostrum ,mature, transitional, and hind milk

47. 14 days, 7 days,4 to 10 days ,3 days

48. unstable, stable, increase and adequate

Colostrum is a.....49..... watery fluid,which has a50..... Proteins,.....54.....
and mineral content and a.....51..... fat and52..... content than
.....53.....

49. golden, yellowish , creamy, white

50. Higher, stable, moderate, lower

51.higher, lower, stable and moderate

52. proteins, dairy,carbohydrate and water

53. mature milk, transitional milk,breast milk and colostrum.

54. vitamin A,vitamin D, vitamin C, vitamin B

It contains.....55..... that may play a part in the immune mechanism of the newborn. Its56..... effects helps promote evacuation of the57..... from the infants bowel.

55. white blood cells, killer cells , antibodies,antigens

56. peristaltic effect, bowel effect, laxative effect, meconium effect

57. colostrum, urine,meconium, fats

STATE WHETHER TRUE/FALSE, IF NO ADD THE CORRECT ANSWERS

58. Record weight to the nearest.....3kg TRUE/FALSE.....

59. Thank the mother and child after the weighing process. TRUE/FALSE.....

60. Let the mother dress up her own child TRUE/FALSE.....

61. Always give advice on nutrition

True/false

.....62..... involves combining breastfeeding with other sources of nutrition, such as63..... or64..... it can occur for various reasons, including insufficient milk supply, mothers return to work, or personal choice.

62. exclusive breastfeeding, multiple

Breastfeeding, partial breast feeding, mixed feeding.

63. supplements, formulas, supplants and cereals

64. mashed foods, finger foods, solid forms

Extended breastfeeding is the practice of breastfeeding beyond the65..... continuing as long as66.....

.....67..... prepared formulas designed to mimic breast milks
.....68..... Formula can be a sole source of food nutrition or used as
.....69..... Breastfeeding

.....70..... is not recommended due to nutritional imbalance and potential safety concerns, some caregivers can prepare theirs.

Combination feeding involves a combination of71..... and72..... This approach can be used for various reasons such as ensuring the infant receives enough nutrition, accommodating a mother's schedule, or transitioning from breastfeeding to formula

Introduction of solid foods around73..... months of age solid foods are introduced along side breast milk or formula. This stage, known as74..... includes offering pureed, mashed or finger foods. The goal is to gradually introduce a variety of75.....andto support dietary76.....

62. partial breastfeeding, extended breastfeeding, exclusive breastfeeding

63. formula, supplement, colostrum, mature

64. milky foods, solid foods, oral, bottlefeeding

65. 6 months, first year of birth, after 6 months,

66. desired by mother, starts walking, able to chew

67. Homemade infant formula, commercial infant feeding

68. nutritional colour, nutritional texture, nutritional profile,

69. formula feeding supplementary feeding

70. homemade, commercial formula

71. breastfeeding, mixed feeding, bottle feeding

72. breastfeeding, formula feeding

73. after 6 months, 6 months, after 1 year

74. mixed feeding, complementary, combination

75. profile, taste, texture

76. profile, texture, taste

77. diversity, texture, taste

78. the first After conception are critical

a. 10 to 12 weeks

b. 4 to 10 days

c. 9 days

d. 24 weeks

79. Average newborn weight is

80. birth weight usually by 5 to 6 months of age and triples by of age

81. Components of COLOSTRUM

Write in percentages

Breast milk

Protein

Fats

Carbohydrate

Mineral salts

Water

82. There will be a variation in these proportions not only among individual women but also in the same woman at different times of the day and even during one feed .