

INDEX NO.....CENTER.....

1. A main characteristic of population-based public health nursing practice is that it;
 - a. **Gives preference to primary prevention**
 - b. Gives preference to secondary prevention
 - c. Gives preference to Tertiary prevention
 - d. Considers multiple levels of prevention
2. Primary prevention refers to;
 - a. Easy diagnosis and prompt treatment
 - b. Limitation of disability
 - c. Rehabilitation
 - d. **Prevention of exposure to risk factors**
3. What measure should a pregnant woman undertake to protect the unborn child from tetanus?
 - a. Eat nourishing diet during pregnancy
 - b. Immunize with anti-tetanus serum during pregnancy
 - c. **Immunize with tetanol toxoid during pregnancy**
 - d. Prevent herself from nail prick during pregnancy
4. In establishing rapport during home visit, the nurse must do the following
 - i. Knock, enter and greet according to custom
 - ii. Introduce yourself and explain your mission of your visit
 - iii. Identity family needs
 - iv. Ask about the health of the family
 - a. i, ii and iii only
 - b. i, and iii only
 - c. ii ,iii and iv only
 - d. **i, ii and iv only**
5. Madam Grace Pokuaa is a regular CWC attendant. She visited your clinic with her 14-weeks old baby Akua. What immunization will baby Akua be due for?
 - a. 0PV 0,DPT/Hep B/Hib3/Rotarix2/yellow fever
 - b. 0PV 3,DPT/Hep B/BCG and Pneumococcal 3
 - c. 0PV 3,DPT/Hep B/Hib 3/Rotarix 3 and Pneumococcal 3
 - d. **0PV 3,DPT/Hep B/Hib 3, and Pneumococcal 3**

INDEX NO.....CENTER.....

6. A 2-month old infant was brought to the health center for immunization. During assessment, the infant's temperature registered at 38.1C which is the best course of action that you will take?
 - a. Advise the infant's mother to bring him back for immunization when he is well
 - b. Give paracetamol and wait for his fever to subside
 - c. Go ahead and give the infant the immunization**
 - d. Refer the infant to the physician for further assessment
7. The public health nurse is responsible for presenting the municipal health statistics using graphs and tables. To compare the frequency of the leading causes of mortality in the municipality, which graph will you prepare?
 - a. Bar**
 - b. Line
 - c. Pie
 - d. Scatter diagram
8. The family is known as the basic unit of society. Which of the following is a very important function performed by a family?
 - a. Acculturation
 - b. Identification
 - c. Socialization**
 - d. Stratification
9. The process whereby vaccines are kept in a potent state from the manufacturer to the consumer is referred to as:
 - a. Chain of command
 - b. Cold chain**
 - c. Food chain
 - d. Vaccination chain
10. The aim of childhood immunization is to protect the child from:
 - a. All childhood diseases**
 - b. Communicable diseases
 - c. Life threatening diseases
 - d. Specific childhood diseases
11. After exposure to an infection, the vaccine administered to the individual confers:
 - a. Active artificial immunity
 - b. Active natural immunity
 - c. Passive artificial immunity**
 - d. Passive natural immunity

INDEX NO.....CENTER.....

12. One of the factors which may demotivate mothers from patronizing a child welfare clinic is:
- Community durbar
 - Community mobilization
 - Home visits
 - d. Long waiting time**
13. After giving a vaccine you should do all of the following EXCEPT:
- Observe the recipient for immediate adverse reaction
 - b. Keep the recipient under observation for one hour**
 - Dispose of equipment used for vaccination in safety box
 - Keep accurate and accessible records on both the recipient and vaccine given
14. Which of the following is a benefit of community mobilization?
- Encourage community dispute
 - Encourage lust for power
 - Encourage resistance to change
 - d. Encourage sustainability of effort**
15. Madam Adwoa Diwon holds child welfare clinic daily at Medowo Health Centre. What type of clinic is this?
- Outreach
 - Satellite
 - Special
 - d. Static**
16. The mother of a two-year old boy told you that, her son has temper tantrums and demand for toys when they go to the market. The mother asks you for advice on how best she can handle these temper tantrums. What would you suggest to this mother?
- She should buy one toy for him anytime they visit the market
 - She should discipline the child immediately when he demands for toys
 - c. She should leave him at home whiles she goes to the market**
 - She should remain calm and ignore his tantrums
17. The first step in the community assessment process is to:
- a. Describe the population that comprises the community**
 - Elicit the community's perception of their strengths, problems and health influences
 - Gather and analyze existing /available information to identify health indicators
 - Identify all potential partners for assessment and planning

INDEX NO.....CENTER.....

18. Four-year old Akosua has chickenpox. The mother asks the nurse when Akosua can return to school. What is the best response that the nurse should give?
- a. **All the lesions must be completely gone before contact with others is assumed**
 - b. Within two to three weeks the itching should be under control and good
 - c. Akosua can return six days after the first lesions appear,because the crust will be informed.
 - d. Akosua must learn to cough with her mouth covered ,put tissues in the trash and wash her hands after touching her nose or mouth
19. The mother of a four –month old baby who had his second DPT/Hep 3/Hib immunization yesterday called you the nurse and reported that the baby has a temperature of 38.7 oC and hard reddened area on his thigh. The best interpretation of this data is the child
- a. Has developed a secondary infection
 - b. Is developing symptoms of the disease
 - c. **Is reacting normal to immunization**
 - d. May be allergic to the vaccine
20. Control of environmental hazards and protection against occupational hazards are all examples of
- a. Health promotion
 - b. **Primary prevention**
 - c. Secondary prevention
 - d. Tertiary prevention
21. Public health is the science and art ofdisease.....and.....health through the organized efforts of society.
- a. Controlling, protecting, maintaining
 - b. **Preventing, prolonging, promotion**
 - c. Prevent ,promotion ,prolonging
 - d. Treating, maintaining, protecting
22. The weakest link in the chain of infection that nurses can manipulate to prevent spread of infection and disease is the
- a. Infectious agent
 - b. **Mode of transmission**
 - c. Portal of entry
 - d. Susceptible host
23. Communicability of disease depends upon the availability of:
- a. Parasite
 - b. Pathogen
 - c. Reservoir
 - d. **Susceptible person**

INDEX NO.....CENTER.....

24. A person who has been in such association with an infected person or animal or a contaminated environment as to have had an opportunity to acquire the infection is a
- Carrier
 - Contact**
 - Vector
 - Vehicle
25. A baby is born at 39 weeks with petechial rash, low birth weight, hepatosplenomegaly and cataracts. This is due to infection acquired in utero. Which microorganism is likely to cause their clinical presentation?
- Cytomegalovirus
 - Rubella virus
 - Toxoplasma gondii
 - Treponema palladium**
26. River blindness is a chronicinfection
- Bacterial
 - Parasitic
 - Protozoan
 - Viral**
27. What sexually transmitted infection can be transmitted to a newborn during the birthing process?
- Trichomoniasis
 - Gonorrhea
 - Herpes
 - Syphilis**
28. The recommended site of administration of DPT/HepB/HIB in infants is
- Deltoid muscle
 - Forearm
 - Gluteal muscle
 - Lateral aspect of thigh**
29. A foreign substance that elicits an immune response is referred to as
- Antibody
 - Antigen**
 - Leucocytes
 - Phagocytes
30. Which of the following is true about BCG immunization?
- It is normally given into the lateral aspect of the arm at the level of the insertion of the deltoid muscle**
 - It must be administered subcutaneously
 - The correct dose for children is 0.5ml
 - The injection should be given with the needle bevel downwards

INDEX NO.....CENTER.....

31. Mr. Boateng a 60 year old has just retired and expresses concern of loneliness due to the loss of job and co-workers. Which response by the nurse is most therapeutic?
- a. But now you can finally relax and enjoy life
 - b. Do you know about the senior citizens club?**
 - c. Why don't you go into work and visit your old friends
 - d. You need to take a vacation
32. During a school health programme, you observed that 10-year old Akwesi Mensah had a circle of ring worm on his scalp so you asked some questions. Which of the environmental factors most likely contributed to his acquisition of ringworms
- a. He forgets to wash his hair sometimes and his mother has to remind him to do so
 - b. They have a kitten at home which stays out side during the day but comes in during the night to sleep near him**
 - c. He loaned his football to his friend kwame last week but has not gotten it back
 - d. he takes Trotro to and from school every day and likes to sit near the driver's mate sothey can talk about football
33. A nurse, planning a home visit to a mother who has a high risk infant knows that the visit will be more productive if scheduled when the:
- a. Husband is out of the home
 - b. Mother is feeding the infant
 - c. Nurse has time to spend with family**
 - d. Time is convenient for the family
34. Mr and Mrs Quansah visited the CWC with their new born who has an obvious physical defect. Which nursing intervention provides the most support to these parents?
- a. Discourage them from talking about their baby
 - b. Encourage them to express their concern**
 - c. Show them postoperative photographs of infants had similar defects
 - d. Tell them not to worry because the defect can be corrected
35. You were invited by parent teacher association (PTA) of Glory Preparatory school to give a talk on communicable disease .During the talk you reminded them that these disease are serious and that encephalitis can be a complication of one of the following;
- a. Pertussis
 - b. Poliomyelitis
 - c. Scarlet fever**
 - d. Varicella (chicken pox)

INDEX NO.....CENTER.....

36. A mother wants to know how to differentiate between measles(ruboala) and German measles (rubella).What characteristics feature of rebeola will your tell her?
- a. **A high fever and koplik spots**
 - b. A rash on the trunk with pruritus
 - c. Nausea, vomiting and abdominal cramps
 - d. Signs that are similar to those of a cold followed by rash
37. Home visiting is advantageous because it;
- a. **Ensures effective counseling in the home**
 - b. Help reduce reluctance of client to health education
 - c. Provide incentives to families
 - d. Reduce risk and problems in the home
38. The level of immunity achieved by a whole community or population is termed?
- a. Acquired immunity
 - b. Cross immunity
 - c. **Herd immunity**
 - d. Racial immunity
39. The immunity obtained when one causative organism provides immunity to a related organisms is:
- a. Acquired immunity
 - b. **Cross immunity**
 - c. Herd immunity
 - d. Racial immunity
40. The population of a community is needed for effective expanded programme on immunization (EPI) because it:
- a. **Gives the number of the vulnerable group**
 - b. Helps to know the children that have been immunized
 - c. Makes the demographic characteristics very simple
 - d. Tells the vaccines that are possible to loose potency
41. The adverse effect of BCG immunization includes
- a. **Abscess formation**
 - b. High body temperature
 - c. Pain at the site of injection
 - d. Swelling of the lymph nodes
42. A community can be identified by its
- a. Acquisition of land
 - b. Behavior change
 - c. **Demographic features**
 - d. Poverty levels

INDEX NO.....CENTER.....

43. Community mobilization is a process that:
- Changes the goals of the community
 - Focuses on communal activities
 - Motivates the community to take action**
 - Moves groups to come together
44. Report writing is essential in community work and it must includes
- Achievements and problems**
 - Meetings scheduled with community
 - Number of people in given program
 - Statistical arrangement for inventory
45. The following are components of the Primary Health Care concept EXCEPT:
- Community participation**
 - Equal allocation of service
 - Health education
 - Preventive services.
46. A mother is using oral Rehydration salt (ORS) in the management of diarrhea of her 3-year old child. She asked you what to do if her child vomits.
You will tell her to:
- Bring the child to the nearest hospital for further assessment
 - Bring the child to the health center for IV therapy
 - Bring the child to the health center for assessment by the physician
 - Let the child rest for 10 minutes then continue giving ORS more slowly.**
47. How can harmful socio-cultural practices be change in the community.
- Identify local leaders as focal persons
 - Collaborate with other agencies
 - Strengthen homevisiting activities
 - Threaten the people on the dangers
- i and ii only
 - ii and iv only
 - i,ii and iv
 - ii, iii and iv
48. An infection from this disease causing organism has no specific cures:
- Bacteria
 - Protozoa
 - Fungi
 - Virus**

INDEX NO.....CENTER.....

49. The determinants of health include all of the following EXCEPT:
- a. Access to health care service
 - b. Food, water, and air
 - c. Personal coping skills
 - d. Private health insurance**
50. Which of the following is defined as an intervention through which the community health nurse assists individuals, families, groups, organizations, and /or communities to utilize necessary resources available to prevent or resolve problems or concerns?
- a. Case management
 - b. Collaboration
 - c. Policy development
 - d. Referral and follow up
51. Which of the following interventions involves an interpersonal relationship between the community health nurse and community, system, family, or individual intended to increase or enhance the capacity for self-care and coping?
- a. Case finding
 - b. Collaboration
 - c. Counseling
 - d. Outreach
52. When counseling the parents of children with anaemia related to diet, you will explain that there are several different nutrients involved. These nutrients include proteins ,iron, vitamin B12 and:
- a. Calcium
 - b. Folic acid**
 - c. Riboflavin
 - d. Thiamine
53. You are teaching mothers of children who have aneamia related to inadequate diet. Inaddition to iron ,which of the following nutrients are necessary for the synthesis of red blood cell(RBC)
- a. Calcium and vitamin A
 - b. Carbohydrates and thiamine
 - c. Protein and ascorbic acid**
 - d. Vitamin D and Ribloflavin
54. Which step in community organizing involves training of potential leaders in the community?
- a. community organizing
 - b. community study
 - c. core group formation**
 - d. Integration

INDEX NO.....CENTER.....

55. The major sign of iron deficiency anemia is pallor. What body part is best examined for pallor?
- Around the lips
 - Lower conjunctival sac**
 - Nailbeds
 - Palms
56. An indicator of success in community organizing is when people are able to;
- Identify the health problem as a common concern
 - Implement activities for the solution of the community problem
 - Participate in community activities for the solution of community problem**
 - Plan activities for the solution of the community problem
57. Isolation of child with measles belongs to what level of prevention?
- Intermediate
 - Primary
 - Secondary**
 - Tertiary
58. Which of the following is an advantage of a home visit?
- It allows sharing of experience among with similar health problems
 - It allows the nurse to provide nursing care to a greater number of people**
 - It develop the family's in providing for health needs of its members
 - It provides an opportunity to do first hand appraisal of the home situation
59. Primary health care is total approach to community development .which of the following is an indicator of success in the use of the primary health care approach:
- Health programs are sustained according to level of development of the community
 - Health services are provided free of charge to individuals and families
 - Health workers are able to provide care based on identified health needs of the people**
 - Local officials are empowered as the major decision makers in matters of health
60. The primary purpose of conducting an epidemiologic investigation is to
- Determine the aetiology of the epidemic**
 - Encourage cooperation and support of the country
 - Identify geographical location of cases of the disease in the community
 - Identify groups who are at risk of contracting the disease
61. Which of the following is not one of the pillar of regenerative health
- Drinking enough potable water
 - Getting enough rest and relaxation
 - Good nutrition
 - Periodic exercise**