

INDEX NO.....CENTER.....

62. The nurse should observe the autistic child for signs of:
- a. Crying for attention
 - b. Irresponsiveness and failure to bond with caretakers**
 - c. Loss of temper
 - d. Use of multiple non-verbal behavior
63. Echolalia and neologism are characteristics communication impairment found in one of these types of schizophrenia
- a. Catatonia**
 - b. Folie a deux
 - c. Simple schizophrenia
 - d. Paranoid
64. A parrot-like repetition of another's speech is
- a. Echolalia**
 - b. Echopraxia
 - c. Perseveration
 - d. Verbigeration
65. The use of jumble of words and phrases that lacks any comprehensive meaning or logical coherency is schizophrenia known as:
- a. Clang association
 - b. Loose association
 - c. Neologism**
 - d. Word salad
66. A thinking that is delayed and indirect in reaching a goal or getting to the point is block known as:
- a. Blocking of thought
 - b. Circumstantiality**
 - c. Tangentiality
 - d. Perseveration
67. Slow movement and little reactivity are signs of the psychomotor retardation common in which
68. Of these types of schizophrenia?
- a. Catatonia**
 - b. Hebephrenia
 - c. Paranoid
 - d. Residual type
69. A client who has been hospitalized with schizophrenia tells nurse "Everyone hates me". The best response by the nurse would be
- a. Everyone does not hate you
 - b. Tell me more about this**
 - c. That feeling is part of your illness
 - d. You may be doing something to promote this feeling

70. One of the sexual deviations involving dressing in clothes appropriate to the opposite sex for the purpose of arousal is:
- a. Exhibitionism
 - b. Fetishism
 - c. Transsexualism
 - d. Transvertism**
71. The method of achieving sexual excitement by the use of non-human objects is:
- a. Aversion
 - b. Fetishism**
 - c. Frotteurism
 - d. Transverstic-festishism
72. The most prominent symptoms of korskoff's syndrome is:
- a. Ataxia
 - b. Confabulation**
 - c. Oculomotor difficulties
 - d. Recent Memory
73. The nurse should observe the autistic child for signs of;
- a. Crying for attention
 - b. Irresponsiveness and failure to bond with caretakers**
 - c. Loss of temper
 - d. Use of multiple non-verbal behavior
74. A person seeing a design on the wallpaper and perceived it as an animal;
- a. Illusion**
 - b. Delusion
 - c. Hallucination
 - d. Ideas of reference
75. When a nurse is working with a client with psychiatric problems, a primary goal is the establishment of a therapeutic nurse-client relationship. The major purpose of this relationship is to:
- a. Increase non-verbal communication
 - b. Provide an outlet for suppressed hostile feelings
 - c. Assist the client acquiring more effective behavior**
 - d. Provide client with someone who can make decisions
76. Delusions are NOT a hallmark of:
- a. Folie a deux
 - b. Schizoaffective type
 - c. Simple schizophrenia**
 - d. Residual type

INDEX NO.....CENTER.....

77. Which one of these behavioral modification is used to produce deterrent to drinking of alcohol in alcoholics?
- a. Antabuse
 - b. Aversion therapy**
 - c. Desensitization
 - d. Hypnosis
78. A persistent recurring of unwanted ideas, thought or image that cannot be eliminated even though the sufferer considers it to be foolish is:
- a. Compulsion
 - b. Folie à deux
 - c. Folie à deux
 - d. Obsession
79. Morbid preoccupation of guilt and deaths are commonly found in which of the following disorders?
- a. Depression
 - b. Hypochondriasis
 - c. Mania
 - d. Nihilistic delusion
80. The tendency of performing a task or activity to relieve one's self of tensions and anxiety is:
- a. Compulsion
 - b. Dissociation
 - c. Obsessive-compulsion
 - d. Phobic reaction
81. The behavioral therapy that suggests that people can master anxiety-provoking situations by approaching those situations gradually while in a relaxed state that inhibit anxiety is:
- a. Flooding
 - b. Implosion
 - c. Relaxation training techniques
 - d. Systematic desensitization
82. The recovery stage of grand mal epilepsy is characterized by twilight state, confusion, disorientation and state of fugue, why is this stage considered to have legal implications
- a. Presence of mental symptoms such as delusions
 - b. Client could not remember any deed committed within this stage
 - c. Test of insanity competency
 - d. Incompetence to stand trial

INDEX NO.....CENTER.....

83. You noticed that a child has a small skull, slanted eyes, protruding tongue, short neck and enlarged abdomen when interacting with her. Which disorder is likely to be diagnosed?
- a. **Downs syndrome**
 - b. kinefelter syndrome
 - c. Fetal tobacco syndrome
 - d. Fetal alcohol syndrome
84. Joe is afraid of entering into a shopping mall unless in the company of a trusted friend. The disorder is known as:
- a. **Agoraphobia**
 - b. Ailurophobia
 - c. Social phobia
 - d. Simple phobia
85. What is term describes the influence of the past on the present?
- a. Instincts
 - b. Unconscious
 - c. Psychoanalysis
 - d. Psychi determinism
86. Abrupt withdrawal from barbiturate could cause a person to experience:
- a. Ataxia
 - b. **Urticarial**
 - c. Diarrhea
 - d. Seizures
87. Neuroleptics are the drug of choice to relieve symptoms of
- a. Depression
 - b. Hyperkinesias
 - c. **Narcotic withdrawal**
 - d. Psychosis
88. The effectiveness of diazepam in the management of status epilepticus is determined by monitoring the client's:
- a. Cardiac output
 - b. Diminished seizure threshold
 - c. Sleeping pattern
 - d. Vital signs
89. A type of depression that occurs within 16 days after delivery is called:
- a. Reactive depression
 - b. Major depression
 - c. Involutional depression
 - d. Postnatal depression

INDEX NO.....CENTER.....

90. Which one of these measures is the most appropriate approach by the nurse to control manic client who monopolizes a group therapy sessions:
- Ask the client to leave
 - Refer the client to another group
 - Suggest that the client stop talking and try listening to others
 - Tell the client to stop monopolizing the group
91. The best immediate priority of a care to be rendering to manic client who is pacing, agitated, and presenting aggressive gestures is:
- Assist the staff in a caring for the client in a controlled environment
 - Offer the client a less stimulated area to calm down and regain control
 - Provide safety for the client and other client on the ward
 - Provide the clients on the units with a sense of comfort and safety
92. Anxiety disorder are a group of disorder characterized by the following clinical features EXCEPT
- Avoidance of the anxiety-provoking stimulus
 - Chronic worry
 - Delusions of unworthiness
 - Physical symptoms
93. At a graduation ceremony of your school, your best friend was invited to give a vote of thanks. As soon as she mounted the podium, she started sweating profusely, shaking had thought block and could not utter a word until the master of the ceremony saved her from an obvious embarrassment by collecting the microphone from her. Which of the following conditions is your friend likely to suffer from?
- Agoraphobia**
 - Social phobia
 - Specific phobia
 - Panic attack
94. A client tells the nurse that his body is made of wood and is quite heavy. The nurse interprets this as which of the following ?
- Compulsion
 - Hallucination
 - Depersonalization
 - Obsession
95. The nurse interacting with a client with delusional disorder understands that which defence mechanism underlies this disorder?
- Projection
 - Regression
 - Suppression
 - Sublimation

INDEX NO.....CENTER.....

96. Which one of the following nursing principles would be the priority of care for client exhibiting delusions of persecution?
- Encourage activities
 - Establishing trust
 - Presenting reality
 - Reducing anxiety
97. Which example best illustrates the role of the nurse as a counsellor?
- Assigning responsibilities for running a community meeting to several client
 - Clarifying reasons for admission with a client having poor reality testing
 - Conducting a thorough nursing admission assessment for a client
 - Teaching a small group about the of antidepressant medications.
98. A 27-year old male client who recently lost his wife due to a terminal cancer reveals that he and his wife discussed her end of life wishes including her burial service. The client states that he is now unable to sleep; has a poor appetite; and feels sad even when in the company of their two children ,ages 5and 7 years. Which of the following is the client experiencing?
- Acceptance
 - Anger
 - Bereavement**
 - Mourning
99. Which outcome would the nurse determine as most realistic for a client in the late stages of alzheimer's disease?
- The client will verbalize increased feelings of self –worth
 - The client will identify life areas that required alterations due to illness
 - The client will maintain reality orientation
 - The client will remain safe in the least restrictive environment
100. Which one of these is a negative symptom of schizophrenia
- Delusions
 - Bizarre behavior
 - Blunted affect
 - Grandiosity
101. Constant state of movement ,characterized by sitting still or strong urges to move about is known as:
- Acute dystonic reactions
 - Akathisia
 - Parkinsonism
 - Tardive dyskinesia

INDEX NO.....CENTER.....

102. Irregular ,involuntary spastic muscle movement ,torticollis facial grimacing, abnormal eye movement, are adverse effects of antipsychotic use known as
- Acute dystonic reaction
 - Akathisia
 - Neuroleptics malignant syndrome
 - Tardive dyskinesia
103. Electroconvulsive therapy (ECT) treatments are thought to alleviate symptoms of depression by which action?
- Altering serotonin levels
 - Causing memory loss
 - Enhancing the efficacy of psychotropic drugs
 - Stimulating the thyroid gland
104. In the post-ECT recovery period, which finding would alert the nurse to a possible problem?
- Sleepiness
 - Lack of seizure activity
 - Urinary incontinence
 - Vital sign alterations
105. A discharge client in your neighbourhood comments to you during one of your home visits that well I guess I can stop taking those medications .The most appropriate response by you would be:
- “ I’m sorry to hear that
 - “In your next review data seek the opinion of your doctor”
 - “No ,it wouldn’t be wise to stop taking them now
 - “Why do you say that”
106. A client with severe form of mental disorder is started on neuroleptics. The nurse is aware that these drugs are used primarily to
- Keep the client quiet and related
 - Reduce the need for physical restraint
 - Control the client ‘s behavior and reduce stress
 - Make the client’s more receptive to psychotherapy
107. When working with antisocial clients who use manipulative and socially acting out behaviors, the nurse should be:
- Strict; punishing and restrictive
 - Sincere, cautious and consistent
 - Sympathetic ,motherly and encouraging
 - Strict firm and fair

INDEX NO.....CENTER.....

108. A 70-year old retired man had difficulty remembering his daily schedule and finding the right words to express himself. He is diagnosed as having dementia. The nurse is aware that symptoms of this disorder:
- Begin after a loss of self-esteem
 - Develop over a long period
 - Have periods of remission
 - Usually occur fairly rapidly
109. Ama sees a piece of rag on her table and screams that it is a snake. This behavior is referred to as:
- Delusion
 - Hallucination
 - Illusion
 - Phobia
110. Flight of ideas means the patient
- Is overwhelmed by his thoughts
 - Repeats ideas suggested to him
 - Sees birds flying from his head
 - Verbalizes his thoughts
111. A client expresses the belief that the BNI is out to kill him. This is an example of:
- A hallucination
 - An error in judgment
 - A delusion of persecution
 - A self-accusatory delusion
112. The nurse caring for the depressed patient should recall that:
- All depressed patients can commit suicide
 - Depressed patients love being cheered up initially
 - Patients do not commit suicide once they hint someone
 - Self-destructive thoughts expressed by patient must be kept secret
113. In communication, the nurse can MOST effectively achieve the goal of helping /arriving at a decision by which of the following?
- Giving the patient advice about what is best
 - Encourage the patient to ask a spouse what to do
 - Helping the patients to explore alternative choices
 - Sharing feelings with patient if the decision is faulty

INDEX NO.....CENTER.....

114. A male client with delirium becomes agitated and confused in his room at night. The best initial intervention by the nurse is to:
- Keep the television and a soft light on during the night
 - Move the client next to the nurse's station
 - Play soft music during the night and maintain a well-lit room
 - Use a night-light and turn off the television
115. As part of the nurse's responsibility of serving the antipsychotic drugs, she needs to monitor the schizophrenic client with signs of tardive dyskinesia. The most likely clinical manifestations of tardive dyskinesia are
- Abnormal breathing through the nostrils
 - Abnormal movements and involuntary movement of the mouth, tongue and Face
 - Severe headache, flushing, tremor and ataxia
 - Severe hypertension, migraine headache and marbles in the mouth syndrome
116. Which of these personality disorders are categorized predominantly dramatic, emotional and erratic in nature?
- Histrionic, Paranoid and borderline
 - Histrionic, compulsive and schizoid
 - Narcissistic, antisocial and paranoid
 - d. Narcissistic, histrionic and antisocial**
117. An adult individual with a longstanding pattern of breaking rules/laws, violating the right of others arrogantly without lack of remorse is suffering from:
- Conduct disorder
 - Oppositional defiant disorder
 - Passive-aggressive personality disorder
 - Psychopathic disorder
118. Skipping from one idea to another in a continuous flow if accelerated speech is said to be
- a. Pressure of speech**
 - Flight of speech
 - Flight of ideas
 - Puns
119. A nurse is assessing a client with dementia. Which of the following is unexpected in the client
- Acts in pessimistic manner
 - b. Appears agitated**
 - Has short attention span
 - Exhibits disordered reasoning.

INDEX NO.....CENTER.....

120. A delirious client sees a design on the wallpaper and perceives it to be an animal. This is an example of :

- a. A delusion
- b. An illusion**
- c. A hallucination
- d. An idea of reference