



CANDIDATE'S NO

NURSING AND MIDWIFERY COUNCIL OF NIGERIA

(Established by Nursing and Midwifery Registration etc. Act Cap No. 143 Laws of the Federation of Nigeria, 2004)

Professional Examination For General Nurses

November 2018

PAPER I

SECTION B: OBJECTIVE QUESTIONS (40%)

Answer ALL questions.

INSTRUCTIONS: The following are Objective Test Items. CIRCLE the appropriate OPTION with BIRO. Each question counts for ONE (1) mark. Enter your NUMBER on this booklet. This Booklet MUST be attached to the essay answer script.

1. The fluid between the parietal and visceral pericardial
(a) Lubricates the heart as it beats
(b) Relaxes the heart as it beats
(c) Nourishes the heart as it beat
(d) Contracts the heart as it beats
2. The valves that separate the atria from the ventricles are called
(a) Interventricular valves
(b) Interatrial valves
(c) Atrioventricular valves
(d) Semilunar valves
3. The normal range of bleeding time in adult is
(a) 1 to 2 minutes
(b) 3 to 7 minutes
(c) 8 to 10 minutes
(d) 11 to 13 minutes
4. The major function of neutrophils is
(a) Haemostasis
(b) Phagocytosis
(c) Homeostasis
(d) Haemolysis

5. Antidiuretic hormone (ADH)
- (a) Increases water reabsorption
 - (b) Increases sodium reabsorption
 - (c) Increases water and sodium reabsorption
 - (d) Decreases water reabsorption
6. The development of early morning sickness is secondary to
- (a) Relaxing effect of progesterone on smooth muscles
 - (b) Cool weather of the early morning
 - (c) Development of the morular
 - (d) Relaxing effect of estrogen on smooth muscles
7. Which of the following hormones is produced by the anterior pituitary gland?
- (a) Growth hormone
 - (b) Antidiuretic hormone
 - (c) Glucocorticoid hormone
 - (d) Oxytocin hormone
8. The main function of the prostatic fluid is to
- (a) Concentrate the sperm cells
 - (b) Increase the pH level of the semen
 - (c) Decrease the pH level of the semen
 - (d) Dilute the sperm cells
9. The part of the neurone that transmits electrical signal to a target cell is
- (a) Soma
 - (b) Dendrite
 - (c) Cell body
 - (d) Axon
10. Which of the following substances is LEAST able to cross the blood brain barrier?
- (a) Glucose
 - (b) Amino acids
 - (c) Sodium
 - (d) Urea
11. Which of the following describes a bundle of axon in the peripheral nervous system?
- (a) Nucleus
 - (b) Ganglion
 - (c) Nerve fibre
 - (d) Nerve track

12. The first cervical vertebra is known as

- (a) Vault
- (b) Atlas
- (c) Axis
- (d) Conchae

13. The weight bearing joint of the body is the

- (a) Ischial tuberosity
- (b) Symphysis pubis
- (c) Synovial joint
- (d) Sacroiliac joint

14. Cartilage forming cells are known as

- (a) Osteocytes
- (b) Chondrocytes
- (c) Chondroblast
- (d) Osteoblast

15. The following are part of the Harversian system *EXCEPT*

- (a) Osteons
- (b) Central canal
- (c) Cortical
- (d) Perforating canal

16. Which of the following bones provide the only bony link between the axial skeleton and the upper limb?

- (a) Scapula
- (b) Manubrium
- (c) Acromion
- (d) Sternum

17. The following are the major differences between the skeletal muscles and smooth muscles *EXCEPT*

- (a) Skeletal muscles allow voluntary movement
- (b) Smooth muscles are involuntary muscles
- (c) Skeletal muscles are non-striated, while smooth muscles are striated
- (d) Smooth muscles are non-striated while skeletal muscles are striated

18. The band of tissue connecting bones is called

- (a) Tendons
- (b) Cartilages
- (c) Ligaments
- (d) Bursae

19. Which cell produces the pigment that contributes to hair colour?
- (a) Keratinocytes
 - (b) Melanocytes
 - (c) Langerhans cells
 - (d) Merkel cells
20. The innermost basal layer of the conjunctiva consists of
- (a) Cones and rods cells
 - (b) Single row of cylindrical basal cells
 - (c) Conglomerated columnar cells
 - (d) Accumulated stroma cells
21. Which of the following structures has the highest refractive power?
- (a) Cornea
 - (b) Lens
 - (c) Aqueous fluid
 - (d) Vitreous body
22. Images are focused on the retina in which of the following position?
- (a) Everted
 - (b) Inverted
 - (c) Juxta
 - (d) Supine
23. The auditory ossicles are arranged from inwards to outwards as follows
- (a) Malleus, Stapes, Incus
 - (b) Incus, Stapes, Malleus
 - (c) Malleus, Incus, Stapes
 - (d) Stapes, Incus, Malleus
24. When light rays enter the eye, they are refracted by the
- (a) Lens
 - (b) Iris
 - (c) Pupil
 - (d) Macula lutea
25. The phases of mitotic cell division takes the following sequence
- (a) Metaphase, Prophase, Telophase, Anaphase
 - (b) Prophase, Anaphase, Metaphase, Telophase
 - (c) Telophase, Anaphase, Prophase, Metaphase
 - (d) Anaphase, Metaphase, Prophase, Telophase

26. A client develops recurrent urolithiasis. Which of the following minerals will be restricted in the client diet?

- (a) Phosphorus
- (b) Calcium
- (c) Magnesium
- ☒ (d) Sodium

17. Which of the following laboratory investigations will a client visiting the clinic for prostate cancer screening undertake

- (a) Creatinine Kinase (CK)
- (b) Blood Urea Nitrogen (BUN)
- (c) Aspartate Aminotransferase (AST)
- ☒ (d) Prostate - Specific Antigen (PSA)

8. Which of the following conditions is the pre - renal cause of acute renal failure?

- ☒ (a) Heart failure
- (b) Glomerular nephritis
- (c) Ureterolithiasis
- (d) Aminoglycoside toxicity

9. Pulmonary tuberculosis is commonly a co-infection in

- (a) Smokers
- (b) People in villages engaged in farming
- (c) Elderly people with Asthma
- ☒ (d) People living with HIV infection

Which diagnostic test should be undertaken to rule out diagnosis of bronchial asthma?

- ☒ (a) Bronchoscopy
- (b) An immunoglobulin E
- (c) Arterial Blood Gas (ABG)
- (d) Bronchodilator reversibility test

Which of these describes pneumonia?

- (a) Occlusion of a few terminal bronchioles with effusion
- (b) Collapse of alveoli due to inadequate surfactant
- (c) Development of ischemia due to blockage in one of the branches of a bronchial tree
- ☒ (d) Inflammation of lung parenchymal

Inflammation affecting the gall bladder is called

- (a) Gallitis
- (b) Gastritis
- (c) Cholecystitis
- ☒ (d) Cystitis

33. A client with superficial burns of the chest, face, back and arms requires an urgent care. What should be the nurse's primary concern?
- (a) Fluid resuscitation
 - (b) Infection control
 - (c) Body image
 - (d) Pain management
34. Which of the following nursing interventions is most appropriate for a client with skeletal traction?
- (a) Pin care
 - (b) Prone position
 - (c) Intermittent weights
 - (d) 5lb weight limit
35. The occupational health nurse is teaching a class on the risk of developing osteoarthritis. Which of the following is a modifiable factor for developing osteoarthritis?
- (a) Being overweight
 - (b) Increasing age
 - (c) Previous joint damage
 - (d) Genetic susceptibility
36. Which of these features will a client with osteoarthritis manifest in the early stage of the disease?
- (a) Severe bone deformity
 - (b) Joint stiffness
 - (c) Waddling gait
 - (d) Swan-neck fingers
37. Which of the following is an indication that a client has developed osteoporosis?
- (a) The client has lost one inch in height
 - (b) The client has lost 10 pounds in the last year
 - (c) The client's hands are painful to touch
 - (d) The client's serum uric acid level is elevated
38. Which of these foods should be recommended to a client as rich sources of dietary calcium?
- (a) Orange and citrus foods
 - (b) Banana and dry apricots
 - (c) Yoghurt and dark green leafy vegetables
 - (d) Wheat, bread and beans

- 7
39. Which of the following types of traction increases the client's mobility while maintaining appropriate bone position?
- (a) Balanced suspension
 - (b) Straight traction
 - (c) ☒ Skin traction
 - (d) Skeletal traction
40. When caring for a client with above knee amputation, it is important for the nurse to encourage the client to spend more time in
- (a) ☒ The prone position
 - (b) The supine position
 - (c) A flexed position
 - (d) A position of comfort
41. Which of the following factors have a significant effect on peripheral vascular resistance pressure?
- (a) The number of capillaries
 - (b) The position of the body
 - (c) ☒ Age of the client
 - (d) Viscosity of the blood
42. Cardiac tamponade is associated with the following *EXCEPT*
- (a) Pulses paradoxus
 - (b) Distant heart sound
 - (c) ☒ Distended jugular vein
 - (d) Bradycardia
43. A client develops left sided heart failure. An appropriate nursing diagnosis is
- (a) ☒ Activity intolerance
 - (b) Ineffective airway clearance
 - (c) Defficient fluid volume
 - (d) Acute pain
44. A female client is diagnosed with pericarditis. Which of the following assessment findings should the nurse expect?
- (a) ☒ Peripheral oedema
 - (b) Wheezing breath sound
 - (c) Absent of chest pain
 - (d) Pericardial friction rub

45. The region of the brain which is responsible for higher mental functions and decision-making is located in the
- (a) Parietal lobe
 - (b) Temporal lobe
 - (c) Occipital lobe
 - (d) ☒ Frontal lobe
46. The equivalent of 20cc in millilitre is
- (a) ☒ 20
 - (b) 200
 - (c) 2000
 - (d) 4000
47. A muscular enlarged pouch, lying slightly to the left of the abdominal cavity used for temporary storage is
- (a) Colon
 - (b) ☒ Stomach
 - (c) Gall bladder
 - (d) Urinary bladder
48. The following parameters should be checked when assessing respiration *EXCEPT*
- (a) Rate
 - (b) Rhythm
 - (c) Symmetry
 - (d) ☒ Height
49. The most common injury among elderly persons is
- (a) Atherosclerotic changes in the blood vessel
 - (b) Increase incidence of gall bladder disease
 - (c) ☒ Urinary tract infection
 - (d) Hip fracture
50. The following are effects of burns *EXCEPT*
- (a) Shock
 - (b) Infection
 - (c) ☒ Heat
 - (d) Deformity
51. The nurse asked the client to use the Snellen's chart, which of the following is being tested?
- (a) ☒ Optic
 - (b) Olfactory
 - (c) Oculomotor
 - (d) Trochlear

52. When a patient in terminal stages of lung cancer begins to exhibit loss of consciousness, the major nursing priority is to
- (a) Protect the patient from injury
 - (b) Insert an airway
 - (c) Elevate the head of the bed
 - (d) Withdraw all pain medication
53. Neurogenic shock is caused by the following *EXCEPT*
- (a) Accident with physical injury
 - (b) State of high emotion due to bad news
 - (c) Exposure to allergens
 - (d) State of fear
54. The following are types of wound *EXCEPT*
- (a) Infectious wound
 - (b) Punctured wound
 - (c) Contused wound
 - (d) Lacerated wound
55. Which of the following terms best describe a state of bleeding from the nose?
- (a) Haemoptysis
 - (b) Apoplexy
 - (c) Epistaxis
 - (d) Haematemesis
56. A sprain refers to an injury to
- (a) Muscles
 - (b) Ligaments
 - (c) Tendons
 - (d) Fascia
57. A fracture of the patella is most commonly caused by
- (a) Muscular violence
 - (b) Direct violence
 - (c) Indirect violence
 - (d) Ligament violence
58. PRN in nursing stands for
- (a) When advised
 - (b) When necessary
 - (c) Immediately
 - (d) Once

59. The common position for administering cleansing enema is
(a) ☒ Sim's left lateral
(b) Dorsal recumbent
(c) Supine
(d) Prone
60. In primary health care, community participation is important because it
(a) ☒ Makes the work of the health worker easier
(b) Creates awareness among community members
(c) Creates ownership of development programme in the community
(d) Is part of social mobilization
61. Non-maleficence is associated with
(a) Promotion of the profession
(b) ☒ Doing no intentional harm
(c) Self governance
(d) Risks and costs
62. Team nursing
(a) Has been phased out
(b) ☒ Is practiced by team of educated health workers
(c) Is a substandard approach to care delivery
(d) Lacks evidence based
63. The health - illness continuum
(a) ☒ Represents health as a dynamic process
(b) Represents a static process
(c) Fails to take into account the needs of mental health patients
(d) Is applicable only to adult
64. The National Health Policy and Strategy to achieve Health for all Nigerians promulgated in
(a) 1966
(b) ☒ 1988
(c) 2000
(d) 2015
65. The following are major communicable diseases in Nigeria **EXCEPT**
(a) Malaria
(b) Acute respiratory infections
(c) Monkey pox
(d) ☒ Measles