

26. A 16-year old primigravida is likely to be prone to which of the following obstetric complications
- (a) ☒ Obstructed labour
 - (b) ☐ Gestational diabetes
 - (c) ☐ Placenta previa
 - (d) ☐ Pregnancy - induced hypertension
27. Common factors that predispose to toxæmia in pregnancy include
- (a) ☐ Malnutrition, multiparity, hypertension
 - (b) ☒ Habitual abortion, anaemia and placenta previa
 - (c) ☐ Diabetes, vascular diseases and multiple pregnancy
 - (d) ☐ Incompetent cervix, obesity and essential hypertension
28. The raw material of statistics is
- (a) ☐ Measurement
 - (b) ☐ Sample
 - (c) ☒ Data
 - (d) ☐ Graph
29. Which of the following is not a source of data for statistical purposes?
- (a) ☐ Experiments
 - (b) ☐ Routinely kept records
 - (c) ☐ Surveys
 - (d) ☒ Meetings
30. A phenomenon which when observed takes on different values in different persons, places, or things is termed
- (a) ☒ Variables
 - (b) ☐ Measurement
 - (c) ☐ Data
 - (d) ☐ Statistics
31. Which of the following is not a quantitative data?
- (a) ☐ Age
 - (b) ☒ Sex
 - (c) ☐ Height
 - (d) ☐ Weight
32. Which of the following statements is **NOT TRUE** of null hypothesis
- (a) ☐ The null hypothesis should contain a statement of equality
 - (b) ☐ The null hypothesis is the hypothesis that is tested
 - (c) ☐ The null and alternative hypothesis are complementary
 - (d) ☒ The null and alternative hypothesis are supplementary

33. The probability of rejecting a true null hypothesis is called

- (a) Level of rejection
- (b) Level of precision
- (c) Level of specification
- (d) Level of probability

34. The satisfaction gained from consuming a good or service is termed

- (a) Fulfillment
- (b) Utility
- (c) Equity
- (d) Contentment

35. An important concept involved in making choices is the

- (a) Total utility
- (b) Available resources
- (c) Cost of goods
- (d) Opportunity cost

36. Health economics is *NOT* basically concerned with

- (a) Increasing the level of population's health
- (b) Improving the distribution of population's health
- (c) Saving money
- (d) Maximizing the available resources

37. What is the full meaning of GNP

- (a) Global National Production
- (b) Gross National Production
- (c) Grand National Production
- (d) Grid National Production

38. Goods which their demand increases as income increases are called

- (a) Superior goods
- (b) Inferior goods
- (c) Normal goods
- (d) Abnormal goods

39. Health care market is not a perfect market for the following reasons *EXCEPT*

- (a) The consumers of health care are not able to make informed decisions about their consumption pattern
- (b) Health care consumers delegate the decision making power to health professionals
- (c) The perception of consumers need and their capacity to benefit may strongly be influenced by the supplier of health care
- (d) Health care is extremely homogenous with the same package of care for the consumer

40. The demand for health care is often described as a

- (a) Grand demand
- (b) Derived demand
- (c) Change demand
- (d) Elastic demand

Professional Examination For General Nurses

November, 2016

PAPER II

SECTION B: OBJECTIVE QUESTIONS (40%)

Answer ALL Questions

INSTRUCTIONS: The following are Objective Test Items. CIRCLE the appropriate OPTION with BIRO. Each question counts for ONE (1) mark. Enter your NUMBER on this booklet.

This Booklet MUST be attached to the Essay Answer Script.

1. The term used to describe the part of the limb which is farthest away from the point of attachment of the limb is
(a) Superior.
(b) Proximal.
(c) Inferior.
(d) Distal.
2. The following are characteristics of stratified epithelial cells EXCEPT
(a) They generate from below.
(b) They are less durable than simple epithelial.
(c) Their major role is protection.
(d) They are more durable than simple epithelial.
3. The epithelial lining of the digestive, respiratory and urinary systems, glandular cells of the liver and pancreas is formed from
(a) Ectoderm.
(b) Mesoderm.
(c) Endoderm.
(d) Trophoblast.
4. A condition of the bone marrow in which the formed elements of the blood are simultaneously depressed is known as
(a) Thalassemia.
(b) Iron-deficiency anaemia.
(c) Aplastic anaemia.
(d) Haemolytic anaemia.



5. A clinical condition characterized by massive proteinuria, hypoalbuminemia, hyperlipidemia is known as
 - (a) Nephrosis.
 - (b) Glomerulitis.
 - (c) Nephritis.
 - (d) Nephrotic syndrome.
6. Highly specialized nerve cells that generate and conduct nerve impulses are called
 - (a) Neurones.
 - (b) Ganglion.
 - (c) Cerebellum.
 - (d) Pons varolii.
7. The part of the bone that forms the long axis of the bone is
 - (a) Epiphysis.
 - (b) Diaphysis or shaft.
 - (c) Membranes.
 - (d) Epiphyseal plate.
8. Which part of the bone acts as a shock absorber?
 - (a) Tendon.
 - (b) Cartilage.
 - (c) Muscle.
 - (d) Ligament.
9. The major muscles in the buttocks include:
 - (a) Rectus muscles and Rhomboid major.
 - (b) Trapezius muscles and Teres major.
 - (c) Gluteus medius and gluteus maximus.
 - (d) Soleus muscles and Fibularis longus.
10. One of the following is NOT a characteristic of dendrite of motor neurone?
 - (a) They are short.
 - (b) They are tapering.
 - (c) They are diffusely branching extension.
 - (d) They are long.
11. Cerebral hemispheres accounts for percentage of total brain mass.
 - (a) 83
 - (b) 90
 - (c) 73
 - (d) 63
12. The auricle and pinna constitute the part of the ear.
 - (a) External
 - (b) Middle
 - (c) Internal
 - (d) Cochlea

13. One of the following is a chemical that exerts its effect on the same cell that secretes them
- (a) Paracrine.
 - (b) Endocrine.
 - (c) Autocrine.
 - ☒ (d) Exocrine.
14. The hormone that influence the energy metabolism of most body cells and help to resist stress
- ☒ (a) Growth hormone.
 - (b) Thyroid hormone.
 - (c) Adrenalin.
 - (d) Glucocorticoids.
15. The stomach is bounded by the following organs superiorly *EXCEPT* the
- (a) Diaphragm.
 - (b) Left lobe of the liver.
 - ☒ (c) Spleen.
 - (d) Oesophagus.
16. The duodenum is about cm long.
- (a) 35 - 45
 - ☒ (b) 25 - 30
 - (c) 55 - 65
 - (d) 75 - 85
17. The part of the colon that runs across the front of the abdominal cavity inferior to the stomach is
- (a) Ascending colon.
 - (b) Descending colon.
 - (c) Caecum.
 - ☒ (d) Transverse colon.
18. The circumflex artery is a branch of
- (a) Anterior descending artery.
 - ☒ (b) Left coronary artery.
 - (c) Right coronary artery.
 - (d) Descending aorta.
19. The following statements are TRUE about coronary arteries *EXCEPT*
- (a) Circumflex artery supplies the left atrium and lateral wall of the left ventricle.
 - (b) Left anterior descending arteries supplies the anterior wall of the left ventricle.
 - ☒ (c) Right coronary artery supplies the left ventricle.
 - (d) Right coronary artery supplies the right side of the heart.

20. One of the following is an increase in the rate and depth of breathing that exceeds the body's need to remove Carbondioxide (CO_2)
- (a) Hyperventilation.
 - (b) Hypercarpnoea.
 - (c) Hypoventilation.
 - (d) Dyspnoea.
21. Which of the following therapeutic interventions uses moist heat?
- (a) Sitz bath.
 - (b) Aquathermus pad.
 - (c) Heat lamp.
 - (d) Commercial hot pack.
22. The following are protected by non keratinised stratified squamous epithelium *EXCEPT*
- (a) Pharynx.
 - (b) Conjunctiva.
 - (c) Skin.
 - (d) Vagina.
23. The following are natural haemostatic process *EXCEPT*
- (a) Vasoconstriction.
 - (b) Fibrolysis.
 - (c) Platelet formation.
 - (d) Clot formation.
24. A client with history of peptic ulcer disease develops a fever of 38.3°C . Which of the following signs strongly indicate that the client has peritonitis?
- (a) Abdominal rigidity.
 - (b) Hyperactive bowel sounds.
 - (c) Abdominal pain.
 - (d) Abdominal reflexivity.
25. Which of the following explains the influence of aging on the development of peripheral vascular disease
- (a) Increased viscosity of blood.
 - (b) Increased peripheral resistance.
 - (c) Decreased peripheral resistance.
 - (d) Decreased viscosity of blood.
26. The primary goal of peripheral vascular bypass surgery is to
- (a) Prevent blood infection.
 - (b) Relieve vascular pain.
 - (c) Reroute blood circulation.
 - (d) Substitute blood vessels.

27. To maintain adequate glomerular filtration, it is most important for the client to have adequate
- (a) Intravascular volume and cardiac output.
 - (b) Serum albumin and stroke volume.
 - (c) Oncotic pressure and systemic vascular resistance.
 - (d) Hydrostatic pressure.
28. The Nurse is developing a discharge home care plan for a patient with lymphoma, the Nurse should emphasize the following *EXCEPT*
- (a) Avoid crowds or other large gathering.
 - (b) Take all medications as prescribed.
 - (c) Stop using medications when you feel alright.
 - (d) Do not share personal toiletries.
29. The most appropriate nursing intervention for determining fluid balance in a client with endstage renal failure is
- (a) Weigh patient daily.
 - (b) Monitor urine specific gravity.
 - (c) Monitor intake and output daily.
 - (d) Record vital signs daily.
30. The first stage of a stress response is
- (a) Stage of resistance.
 - (b) Stage of alarm reaction.
 - (c) Stage of exhaustion.
 - (d) Stage of flight.
1. The following are symptoms of severe hypernatremia *EXCEPT*
- (a) Disorientation.
 - (b) Hallucination.
 - (c) Irritability.
 - (d) Thirst.
2. A client with recurrent urolithiasis should be restricted from taking one of the following minerals
- (a) Calcium.
 - (b) Sodium.
 - (c) Phosphorus.
 - (d) Magnesium.
3. Which of the following is *NOT* a phase in the cell cycle?
- (a) G1 (Gap One) phase.
 - (b) S (Synthesis) phase.
 - (c) G2 (Gap two) phase.
 - (d) Protein phase (P).

34. The pain associated with acute pancreatitis is characterized by
- (a) Lower abdominal pain radiating to hip.
 - (b) Pain around the stomach radiating to the back.
 - (c) Lower abdominal pain radiating to the groin.
 - ☒ (d) Abdominal pain radiating to lower and middle abdomen.
35. A client is admitted with mitral valve disease and left ventricular dysfunction. What is the most reliable test to determine the cardiac status?
- (a) Cardiac catheterization.
 - (b) Echocardiogram.
 - (c) Electrocardiogram.
 - ☒ (d) Stress test.
36. The primary reason for performing coronary artery bypass surgery is to:
- (a) Reduce overall contractility of the heart muscles.
 - (b) Increase oxygen supply to the heart muscles.
 - (c) Decrease oxygen overload to the cardiac muscles.
 - ☒ (d) Reduce plaque formation in the carotid artery.
37. A client on nitroglycerine treatment complained of throbbing headache, the Nurse should
- (a) Administer prescribed analgesics.
 - ☒ (b) Stop nitroglycerine treatment.
 - (c) Give nitroglycerine with few glasses of water.
 - (d) Position patient in supine position to alleviate the headache.
38. A hypertensive client on Frusemide, Atenolol and Ramipril developed a second degree heart block (Mobitz type 1). Which of the following actions should the Nurse take?
- ☒ (a) Prepare for cardioversion.
 - (b) Withhold the atenolol.
 - (c) Set up for arterial line.
 - (d) Withhold Ramipril.
39. The most common cause of dementia in the general population is
- (a) Parkinson disease.
 - ☒ (b) Vascular disease.
 - ☒ (c) Alzheimer's disease.
 - (d) Epilepsy.
40. Parkinson's disease is caused by the degeneration of neurones in an area of the brain called
- ☒ (a) Basal ganglia.
 - (b) Cerebellum.
 - (c) Corpus callosum.
 - (d) Substantia nigra.
41. Damage to the glomerulus leads to
- ☒ (a) Increase permeability of the glomerular membrane.
 - (b) Decrease permeability of the glomerular membrane.
 - (c) Cessation of permeability of the glomerular membrane.
 - (d) Destruction of permeability of the membrane.

12. Categories of self care requisites according to Orem's theory of Nursing include all EXCEPT
- (a) Developmental.
 - (b) Fundamental.
 - (c) Universal.
 - (d) Health deviation.
13. The Nurse is providing pre-operative care for a booked cardiac surgery patient. The most important action during this period is?
- (a) Discuss with the client the steps of myocardial cellular metabolism.
 - (b) Provide pre-operative education regarding the mechanics of the cardio pulmonary by-pass machine.
 - (c) Perform a thorough nursing assessment to provide an accurate baseline for post-operative evaluation.
 - (d) Discuss with the client and family the anticipated amount of post-operative chest tube drainage.
14. A reduction in one of the following laboratory measurements will provide an indication that treatment is successful in the treatment of Cushing's syndrome
- (a) Serum glucose levels.
 - (b) Urine sodium levels.
 - (c) Serum potassium levels.
 - (d) Gastric pH.
5. A patient with angina pectoris was instructed NOT to swallow glyceryl trinitrate tablet but place it under the tongue because
- (a) It cannot be absorbed by the gastro intestinal mucosa.
 - (b) It has high metabolic effect.
 - (c) It is bitter and can cause vomiting.
 - (d) It can cause severe diarrhoea.
6. Bronchial asthmatic attack that is triggered by foreign allergies is classified as
- (a) Atopic asthma.
 - (b) Non-atopic asthma.
 - (c) Cardiac asthma.
 - (d) Foreign allergic asthma.
7. The constant process of adding or deleting elements within a culture is called
- (a) Culture shock.
 - (b) Cultural relativism.
 - (c) Culture change.
 - (d) Cultural dynamism.
8. The presence of multiple illnesses simultaneously in a person is called
- (a) Comorbidity.
 - (b) Co-existence.
 - (c) Compromise.
 - (d) Comortality.
9. A group of persons having a defined membership and specified purpose is known as
- (a) Informal group.
 - (b) Coherent group.
 - (c) Formal group.
 - (d) Incoherent group.
10. A field of study that explores the biopsychosocial issues of aging is known as
- (a) Gynaecology.
 - (b) Geriatology.
 - (c) Gerontology.
 - (d) Geratontology.