

51. Presence of contradictory and often competing role expectations is otherwise referred to as
- (a) Role behaviour.
 - (b) Role ambiguity.
 - (c) Role conflict.
 - (d) Role overload.
52. Which of the following techniques is used in assessing crepitations in patients with Osteoarthritis of the knees
- (a) Percussion.
 - (b) Palpation.
 - (c) Inspection.
 - (d) Auscultation.
53. A client in balanced suspension traction for a fractured femur needs to be positioned towards the head of the bed. During repositioning, the Nurse should
- (a) Release the weight and replace immediately after positioning.
 - (b) Lift the traction and the client during repositioning.
 - (c) Place slightly additional tension on the traction cot.
 - (d) Maintain the same degree of traction and tension.
54. The following are clinical features of Osteoarthritis *EXCEPT*
- (a) Crepitations.
 - (b) Joint stiffness.
 - (c) Joint trauma.
 - (d) Pain that relieves by resting the joint.
55. Which of the following is the most obvious clinical manifestation of dislocation?
- (a) Painful bone.
 - (b) Swelling of the soft tissue surrounding the joints.
 - (c) Asymmetry of the musculoskeletal contour.
 - (d) Tenderness.
56. Which of the following is a chronic inflammatory disease that primarily affects the sacroiliac joint, apophyseal and costovertebral joints of the spine and adjacent soft tissues?
- (a) Osteomyelitis.
 - (b) Arthritis.
 - (c) Ankylosing spondylitis.
 - (d) Lyme's disease.
57. One of these will be the appropriate thing to do if you are trapped in a burning building
- (a) Go into a room with window and shut the door.
 - (b) If you have to cross a smoke-filled room, stay upright.
 - (c) If you have to escape through a window, go out hands first.
 - (d) Lower yourself to the full length of your legs before dropping down.
58. The most common cause of shock is
- (a) Fear.
 - (b) Severe blood loss.
 - (c) Stress.
 - (d) Diarrhoea.

59. One of these is *NOT* a priority in the emergency treatment of severe burns?
- (a) Treatment of pain.
 - ☒ (b) Rapid cooling of the burn.
 - (c) Ensuring breathing.
 - (d) Ensuring patient is not in shock.
60. In a case of bleeding varicose vein, the following should be done *EXCEPT*
- ☒ (a) Assist the casualty to lie down on her back with the legs at the same level.
 - (b) Apply firm, direct pressure on the area using sterile dressing.
 - (c) Remove garments like elastic-topped stocking.
 - (d) Monitor and record vital signs.
61. Strains and sprains should initially be treated using the following *EXCEPT*
- (a) Rest the injured part.
 - ☒ (b) Apply warm compress.
 - (c) Compress the injury.
 - (d) Elevate the injured part.
62. One of these should not be part of care during asthmatic attack?
- (a) Encourage client to keep calm.
 - (b) Get client to take a puff of her inhaler.
 - ☒ (c) Encourage client to lie down.
 - (d) Ask client to breathe slowly and deeply.
63. To provide First Aid to a conscious spinal injury casualty, the first aider should do the following *EXCEPT*
- (a) Reassure the casualty and advise her not to move.
 - (b) Kneel behind the casualty, steady and support the head in a lateral position.
 - (c) Continue to support the casualty's head until emergency medical services take over.
 - ☒ (d) Get help to monitor and record the vital signs.
64. Emergency treatment for fractured collar bone include the following *EXCEPT*
- ☒ (a) Help the casualty to sit down.
 - (b) Lay the affected arm transversely across her chest.
 - (c) Ask her to support the elbow with her other hand.
 - (d) Secure the arm to the chest with a broad fold bandage.
65. The presence of calculi in the gall bladder is called
- (a) Cholecystitis.
 - ☒ (b) Cholelithiasis.
 - (c) Cholesatoma.
 - (d) Chondrolysis.
66. Which of the following represents a condition characterized by the absence of spermatozoa in the semen?
- (a) Oligospermia.
 - (b) Polyspermia.
 - ☒ (c) Azoospermia.
 - (d) Asthenospermia.

67. Antrum is a cavity found in the
(a) Uterus.
(b) ~~Graffian~~ follicles.
(c) Ovaries.
(d) Fallopian tubes.
68. Which of the following are examples of paraphilias?
(a) Transvestism, voyeurism, organismic disorders.
(b) Sexual masochism, transvestism, voyeurism.
(c) ~~Pedophilia~~, exhibitionism, organismic disorders.
(d) Dyspareunia, vaginismus, sexual sadism.
69. Amniocentesis refers to
(a) ~~A~~ A diagnostic procedure of withdrawing a small amount of amniotic fluid from the
(b) Collection of fluid in the fallopian tube of pregnant woman.
(c) Withdrawal of allatonic fluid from pregnant woman.
(d) Chemical analysis of fluid from pregnant woman.
70. The term used in describing failure of testes to descend into the scrotum is
(a) ~~Cryptorchidism~~.
(b) Castration.
(c) Paedogenesis.
(d) Impotency.
71. Part of the sperm involved in penetrating egg membrane is the
(a) Autosomes.
(b) Allosomes.
(c) ~~Acrosomes~~.
(d) Tail.
72. Corpus Luteum develops from the
(a) Oocyte.
(b) Nephrostome.
(c) ~~Graafian~~ follicle.
(d) Chorionic villi.
73. When a couple complain of infertility, the first essential step is to:
(a) Take careful detailed history interviewing the man and woman separately.
(b) ~~Take~~ Take careful history interviewing the man and woman together.
(c) Request for sperm specimen for sperm count.
(d) Order for hystero-salpingography.
74. The basic functional unit of a matured placenta is the
(a) Syncitium.
(b) Mesoderm.
(c) ~~Chorionic~~ villi.
(d) Trophoblast.

- Which of the following is *NOT* a feature of gynaecoid pelvis?
- (a) Round brim.
 - (b) Shallow cavity.
 - (c) Heart shaped brim.
 - (d) Well curved sacrum.
76. The most reliable test for differentiating between conductive and sensorineural deafness is
- (a) Watch tick test
 - (b) Falacies
 - (c) Turning fork test
 - (d) Conversational voice test
77. A pedunculated mass lying in the external auditory canal refers to
- (a) Otorrhoea.
 - (b) Aural polyp.
 - (c) Otomycosis.
 - (d) Myringitis.
78. Otorrhoea is caused by all of the following *EXCEPT*
- (a) Otomycosis.
 - (b) Labyrinthitis.
 - (c) Myelitis.
 - (d) Myringitis.
79. The term used in describing a hallucination of the sense of equilibrium and movement, where the person feels that either his surroundings are going round him, or he himself is rotating is
- (a) Tinnitus.
 - (b) Otitis.
 - (c) Vertigo.
 - (d) Myringitis.
80. One of the following terms is used in describing acute ulceration involving one or both tonsils and spreading to the pillars, soft palate and gums
- (a) Vincent's angina.
 - (b) Meniere's disease.
 - (c) Quinsy.
 - (d) Aural Polyps.
81. Vitamin A deficiency can cause all of the following *EXCEPT*
- (a) Night blindness.
 - (b) Keratomalacia.
 - (c) Dermoid.
 - (d) Xerosis.
82. Herbert's pits are seen in
- (a) Spring catarrh.
 - (b) Traucoma.
 - (c) Herpetic conjunctivitis.
 - (d) Ophthalmia neonatorum.

83. Retinoblastoma is a term used in describing
- (a) White mass behind the iris.
 - (b) Frequent tumor in childhood.
 - (c) Common malignant tumor of the eye found in children.
 - (d) Chromosomal abnormalities of the retina.
84. Increased nervous tension, accelerated pulse, loss of body weight and increased oxygen consumption in a child is as a result of over production of which of the following glands?
- (a) Gonads.
 - (b) Pituitary gland.
 - (c) Pancreas.
 - (d) Thyroid gland.
85. The clouding or opacity within the crystalline lense that leads to gradual painless blurring and eventual loss of vision is called.
- (a) Glaucoma.
 - (b) Cataract.
 - (c) Traucoma.
 - (d) Chalazion.
86. The variable that are NOT under study but can create some effects on the variables that are being studied are referred to as
- (a) Extraneous variables.
 - (b) Dependent variables.
 - (c) Independent variables.
 - (d) Stimulus variables.
87. Research implies all of the following EXCEPT
- (a) Systematic approach to problem solving.
 - (b) An empirical investigation.
 - (c) A scientific approach to problem solving.
 - (d) Systematic assessment of problem.
88. Descriptive statistics are used for the purpose of
- (a) Estimating population parameters and making deductions.
 - (b) Predicting the population characteristics and making inferences about them.
 - (c) Describing the data in relation to sample of study.
 - (d) Explaining relationships established in hypothesis.
89. The level of consistency, stability and dependability of a measuring instrument refer to its
- (a) Validity.
 - (b) Usability.
 - (c) Applicability.
 - (d) Reliability.
90. The synopsis of research report that gives the reader a clear and precise idea of the entire work is the
- (a) Summary.
 - (b) Recommendation.
 - (c) Abstract.
 - (d) Proposal.

When data collected are arranged in any order it is called

- (a) Raw data.
- (b) An array of data.
- (c) Data set.
- (d) Data arrangement.

The following represent data collection instruments *EXCEPT*

- (a) Interview.
- (b) Observation.
- (c) Hypothesis.
- (d) Questionnaire.

Case control study is also known as

- (a) Prospective study.
- (b) Retrospective study.
- (c) Incidence study.
- (d) Cohort study.

A graphical representation of data that explains correlation between variables is known as

- (a) Histogram.
- (b) Scattergram.
- (c) Frequency polygon.
- (d) Bar chart.

The steps in data processing is in the following order

- (a) Preparation, tabulation, presentation and analysis.
- (b) Analysis, presentation, tabulation and preparation.
- (c) Tabulation, preparation, presentation and analysis.
- (d) Presentation, preparation, tabulation and analysis.

The following are types of neuroses *EXCEPT*

- (a) Anxiety.
- (b) Hysteria.
- (c) Dementia.
- (d) Depression.

Which is the commonest type of hallucination in organic psychoses?

- (a) Visual.
- (b) Auditory.
- (c) Tactile.
- (d) Gustatory.

98. Rapid conversation with logically unconnected shifting of topics is called
- (a) Irritability.
 - (b) Anxiety.
 - (c) Flight of ideas.
 - (d) Ecstasy.
99. The type of somatoform disorder characterised by morbid preoccupation with one's body and partial withdrawal of interest from the environment is
- (a) Phobia.
 - (b) Hypochondriasis.
 - (c) Obsessive/compulsive.
 - (d) Schizophrenia.
100. Succinylcholine (Anectine) chloride is often used before electro-convulsive treatment in order to
- (a) Produce a short-acting anaesthesia.
 - (b) Reduce tracheobronchial secretions.
 - (c) Decrease the intensity of tonic-clonic contractions.
 - (d) Prevent respiratory distress.

By Mr Dahir Ahmad

[Signature]