



M.00/NMCN. 2022/12/M. 29

CANDIDATE'S NO:

# NURSING AND MIDWIFERY COUNCIL OF NIGERIA

Established by Nursing and Midwifery (Registration, etc.) Act Cap. N143. Laws of the Federation of Nigeria, 2004

## Professional Examination in General Nursing

May 2022

PAPER I

### SECTION B: OBJECTIVE QUESTIONS (40%)

Answer ALL Questions

Time Allowed: 3 Hours for Sections A &amp; B

**INSTRUCTIONS:** The following are Objective Test Items. Circle the appropriate **OPTION** with **BIRO**. Each question counts for **ONE (1)** mark. Enter your **NUMBER** on this booklet. This Booklet **MUST** be attached to the essay answer script.

1. The main content of plasma is
  - (a) Nutrients
  - (b) Oxygen
  - (c) Water
  - (d) Hormones
2. A plane that divides the human body longitudinally into its anterior and posterior section is called
  - (a) Median plane
  - (b) Transverse plane
  - (c) Coronal plane
  - (d) Trans-sectional plane
3. Which of the following is a part of appendicular skeleton?
  - (a) Pelvic girdle
  - (b) Skull
  - (c) Vertebral column
  - (d) Sternum

4. The percentage of erythrocytes in the blood is  
(a) 99%  
(b) 89%  
(c) 79%  
(d) 69%
5. The tunica adventitia of arteries is made up of  
(a) Muscle tissue  
(b) Squamous epithelium  
- (c) Fibrous tissue  
(d) Columnar epithelium
6. Which of the following situations can cause vasoconstriction?  
(a) Hypoxia  
- (b) Decreased temperature  
(c) Increased temperature  
(d) Increased secretion of cortisone
7. The small mass of neuromuscular tissue that is situated in the wall of the atrial septum is  
(a) Sino atrial node ©NMCN26011/0522  
- (b) Atrioventricular node  
(c) Bundle of His  
(d) Purkinje fibres
8. The blood cell that is closely associated with allergy is  
(a) Basophils  
(b) Monocytes  
(c) Lymphocytes  
- (d) Eosinophils
9. The pH range of saliva is  
- (a) 6.4 - 8.5  
(b) 5.4 - 7.5  
(c) 4.4 - 5.5  
(d) 3.4 - 4.5
10. The blood pH is kept between  
(a) 9.35 and 9.45  
(b) 8.35 and 8.45  
- (c) 7.35 and 7.45  
(d) 6.35 and 6.45



1000  
 500  
 200  
 200  
 200  
 1000  
 500  
 200  
 200  
 200

25. Which type of food does the nurse encourage the client diagnosed with hypothyroidism to take?
- (a) Food high in phosphorus
  - (b) Food high in calcium
  - (c) Food low in sodium
  - (d) Food low in potassium
26. Which of the following dietary changes is important for a child in the early stage of nephrotic syndrome?
- (a) Adequate protein, low sodium intake
  - (b) Low protein, low potassium intake
  - (c) Low potassium, low calorie intake
  - (d) Limited protein, high carbohydrate
27. What is the priority nursing action for an elderly client with a body mass index (BMI) of 16?
- (a) Document the client's BMI
  - (b) Decrease calorie intake
  - (c) Confer with dietician
  - (d) Plan a return visit in one (1) week
28. Which of the following nursing assessment findings support the diagnosis of Cushing syndrome?
- (a) Darkening or pigmentation of the skin
  - (b) Irritability, anxiety and depression
  - (c) Weight gain and fatty deposits around midsection and upper back
  - (d) New or worsened high blood pressure
29. An indication for correct placement of nasogastric tube prior to feeding includes
- (a) Aspirate small amount of mucus
  - (b) Bubbles are seen when the tube is inserted in water
  - (c) Client says NG tube can be felt at the back
  - (d) The PH of the content aspirated is 3
30. Which of the following is a concern for a client with partial thickness burns?
- (a) Acute pain
  - (b) Imbalance nutrition
  - (c) Risk for excess fluid volume
  - (d) Impaired tissue perfusion
31. Another name for racial immunity is
- (a) Active immunity
  - (b) Passive immunity
  - (c) Innate immunity
  - (d) Acquired immunity

32. Immunity conferred by toxoid administration is

- (a) Innate immunity
- (b) Active immunity
- (c) Passive immunity
- (d) Herd immunity

33. An example of activity carried out for primary prevention is

- (a) Diagnosis
- (b) Screening
- (c) Chemoprophylaxis
- (d) Treatment

34. Which of the following is an important activity in secondary prevention?

- (a) Diagnosis
- (b) Disinfection
- (c) Rehabilitation
- (d) Surveillance

35. Which of the following is not a key characteristic of PHC?

- (a) Accessibility
- (b) Affordability
- (c) Accountability
- (d) Acceptability

©NMCN26011/0522

36. A key role/quality of a nurse in PHC facility is

- (a) Being resourceful
- (b) Being intelligent
- (c) Being a leader
- (d) Being a researcher

37. The role of traditional birth attendants in PHC is to

- (a) Monitor health care services at grassroot
- (b) Mobilize community members to execute health care services
- (c) Train PHC workers in the community
- (d) Keep simple records like birth register and referral forms

38. To be a member of village health workers (VHWs), a person must

- (a) Not be an indigene and resident in the community
- (b) Have zeal for volunteer services
- (c) Be nominated by the community
- (d) Be selected by the village head

39. The following

- (a) Commu
- (b) Patience
- (c) Honesty
- (d) Enduran

40. The process activities of

- (a) Mobiliz
- (b) Orient
- (c) Collab
- (d) Advoc

41. The proces ties leading

- (a) Comm
- (b) Comm
- (c) Comm
- (d) Comm

42. The role o

- (a) Assis
- (b) Disse
- (c) Enco
- (d) Limi

43. The Intern

- (a) 1896
- (b) 1899
- (c) 1899
- (d) 1981

44. The follow

- (a) Impro
- (b) Prom
- (c) Preve
- (d) Elimi

45. The theory

- (a) Faye
- (b) Ernes
- (c) Hilde
- (d) Virgin



39. The following qualities are essential to sustain community mobilization **EXCEPT**
- (a) Communication and knowledge
  - (b) Patience and intelligence
  - (c) Honesty and patience
  - (d) Endurance and knowledge
40. The process of awakening consciousness of policy makers to be involved in the activities of PHC programme is known as
- (a) Mobilization
  - (b) Orientation
  - (c) Collaboration
  - (d) Advocacy
41. The process that enables community members to be involved in assuming responsibilities leading to development and self-reliance is
- (a) Community diagnosis
  - (b) Community mobilization
  - (c) Community orientation
  - (d) Community participation
42. The role of a PHC worker is to
- (a) Assist community members learn career pathways
  - (b) Disseminate scientific knowledge about promotion of health to community members
  - (c) Encourage community members to maintain their normal life style
  - (d) Limit the alternative solutions for solving identified health problems of the community
43. The International Council of Nurses (ICN) was founded in the year
- (a) 1896
  - (b) 1898
  - (c) 1899
  - (d) 1981
44. The following are enabling goals of the "healthy people" programme **EXCEPT**
- (a) Improve systems for personal and public health
  - (b) Promote healthy and safe communities
  - (c) Prevent and reduce disease and disorder
  - (d) Eliminate health disparities
45. The theory of interpersonal relations in nursing was developed by
- (a) Faye Abdelleh
  - (b) Ernestine Wiadenbach
  - (c) Hildegard Peplau
  - (d) Virginia Henderson

46. The following are metaparadigm concepts in nursing **EXCEPT**

- (a) Person
- (b) Nursing
- (c) Diagnosis
- (d) Environment

47. A person is a combination of biological, psychological, social and spiritual features and is in constant interaction with his environment to accomplish goals. This is known as

- (a) Simultaneity paradigm
- (b) Prevailing paradigm
- (c) Shifting paradigm
- (d) Totality paradigm

48. The following are major purposes of health care **EXCEPT**

- (a) Prevent disability ©NMCN26011/0522
- (b) Prevent illness
- (c) Reduce disability
- (d) Promote health

49. When establishing priorities of a client's plan of nursing care, the nurse should rank the highest priorities to life threatening diagnosis and low priorities to

- (a) Safety related needs
- (b) The client's social, love and belonging needs
- (c) Needs of family members and friends who are involved in the plan of care
- (d) Needs of clients regarding referral agencies

50. Which of the following guidelines is most appropriate when developing nursing interventions?

- (a) Choose actions that a nurse can perform without leaving the unit
- (b) Make intervention statements specific to ensure continuity of care
- (c) Write intervention in general terms to allow maximum flexibility and creativity in delivering nursing care
- (d) Make sure that nursing care activities receive priority over other aspects of treatment regimen

51. When patient lies flat on his back with one pillow under the head. This position is called

- (a) Left lateral position
- (b) Semi recumbent position
- (c) Dorsal position
- (d) Prone position



52. Which of the following is an antirachitic vitamin?  
(a) Vitamin E  
(b) Vitamin D  
(c) Vitamin B  
- (d) Vitamin A
53. A body temperature of  $37^{\circ}\text{C}$  converted to Fahrenheit is  
- (a)  $98.6^{\circ}\text{F}$   
(b)  $99.1^{\circ}\text{F}$   
(c)  $80.2^{\circ}\text{F}$   
(d)  $97.2^{\circ}\text{F}$
54. Loud snoring and puffing out of the cheeks is known as  
(a) Sighing breathing  
(b) Grunting respiration  
- (c) Stertorous breathing  
(d) Stridulous breathing
55. When the pause in the respiratory cycle occurs after inspiration instead of after expiration, it is known as ©NMCN26011/0522  
(a) Transverse respiration  
- (b) Inverse respiration  
(c) Sighing respiration  
(d) Skipping respiration
56. Cheyne-stokes respiration is characterized by  
(a) Harsh whistling sound then cease for few seconds  
(b) Long drawn out noisy breathing then cease for few seconds  
(c) Shallow breathing then ceases for few seconds  
- (d) Deeper breathing until it reaches climax then cease for few seconds
57. The following are routes of drug administration **EXCEPT**  
(a) Inhalation  
- (b) Insufflation  
(c) Epidermal  
(d) Oral
58. Which of the following is a soapy oily preparation containing drugs rubbed on the skin?  
- (a) Liniments  
(b) Poultice  
(c) Kaolin  
(d) Patch

59. When physically assessing a patient's eye, the nurse may observe the following **EXCEPT**

- (a) Strabismus
- (b) Pupils
- (c) Ptosis
- (d) Pain

60. A therapeutic relationship between a nurse and a client is

- (a) Spontaneous, just happens
- (b) Planned and goal directed
- (c) Mutually beneficial
- (d) Communication is spontaneous

61. The main goal of oxygen therapy is to

- (a) Treat respiratory diseases
- (b) Prevent or relieve hypoxia
- (c) Prevent cardiac arrest
- (d) Prevent brain damage

62. During oxygen therapy, the nurse should do the following to promote safety **EXCEPT**

- (a) Know the fire procedures and location of the closest fire extinguisher
- (b) Check the oxygen level of portable tanks/cylinders before reporting
- (c) Determine that most of the electrical equipment in the room are functioning correctly
- (d) Place 'NO SMOKING' signs on the patient's room door and over the bed

63. In chronic lung diseases, the oxygen flow requirements should be maintained within

- (a) 30 - 60%
- (b) 60 - 80%
- (c) 55 - 90%
- (d) 80 - 90%

64. Defibrillation is recommended for a patient with cardiac arrest in the hospital within

- (a) 2 minutes
- (b) 3 minutes
- (c) 5 minutes
- (d) 10 minutes

65. The state of balance between nutrient intake and requirement is referred to as

- (a) Nutritional standard
- (b) Nutritional gauge
- (c) Nutritional level
- (d) Nutritional status



66. Which of the following factors is least likely to affect the nutrition and food habits of individuals?

- (a) Educational attainment
- (b) Ethnicity
- (c) Occupation
- (d) Religion

67. To promote adequate food intake, the nurse can do the following **EXCEPT**

- (a) Promote congregate dining if appropriate
- (b) Encourage good oral hygiene
- (c) Encourage lean breakfast if appetite deteriorates throughout the day
- (d) Display a positive attitude when serving food

68. The storage form of glucose in human is

- (a) Starch ©NMCN26011/0522
- (b) Carbohydrate
- (c) Glycogen
- (d) Adipose tissue

69. Indigestible carbohydrate that does not dissolve in water is generally referred to as

- (a) Polysaccharides
- (b) Insoluble fibre
- (c) Complex carbohydrates
- (d) Saturated carbohydrates

70. Proteins that facilitate specific chemical reactions in the body without undergoing change themselves are

- (a) Enzymes
- (b) Amines
- (c) Hormones
- (d) Oxidizing agents

71. The liver does the following **EXCEPT**

- (a) Converts amino acids to glucose
- (b) Converts amino acids to prothrombin
- (c) Converts amino acids to steroids
- (d) Converts amino acids to fat

72. The major class of atherogenic lipoproteins that carry cholesterol from the liver to the tissues is the

- (a) Hydrogenated fats
- (b) Essential fatty acids
- (c) High density lipoproteins
- (d) Low density lipoproteins

73. The most important property of an ideal drug is?

- (a) Effectiveness, convenience and single route
- (b) Effectiveness, convenience and safety
- (c) Selectivity, safety and low cost
- (d) Simple generic name, stability and safety

74. The following are systemic routes of drug administration **EXCEPT**

- (a) Sublingual
- (b) Rectal
- (c) Topical
- (d) Oral

75. Application of Nursing Process in drug administration is aimed at

- (a) Individualizing treatment which targets achieving therapeutic objective
- (b) Dictating an appropriate route for drug administration to eliminate patient's wrong reaction
- (c) Gathering individualized information and testing procedures to detect adverse reactions in new drugs
- (d) Summarizing information on special cases of adverse reactions for reassessment

76. Which of the following can be classified as Over-The-Counter (OTC) drug?

- (a) Drug sold in the market under its trade name
- (b) A single dose with multiple trade names
- (c) Drug purchased without legal prescription
- (d) Cheap drugs from competing manufacturers

77. The biggest effect a drug can produce is

- (a) Potency
- (b) Maximal efficacy
- (c) Physiologic effect
- (d) Affinity effect

78. Which of the following relieves anxiety, irritability and tension in therapeutic doses?

- (a) Opioids
- (b) Stimulants
- (c) Depressants
- (d) Nicotine



92. A systematic process by which the nurse assesses client's needs, plans for and co-ordinates services is
- (a) Managerial role
  - (b) Case management
  - (c) Advocate role
  - (d) Direct care provider
93. The research process involves the following steps **EXCEPT**
- (a) Identify an area of interest
  - (b) Review literature
  - (c) Select research design
  - (d) Condense the findings
94. The following are factors influencing community involvement **EXCEPT**
- (a) Status of women
  - (b) Values
  - (c) Status of men
  - (d) Beliefs/taboo
95. An appropriate technology must fulfil the following criteria **EXCEPT**
- (a) Must not be locally produced ©NMCN26011/0522
  - (b) Effective
  - (c) Affordable
  - (d) Culturally acceptable
96. Which of these components of primary health care was added after the Alma-atu declaration?
- (a) Health education
  - (b) Immunization
  - (c) Provision of essential drugs
  - (d) Mental health
97. Immunity is the resistance usually associated with?
- (a) Immunization
  - (b) Antibodies
  - (c) Antigens
  - (d) Vaccines

98. The resistance of a group to the introduction and spread of infectious agent is
- (a) Resistivity
  - (b) Herd immunity
  - (c) Immunity
  - (d) Inherent resistance
99. The main objective of community health nursing is
- (a) Optimal individual health
  - (b) Optimal community
  - (c) Optimal women and community health
  - (d) Optimal individual and community health
100. One's ideas, convictions and attitudes which influence his level of health is referred to as
- (a) Health beliefs
  - (b) Health habits
  - (c) Health practice
  - (d) Health perceptions





CANDIDATE'S NO:

**NURSING AND MIDWIFERY COUNCIL OF NIGERIA***Established by Nursing and Midwifery (Registration, etc.) Act Cap. N143. Laws of the Federation of Nigeria, 2004***Professional Examination in General Nursing****May 2022****PAPER II****SECTION B: OBJECTIVE QUESTIONS (40%)****Answer ALL Questions****Time Allowed: 3 Hours for Sections A & B**

**INSTRUCTIONS:** *The following are Objective Test Items. Circle the appropriate OPTION with BIRO. Each question counts for ONE (1) mark. Enter your NUMBER on this booklet. This Booklet MUST be attached to the essay answer script.*

1. Which of the following is an accessory reproductive gland in males?  
☒ (a) Prostate gland  
(b) Inguinal gland  
(c) Seminal vesicle  
(d) Sartorius gland
2. Cryptorchidism is a male reproductive system disorder characterized by:  
(a) Enlarged testes in the scrotum  
(b) Degenerated testes in the scrotum  
(c) The presence of one testis in the scrotum  
☒ (d) Undescended testes to the scrotum
3. The embryo in-utero gets its food through the process of  
(a) Simple diffusion  
(b) Osmosis  
(c) Facilitated diffusion  
☒ (d) Active transport

4. The female breast consists of

- (a) 10 - 15 lobes
- (b) 15 - 20 lobes
- (c) 20 - 25 lobes
- (d) 25 - 30 lobes

5. The mons venus is also known as

- (a) The mons pubis
- (b) The mons genitalis
- (c) The mons veneris
- (d) The mons clitoris

6. The follicular phase in the menstrual cycle usually last for

- (a) 11 - 13 days
- (b) 14 - 16 days
- (c) 17 - 19 days
- (d) 20 - 22 days

©IMCN26011/0522

7. The Montgomery glands are

- (a) Located in the ovary
- (b) Used as lubrication during child birth
- (c) Located in the axillae
- (d) Modified sweat glands in the areola

8. Which part of the brain is responsible for control of breathing, heart rate and blood pressure?

- (a) Cerebellum
- (b) Cerebrum
- (c) Midbrain
- (d) Hind brain

9. The cochlea of the ear contains the following *EXCEPT*

- (a) Scala vestibule
- (b) Scala media
- (c) Scala tragus
- (d) Scala tympani

10. The size of the pupil of the eye is controlled by the

- (a) Iris
- (b) Ciliary muscle
- (c) Cornea
- (d) Lens



11. The stapes in the ear articulates with the  
(a) Round window  
- (b) Oval window  
(c) Malleus  
(d) Tympanic membrane
12. Vestibulocochlear nerve is otherwise called  
(a) 6th cranial nerve  
(b) 7th cranial nerve  
- (c) 8th cranial nerve  
(d) 9th cranial nerve
13. The sebaceous glands are responsible for the production of  
(a) Keratin  
(b) Melanin  
(c) Sweat  
- (d) Sebum
14. The integral notch of the pinna is found between  
(a) The tragus and antihelix  
(b) The helix and antihelix  
- (c) The tragus and antitragus  
(d) At the entrance of the auditory canal
15. Cardiac electrical activities are related to the following ions *EXCEPT*  
(a) Sodium  
(b) Potassium  
- (c) Magnesium  
(d) Calcium
16. The relationship between increased stroke volume and increased ventricular end diastolic volume for a given intrinsic contractility is based on  
(a) Contractility law  
- (b) Starling law  
(c) Cardiac law  
(d) Ejection law
17. The following are primary determinants of stroke volume *EXCEPT*  
- (a) Control of heart rate  
(b) The pressure against which the heart muscle has to eject blood during contraction  
(c) Intrinsic contractility of the cardiac muscle  
(d) The degree of stretch of cardiac muscle before contraction

18. To facilitate the gathering of subjective information for a cardiovascular health history, the patient shall be examined for the following **EXCEPT**

- (a) Breathing
- (b) Urination
- (c) Circulation
- (d) Apprehension

19. The instrument used for measuring intraocular pressure is

- (a) Tomometer
- (b) Tonogram
- (c) Tonometer
- (d) Tomotre

20. The following are co-factors associated with underproduction of red blood cells **EXCEPT**

- (a) Folic acid
- (b) Vitamin B12
- (c) Calcium
- (d) Iron

©NMCN 26011/0522

21. Acoustic neuromas are diagnosed using the following techniques **EXCEPT**

- (a) Electro-encephalography
- (b) X-ray
- (c) Audiogram
- (d) Ultrasonography

*Correctly match the following sexually transmitted diseases with the causative agents. Write the correct option in front of each question*

| Disease            | Causative agents         |
|--------------------|--------------------------|
| 22. Syphilis       | (a) Paramyxovirus        |
| 23. Genital herpes | (b) Neisseria gonorrhoea |
| 24. Gonorrhea      | (c) Herpes simplex virus |
|                    | (d) Treponema pallidum   |

*Correctly match the following sexually transmitted diseases with the causative agents. Write the correct option in front of each question*

| Disease                   | Causative agents            |
|---------------------------|-----------------------------|
| 25. Chlamydia             | (a) Trachomatis             |
| 26. Condylomata acuminata | (b) Herpes simplex virus    |
| 27. Granuloma inguinale   | (c) Klebsiella granulomatis |
|                           | (d) Human papilloma virus   |



28. A condition where a client mistakes a rope to be a snake is called  
(a) Delirium  
(b) De-realization  
— (c) Illusion  
(d) Hallucination
29. In depression, there is a deficiency of  
— (a) 5 - Hydroxytryptamine  
(b) Dopamine  
(c) GABA  
(d) Acetylcholine
30. Which of the following glands has a significant effect on eating behaviours?  
(a) Pancreas  
— (b) Thyroid  
(c) Adrenal gland  
(d) Hypothalamus
31. The most common type of post-partum psychoses is  
(a) Mania  
— (b) Depression  
(c) Schizophrenia  
(d) Bipolar disorder
32. The following are features of dementia *EXCEPT*  
(a) Impaired memory  
— (b) Impaired consciousness  
(c) Loss of judgement  
(d) Loss of learned function
33. Susceptibility to mental illness is often related to  
(a) Affection  
(b) Guidance  
(c) Encouragement  
— (d) Heredity
34. The irregular, acyclic bleeding from the uterus that is mostly related to lesions in the uterus is  
— (a) Metrorrhagia  
(b) Polymenorrhagia  
(c) Menometrorrhagia  
(d) Menorrhagia

35. The following positions are used for gynaecological examinations **EXCEPT**
- (a) Trendelenburg
  - (b) Lithotomy
  - (c) Sims
  - (d) Fowler's

Match the type of sexual deviation in 36-38 with their correct definition. Write the correct option in front of the question

36. Autoerotism — (a) Sexual pleasure from intercourse with animal
37. Bestiality — (b) A man who derived pleasure from wearing female clothings
38. Transvestism — (c) Sexual pleasure from masturbation and fantasy
- (d) Sexual pleasure from using objects on erotic parts on one's body.

©NMCN26011/0522

39. Women who inherit genes BRCA1 or BRCA2 are susceptible to elevated risk of
- (a) Breast and ovarian cancers
  - (b) Breast and cervical cancers
  - (c) Breast and endometrial cancers
  - (d) Breast and gastric cancers
40. The incubation period of chlamydia infection is between
- (a) 3 - 6 days
  - (b) 7 - 21 days
  - (c) 22 - 28 days
  - (d) 29 - 38 days
41. The main aim of emergency obstetric and neonatal care facilities is to reduce
- (a) Maternal mortality and morbidity
  - (b) Neonatal morbidity and maternal mortality
  - (c) Maternal and neonatal mortality and morbidity
  - (d) Save pregnant mothers and children
42. The embryonic disk arising from the inner cell mass has the following two layers of cells
- (a) Endoderm and mesoderm
  - (b) Ectoderm and placenta
  - (c) Embryonic ectoderm and endoderm
  - (d) Embryonic mesoderm and the body



43. A pregnant woman's average weight gain by the 3rd trimester is  
 (a) 8.5kg  
 (b) 10kg  
 (c) 11kg  
 - (d) 12.5kg
44. The ductus arteriosus is expected to close \_\_\_\_\_ after delivery  
 (a) 30 minutes  
 - (b) 1 hour  
 (c) 2 hours  
 (d) 3 hours
45. High risk pregnancy refers to  
 (a) Emergency conditions that affect the mother  
 (b) Pregnancy related health conditions  
 (c) All the medical conditions that affects the mother  
 - (d) Pregnancy that threatens the health of the mother or her fetus
46. The following are indications for operative vaginal delivery *EXCEPT*  
 (a) Maternal heart disease  
 - (b) Prolonged first stage of labour  
 (c) Maternal exhaustion  
 (d) Non-reassuring fetal status
47. The position of the fetus is described as  
 (a) The part of the fetus that lies lower most in the maternal pelvis  
 (b) The way the fetus folds up itself so that it can be accommodated in the uterus  
 - (c) The relationship of a landmark on the presenting part of the right and left side of the maternal pelvis  
 (d) The level of the fetus in relation to the mother's umbilicus during palpation
48. According to the current WHO recommendations, a pregnant woman should be given which of the following nutrient supplements?  
 (a) Folic acid and vitamin D  
 (b) Iron and vitamin C  
 - (c) Vitamin A and folic acid  
 (d) Vitamin D and vitamin B complex
49. The environmental factor that influences children's growth and development is  
 - (a) Effect of climate change  
 (b) Effect of industrial development  
 (c) Effect of technological advances  
 (d) Effect of economic power

50. Family type is

- ☒ (a) Sociocultural influencer of a child's growth and development
- (b) Environmental influencer of child's growth and development
- (c) National influencer of a child's growth and development
- (d) Genetic influencer of a child's growth and development

51. Giving infants food and liquid in addition to formula and/or breast milk is referred to as

- (a) Supplementary feeding
- (b) Weaning feeding
- ☒ (c) Complementary feeding
- (d) Balanced feeding

52. The process of gradually introducing a variety of solid foods into a baby's diet while still on breast and/or formula milk is

- ☒ (a) Weaning
- (b) Winning
- (c) Weakening
- (d) Withdrawing

©NMCN26011/0522

53. Salting and drying are examples of food

- (a) Preparation methods
- (b) Storage methods
- ☒ (c) Preservation methods
- (d) Protection methods

54. The following are components of the essential child survival package *EXCEPT*

- (a) Care of the newborn
- (b) Micronutrient supplement
- (c) Integrated management of sick children
- ☒ (d) School health

55. A child with a high probability of having a negative outcome when exposed to unfavorable circumstances comparable to others in the population is said to be

- (a) Exposed
- ☒ (b) Vulnerable
- (c) Handicapped
- (d) Unfortunate

56. The common cause of jaundice presenting in the first 24-hours of life includes the



following **EXCEPT**

- (a) Prematurity
- (b) Haemolysis
- (c) Sepsis
- (d) Breast feeding

57. Baby Jones is admitted into the paediatric emergency, on assessment a diagnosis of intussusception is made. The following pairs of signs are the features of intussusception **EXCEPT**

- (a) Vomiting and lethargy
- (b) Withdrawal and quietness
- (c) Loud cry with the knees drawn up to the chest
- (d) Sausage - shaped mass in the abdomen on palpation

58. The immediate post-operative nursing management of an infant with pyloric stenosis is

- (a) Nasogastric suctioning for 24 hours
- (b) Feeding with clear fluids within 6 hours
- (c) Nil per oral for 48 hours
- (d) Feeding formula within 4 hours

©NMCN26011/0522

59. An infant that has just returned into the ward following a surgical repair of cleft lip should be placed on

- (a) Lateral position
- (b) Prone position
- (c) Knee chest position
- (d) Sims position

60. A large, harsh murmur combined with a systolic thrill is characteristic of

- (a) Arterial septal defect
- (b) Ventricular septal defect
- (c) Coarctation of the aorta
- (d) Tetralogy of Fallot

61. Research is best described as

- (a) A problem solving approach
- (b) A process of inquiry for generating new knowledge
- (c) A systematic approach for refining, validating existing knowledge and generating new knowledge
- (d) The use of questionnaires and/or interview to get questions from participants

62. The main distinguishing factor between qualitative and quantitative research in terms

- of data sharing is
- (a) Objectivity vs Subjectivity
  - (b) Credibility vs Validity
  - (c) Generalizability vs Transferability
  - (d) Reliability vs Dependability

63. The most appropriate sampling type for qualitative studies is

- (a) Probability sampling
- (b) Stratified sampling
- (c) Cluster sampling
- (d) Purposive sampling

64. Which of the following best describes the role of a nurse in research?

- (a) Generating and utilizing evidence based research findings
- (b) Collecting clinical data for research experts
- (c) Interfacing between the clinical and academic areas evidence generation
- (d) Ensuring proper generalization of the research

65. The type of research that looks at people who have an exposure and are followed over time to observe if they will have an outcome is called

- (a) Follow-up study
- (b) Cohort study
- (c) Randomized control
- (d) Analytical cross sectional study

66. In ethnographic research, the main data collection tool is

- (a) Questionnaire
- (b) Observation
- (c) Narration
- (d) Oral history

67. The degree to which an item measures what it is expected to measure is called

- (a) Reliability
- (b) Dependability
- (c) Validity
- (d) Credibility

68. The introduction of the researcher's interest in the research process intentionally or otherwise is called

- (a) Conformity
- (b) Bias
- (c) Matching
- (d) Causality

69. What scale of measurement do the following data express? (1, 2, 3, 4, 5, 6, 7, 8, 9, 10)



- (a) Nominal
- (b) Rational
- (c) Interval
- (d) Ordinal

70. The acronym ASFR means

- (a) Age Specific Fecundity Rate
- (b) Age Specific Fertility Rate
- (c) Age Specific Fertility Ratio
- (d) Age Specific Fecundity Ratio

71. The height or weight of patients are classified as

- (a) Nominal data
- (b) Continuous data
- (c) Discrete data
- (d) Random data

72. Observed frequency and expectant frequency are used to calculate

- (a) T-test
- (b) Chi-square
- (c) Correlation coefficient
- (d) Standard deviation

©NMCN26011/0522

73. The following are components of disaster preparedness **EXCEPT**

- (a) Assessing vulnerability
- (b) Institutional framework
- (c) Public education and training
- (d) Educational qualification

74. A minor emergency that has the potential to require more resources than are available in the responding unit is best classified as

- (a) A level one emergency
- (b) A level two emergency
- (c) A level three emergency
- (d) A level four emergency

75. Which of the following theories is not concerned with crowd behaviour?

- (a) Piaget theory
- (b) Contagion theory
- (c) Convergent theory
- (d) Emergent theory

76. Cardiopulmonary resuscitation is indicated in the following conditions **EXCEPT**

- (a) Drowning
- (b) Syncope
- (c) Suffocation
- (d) Coma

77. The compression to ventilation ratio that should be administered in cardiopulmonary resuscitation in an adult is

- (a) 15:1
- (b) 15:2
- (c) 30:1
- (d) 30:2

78. Life threatening condition refers to

- (a) Acute cases which require immediate treatment
- (b) Chronic conditions which require immediate treatment
- (c) Chronic, incurable disease which greatly limit life expectancy
- (d) Chronic but curable diseases which can hamper quality of life

79. The Patients Bill of Rights according to the Consumer Protection Council are

- (a) 4
- (b) 8
- (c) 12
- (d) 16

80. The number of people who die per 100,000 population in a given year is called

- (a) Morbidity rate
- (b) Mortality rate
- (c) Life expectancy
- (d) Rectangularization of life curve

81. The normal demand curve is

- (a) Horizontal shape
- (b) Downward sloping shape
- (c) Upward sloping shape
- (d) Vertical shape

82. The modern concept of Gross Domestic Product (GDP) was developed by

- (a) Adams Smith
- (b) Simon Kuznet
- (c) John Maynard
- (d) Adam Keynes



83. A major factor that hinders female entrepreneurs in Nigeria is  
(a) Lack of interest  
(b) Lack of support s  
(c) Low level of education  
- (d) Cultural barriers
84. Which of the following guide the entrepreneur through the business planning process?  
(a) Bravery  
(b) Fortitude  
- (c) Vision  
(d) Mission
85. A retail drug shop opened by a nurse entrepreneur is classified under  
(a) Medium scale enterprise  
- (b) Small scale enterprise  
(c) Null scale enterprise  
(d) Large scale enterprise
86. A nurse may be an entrepreneur in the following enterprises *EXCEPT*  
(a) Medical supply  
(b) Pharmaceutical supply  
(c) Agricultural enterprise  
- (d) Aero-pneumatic enterprise
- ©NMCN26011/0522
87. Which of the following is not a web-browser?  
(a) Firefox  
- (b) Facebook  
(c) Chrome  
(d) Safari
88. In educational institutions, hospitals and industries, information is stored by  
(a) Operating system  
(b) Word processing  
- (c) Data management  
(d) Information system
89. The use of a computer to write letter, article, book or prepare a report is called  
(a) Managing system  
(b) Data management  
- (c) Word processing  
(d) Operating system

90. The following problem result from introduction of Electronic Health Record *EXCEPT*

- (a) Confidentiality issues
- (b) Intellectual property issues
- ✓ (c) Job loss issues
- (d) Data protection issues

91. Which of the following is a hallmark of discipline in sociology?

- (a) Sociological perspective
- ✓ (b) Environment
- (c) Social inequality
- (d) Social institution

92. Which of the following is an example of health promotion?

- ✓ (a) Immunizing children against chicken pox
- (b) Caring for a dying patient
- (c) Assisting a stroke patient
- (d) Secondary disease prevention

93. Admission procedure, code of conduct and code of ethics are examples of

- (a) Family structure
- (b) Political structure
- (c) School structure
- ✓ (d) Professional structure

94. A process of interaction which enables us to develop the skills needed to participate in human society is known as

- ✓ (a) Social behavior process
- (b) Social interaction process
- (c) Cultural process
- (d) Socialization process

95. Discovery of vibrio cholerae is attributed to

- ✓ (a) Robert Koch
- (b) Donald Ross
- (c) A. Nechleir
- (d) Alexander Flaming

96. The full meaning of AFB is

- (a) Acid Fast Bacteria
- (b) Alcohol Fast Bacilli
- ✓ (c) Acid Fast Bacilli
- (d) Alcohol Fast Bacteria

97. The normal flora develops after birth between



- (a) 1 - 3 days
- (b) 4 - 7 days
- (c) 7- 14 days
- (d) 25 - 30 days

98. Which of the following is not a chemical related health hazard?

- (a) Carcinogenicity
- (b) Reactivity
- (c) Corrosivity
- (d) Toxicity

©NMCN26011/0522

99. The ability of the immune system to recognize self-antigen versus non self-antigen is an example of

- (a) Specific immunity
- (b) Self-tolerance
- (c) Antigenic immunity
- (d) Hormonal immunity

100. A client has an infection that is spread through droplet. Which of the following is most essential for the nurse to use when taking this client's temperature?

- (a) Mask
- (b) Goggle
- (c) Gown
- (d) Gloves