

1. A man that lost a wife and not remarried is called a
 - (a) Bachelor
 - (b) Spinster
 - (c) Widow
 - (d) Widower
2. The document used by community health nurse in primary health care setting is called
 - (a) Checklist
 - (b) Protocol
 - (c) Community guide
 - (d) Health guide
3. The current trend in mental health care in Nigeria is
 - (a) Preventive and Curative
 - (b) Promotive and Preventive
 - (c) Promotion and Rehabilitation
 - (d) Curative and Rehabilitation
4. The supervision of food vendor is a component of
 - (a) Health Education
 - (b) Occupational Health
 - (c) School Health Programme
 - (d) Health Promotion
5. A health care facility that provides specialized services is referred to as
 - (a) Specialist health care facility
 - (b) Secondary health care facility
 - (c) Primary health care facility
 - (d) Tertiary health care facility
6. The small fixed amount of money given to a lower officer as an advance for running day to day activities of an organization is called
 - (a) Petty cash imprest
 - (b) Imprest
 - (c) Advance imprest
 - (d) Budget
7. Which of the following is a disorder caused by neglect of oral hygiene?
 - (a) Bronchitis
 - (b) Sinusitis
 - (c) Dental caries
 - (d) Aspiration pneumonia
8. A financial statement prepared prior to a defined period of time is referred to as
 - (a) Wages
 - (b) Welfare
 - (c) Budget
 - (d) Cost
9. The process whereby each house in the ward of all health districts is to be assigned with Primary Health Care number is called
 - (a) Home visitation
 - (b) Marking
 - (c) Ward Registration
 - (d) Households Registration

10. The actual activity carried out on a patient using the nursing care plan is
 - (a) Implementation
 - ☒ (b) Nursing action
 - (c) Care plan
 - (d) Care activity
11. Amoebic dysentery in humans is caused by
 - ☒ (a) Entamoeba histolytica
 - (b) Entamoeba gingivalis
 - (c) Entamoeba dysenteriae
 - (d) Entamoeba coli
12. The novel virus causing COVID - 19 is called
 - (a) SARS - CO2
 - ☒ (b) SARS - COV - 2
 - (c) SAR - COV2
 - (d) SARS-COVID
13. The following are common symptoms of COVID - 19 EXCEPT
 - (a) Loss of taste
 - (b) Fever
 - (c) Dry Cough
 - ☒ (d) Productive cough
14. The father of Nutrition is
 - (a) Christian Lavosier
 - (b) Lima Lavosier
 - ☒ (c) Arttone Lavosier
 - (d) Justus Lavosier
15. Nutrition as science is
 - ☒ (a) Therapeutic
 - (b) Preventive
 - (c) Palliative
 - (d) Curative
16. The energy obtained from 1g of carbohydrate is
 - ☒ (a) 4 Kcal
 - (b) 5 Kcal
 - (c) 7 Kcal
 - (d) 9 Kcal
17. Mechanical digestion of food takes place in the
 - ☒ (a) Mouth
 - (b) Oesophagus
 - (c) Stomach
 - (d) Small intestine
18. A respiratory rate of 45 breaths per minute in an infant patient is
 - (a) Tachycardia
 - ☒ (b) Normal
 - (c) An indicator of need for artificial ventilation
 - (d) Too rapid
19. During prolonged stress, the hypothalamus triggers the
 - (a) Endorphin
 - (b) ACTH hormone
 - (c) Sympathetic nervous system
 - ☒ (d) Pituitary gland
20. The major respiratory structure affected in pneumonia is
 - (a) Bronchi
 - (b) Trachea
 - ☒ (c) Alveoli sac

- (d) Bronchioles
21. Which of the following sign/symptom would be observed in a patient diagnosed of laryngotracheobronchitis?
 - ☒ (a) Predominant stridor
 - (b) Predominant expiratory wheeze
 - (c) High fever
 - (d) Slow respiratory rate
22. Which of the following would cause the closure of the foramen ovale after the baby is delivery
 - (a) Decreased blood flow
 - ☒ (b) Shifting of pressures from right side to the left side of the heart
 - (c) Increased CO₂
 - (d) Increased oxygen saturation
23. The following are clinical manifestations of ovarian cancer EXCEPT
 - (a) Pain during sexual intercourse
 - (b) Sudden abdominal pain
 - (c) Abnormal vaginal bleeding
 - ☒ (d) Sudden weight gain
24. A common symptom in patients with cardiac compromise is an abnormal hear called
 - ☒ (a) Palpitation
 - (b) Bradycardia
 - (c) Bradypnoea
 - (d) Tachypnoea
25. Semi - lunar valves prevent fc
 - (a) An artery
 - ☒ (b) The ventricle
 - (c) The atrium
 - (d) A vein
26. Most digestive enzymes are produced in the
 - (a) Mouth and oesophagus
 - (b) Oesophagus and stomach
 - (c) Small intestine and pancreas
 - (d) Liver anti gall bladder
27. The awakening of the consciousness of policy makers on the need to be involved in supporting the planning and implementation of Primary Health Care programmes in their areas is called
 - (a) Commitment
 - (b) Advocacy
 - (c) Engagement
 - (d) Community involvement
28. The component of Primary Health Care that is very vital and coordinates all the remaining components is known as
 - ☒ (a) Health Education
 - (b) Nutrition
 - (c) Intrasectoral
 - (d) Intersectoral
29. The documentation containing all information on clinic activities is referred to as
 - (a) Register
 - (b) Log Book
 - (c) Record keeping
 - ☒ (d) Records
30. A form that is filled by a community health worker to inform the Local Government Area of the presence of an infectious disease is called
 - ☒ (a) Disease notification form
 - (b) Register
 - (c) Inventory form
31. The first modern nurse to define nursing is
 - (a) Florence Nightingale
 - ☒ (b) Virginia Henderson

- (c) Mary Brockmridge
(d) Mary Mahoney
32. Which of the following refers to the right to make one's own decision?
(a) Non-maleficence
(b) More roles
(c) Autonomy
(d) Fidelity
33. The acronym 'POP' means
(a) Plaster of Paris
(b) Plasma of Paris
(c) Plaster of Passion
(d) Plaster of Paris
34. The condition where an individual is unable to inhale and exhale air is referred to as
(a) Choking
(b) Suffocation
(c) Asphyxia
(d) Electrocutation
35. The state of insufficient blood flow to the tissues as a result of circulatory failure is called
(a) Shock
(b) Epis taxis
(c) Asphyxia
(d) Scalds
36. A sudden redness of the skin is known as
(a) Jaundice
(b) Pallor
(c) Flush
(d) Cyanosis
37. The human body develops from a single cell called
(a) Zygote
(b) Spermatozoon
(c) Organelle
(d) Plasma membrane
38. The pericardium is the double sac membrane that
(a) Encloses the heart
(b) Covers the lungs
(c) Lines up the heart valves
(d) Covers the muscle
39. The cardiac muscle is found in the
(a) Pericardium
(b) Myocardium
(c) Endocardium
(d) Epicardium
40. The vertebral column is made up of ___ bones
(a) 23
(b) 24
(c) 25
(d) 26

41. Which of the following sutures joins the frontal bone to the parietal bones?
(a) Parietal suture
(b) Frontal suture
(c) Coronal suture
(d) Sagittal suture
42. The strictures of the skull that form the cheekbones are
(a) Zygomatic arches
(b) Mastoid process
(c) Parietal bones
(d) Styloid process
43. The anterior fontanelle of the skull becomes ossified at
(a) 17 months
(b) 18 months
(c) 19 months
(d) 20 months
44. The tiny air sac present in human lungs is called
(a) Bronchioles
(b) Alveoli
(c) Bronchus
(d) Trachea
45. The largest part of the alimentary canal is the
(a) Stomach
(b) liver
(c) Large intestine
(d) Small intestine
46. Norms that specify expected behavior in everyday life is called
(a) Law
(b) Folkways
(c) Mores
(d) Taboos
47. The latency stage in Freud's psychosexual development theory occurs between
(a) 3- 6 years
(b) 4years - puberty
(c) 6years - puberty
(d) Puberty - adulthood
48. Phlegmatics are thoughtful and
(a) Lousy
(b) Calm
(c) Sociable
(d) Carefree
49. The process of finding out the actual status of a given community is known as
(a) Data analysis
(b) Data collection
(c) Situation analysis
(d) Planning analysis
50. The degree to which a disease causing organism remains unaffected by administration antibiotics is referred to as
(a) Sensitivity
(b) Prevalence
(c) Chronic
(d) Resistance

SECTION E:

1. The amount of substances that pass through the filtration membrane into the nephrons per minute is called:
 - a. Renal plasma flow
 - b. Tubular load
 - c. Plasma clearance
 - d. Tubular secretion
2. The lateral relation of the human heart is the:
 - a. Left lung
 - b. Arch of aorta
 - c. Right lung
 - d. Left and right lungs
3. Failure of the development of the uterus is called:
 - a. Uterolosis
 - b. Agenesis
 - c. Oophoritis
 - d. Myometagenesis
4. The perilymph which is a clear fluid is found between the:
 - a. Occipital and bony labyrinths
 - b. Bony and membranous labyrinths
 - c. Semicircular canals
 - d. Endolymph and exolymph
5. The valve located between the right atrium and the right ventricle is called:
 - a. Aortic semilunar valve
 - b. Pulmonary semi lunar valve
 - c. Tricuspid valve
 - d. Bicuspid valve
6. T-waves on an ECG represent
 - a. Depolarization of the ventricles
 - b. Repolarization of the ventricles
 - c. Depolarization of the atria
 - d. Repolarization of the atria
7. Increased venous return results in
 - a. Increased stroke volume
 - b. Increased cardiac output and pulse rate
 - c. Decreased heart rate and stroke volume
 - d. Increased stroke volume and cardiac output
8. Angiotensin I
 - a. Causes vasoconstriction
 - b. Stimulates aldosterone secretion
 - c. Stimulates secretion of ADH
 - d. Converts to Angiotensin II
9. The widest and most dispensable part of the male urethra is the:
 - a. Membranous part
 - b. Spongy part
 - c. Prostatic part
 - d. Ejaculatory part
10. Which of the following is a function of the eyelids?
 - a. Prevents the entry of excess light

- b. Helps in sighting
- c. Produces aqueous humor
- d. Detects near distant objects

11. Which of the following is a risk factor for disease?

- a. Culture
- ☒ b. Lifestyle
- c. Immunization
- d. Income

12. During percussion, the nurse uses the:

- a. Right index finger over the left
- ☒ b. Right middle finger over the left
- c. Left index finger over the body surface
- d. Left middle finger over the body surface

13. A patient with injury on the left limb, ambulating with walking stick holds the walking stick.

- ☒ a. In the left hand
- b. In the right hand
- c. On both hands
- d. In the hand of choice

14. Meniere's disease is also called:

- a. Otitis media
- b. External otitis media
- c. Labyrinthitis
- ☒ d. Endolymphatic hydros

15. Mattress suture means:

- a. Suturing the mattress tissues
- ☒ b. Style of suture where a loop is made on each side of the suture
- c. Suturing fatty tissues
- d. Suturing the uterus

16. Bilroth procedure is also known as:

- a. Nephrectomy
- ☒ b. Gastrectomy
- c. Lobectomy
- d. Mastectomy

17. Hypertensive nephropathy means:

- a. Heart and kidney disease
- b. Blood pressure disease
- ☒ c. Kidney disease due to hypertension
- d. Heart disease caused by kidney disease

18. Biologic dressing can be described as:

- a. Use of biology knowledge in dressing
- ☒ b. Use of human or animal tissue to cover wound
- c. Dressing under aseptic technique
- d. Dressing with sufratulle gauze

19. The following are indications for tracheostomy EXCEPT:

- ☒ a. Influenza
- b. Trauma
- c. Foreign body in the larynx
- d. Neoplasm

20. The death and putrefaction of macroscopic portion of tissue is called:

- a. Atherosclerosis
- b. Infarction
- c. Necrosis
- ☒ d. Gangrene

21. The facial vein has clinically important connections with:

- a. The frontal sinus
- b. The brachial plexus
- ☒ c. Supratrochlear vein
- d. Cavernous sinus and pterygoid venous sinus

22. Syringing of the external auditory meatus to remove wax or foreign body can result in:

- ☒ a. Vagus nerve stimulation with bradycardia
- b. Vestibulocochlear nerve stimulation
- c. Auditory nerve stimulation
- d. Oculomotor nerve stimulation

23. Pain from the tongue may radiate to the ear along:

- ☒ a. The glossopharyngeal nerve
- b. Auriculomandibular nerve
- c. Auriculotemporal nerve
- d. Trigeminal nerve

24. Fracture of the base of the skull can lead to the following EXCEPT: -

- a. Leakage of the cerebro spinal fluid (CSF)
- ☒ b. Perforation of the tympanic membrane
- c. Blindness
- d. Bleeding from the ear

25. High tone deafness can be caused by:

- a. Injury to the pinna
- b. Otitis interna
- ☒ c. Persistent exposure to loud noise
- d. Otitis externa

26. Meniere's syndrome is characterized by:

- a. Persistent yawning
- b. Constant hoarseness of the voice
- c. Blurred vision
- ☒ d. Tinnitus

27. Benign Prostatic Hyperplasia (BPH) only affects men with:

- a. Follicle stimulating hormone
- b. Luteinizing hormone
- ☒ c. Prostatic serum antigen
- d. Testosterone

28. Untreated Benign Prostate Hyperplasia (BPH) can increase pressure in the bladder leading to urine reflux into:

- a. The urethra
- ☒ b. The ureters
- c. The calyx
- d. The meatus

29. Toxic shock syndrome is an acute illness caused by:

- (a) Neisseria gonorrhoea
- (b) Trichomonas vaginalis

- (c) Staphylococcus Aureus
(d) Candidiasis
30. Endometrial cancer commonly affects women between ages:
(a) 15 and 25 years
(b) 15 and 40 years
(c) 30 and 40 years
(d) 50 and 70 years
31. The following are benefits of reproductive health Except:
(a) Provides family planning programmes and services
(b) Reduces maternal and child health mortality
(c) Improves reproductive health and reduces unwanted pregnancy
(d) Increases the spread of sexually transmitted infections
32. The most common causes of maternal mortality in Nigeria is:
(a) Diabetes in pregnancy
(b) Ante and postpartum haemorrhage
(c) Infection
(d) Prolong and obstructed labour
33. The acronym AMTSL means
(a) Adequate Management Through Skilled Labour
(b) Apply Manual Traction and Labour
(c) Active Management of Third Stage of labour
34. The Primary factor influencing child growth and development is:
(a) political stability
(b) Nutrition
(c) Maternal health
(d) psychology
35. Which of the following are challenges and problems associated with adolescence?
a. Substance abuse and/or sexually transmitted infections
b. Sexually transmitted infections or allergic rhinitis
(c) Injuries (intentional and unintentional) or diarrhea
d. Atopic eczema
36. The Manual Vacuum Aspiration (MVA) procedure is complete when:
a. The wall of the uterus feels smooth
b. The vacuum in the syringe decreases
(c) Red or pink mucous form and no more tissue is visible in the cannula
d. The uterus relaxes
37. The best approach to prevent malaria in pregnancy is the:
a. Use of insecticides
b. Use of mosquito repellent cream
(c) Use of insecticide treated net
d. Direct killing of mosquito by hand
38. Which of the following will help to diagnose distress in the newborn?
a. Vital sign
(b) Apgar score
c. Cyanosis
d. Breathing difficulties
39. Which of the following is a characteristic feature in eclampsia?
a. Bradycardia

- (b) Proteinuria
c. Feeble pulse
d. Hypotension
40. Which of the following is a harmful traditional practice in reproductive health?
(a) Female circumcision
b. Ear piercing
c. Male circumcision
d. Tribal marks
41. The following are strategies for improving maternal and child survival EXCEPT:
a. Antenatal care
b. Emergency obstetric and newborn care
(c) Non-compliance with immunization
d. Repositioning family planning/child spacing
42. The normal range of reproductive years in women is:
(a) 12 - 45 years
b. 15 - 45 years
c. 18 - 50 years
d. 20 - 45 years
43. The following are means of communication/health education in reproductive health EXCEPT:
a. Verbal communication
b. Mass media
c. IEF materials e.g. posters
(d) WhatsApp communication medium
44. The following are goals of first aid EXCEPT:
a. To keep the casualty alive
b. To stop the casualty's condition from getting worse
c. To promote recovery
(d) To do cardiopulmonary resuscitation
45. The following are important for emergency services EXCEPT:
(a) If the casualty is conscious and breathing
b. The location
c. The problem and what time it happened
d. If passers-by are present or not
46. The casualty that requires the most urgent attention is:
a. Victim who is in pain and shouting
b. Victim bleeding seriously
(c) Asphyxiated victim
d. Deed victim
47. The first response to a casualty is:
a. Laboratory investigation
(b) Moving the victim from danger
c. Head to toe examination
d. History taking to gather information
48. Which of the following does not belong to the chain of survival?
a. Early call for expert help
(b) Early identification of victims by religious background
c. Early CPR by first aiders
d. Early advanced cardiac life support

49. Triage is best described as:
- Classification of disease
 - Sort patients into groups based on severity and appropriate care
 - Prioritizing patient illness and care
 - Arranging victims of road traffic accident based on severity
50. The following body parts are most frequently affected by frost bite EXCEPT:
- Hands
 - Nose
 - Ears
 - Upper thigh
51. A patient who is a victim of drug overdose requires the following EXCEPT:
- Support of the respiratory and cardiovascular functions
 - Promoting fast action of overdose drug
 - Enhancing clearance of the agent
 - Providing for safety of the patient and staff
52. The following are features of a patient with alcohol withdrawal syndrome EXCEPT:
- Irritability and agitation
 - Uncontrollable fear and anxiety
 - Craving and tremors
 - Calm and hypersonic
53. The following are first aid measures for a conscious spinal injured casualty EXCEPT:
- Reassure the casualty, keep him calm and arrange for emergency transportation
 - Ask the casualty to keep the head absolutely still
 - Support the legs with slight movement
 - Support the head at all times and monitor breathing and circulation
54. The following are features of heart failure EXCEPT:
- Fast and labored breathing
 - Cold, clammy and sweaty skin
 - Polyuria
 - Sense of confusion and acute anxiety
55. An acute medical condition caused by the heat regulating mechanism of the body is called:
- Sun burn
 - Heat loss
 - Heat stroke
 - Skin stroke
56. Appropriate and immediate management of fracture:
- Leads to ecchymosis and tissue tenderness
 - Increases sensitivity of pain receptors
 - Determines the difference between recovery and disability
 - Stains the victims materials (clothes)
57. Alkaline and acidic agents that cause tissue destruction after contact is termed:
- Heat agent
 - Chemical poison
 - Haemorrhagic poison
 - Corrosive poison
58. Any incident that result in having more patients than the daily resources can handle is referred to as:
- Mass casualty incident
 - Gross casualty incident
 - Multiple casualty incident

- d. Many casualty incident
59. The first stage in initiating emergency operation plan is:
- Triage
 - Identification and documentation
 - Managing internal problems
 - Health communication
60. The following are disorders of memory EXCEPT:
- Psychogenic amnesia
 - Hysterical or dissociative amnesia
 - Retrograde amnesia
 - Retrospective amnesia
61. The general ability to adapt to new situations by means of purposeful thinking is called:
- Learning
 - Attention
 - Intelligence
 - Motivation
62. The defense mechanism in which feelings and impulses meant for one person are directed towards another is called:
- Reaction formation
 - Projection
 - Flight into fantasy
 - Displacement
63. Traditionally, psychiatric illnesses are believed to be caused by:
- Puerperium
 - Maternal deprivation
 - Witchcraft
 - Drug abuse
64. Which of the following must be involved in psychiatric history taking?
- Present complaints
 - History of present illness
 - History of previous illness
 - Electroencephalography
65. A type of thinking which attempts to solve a problem is:
- Imaginative thinking
 - Undirected free-flow fantasy thinking
 - Rational or conceptual thinking
 - Retardation thinking
66. A mental disorder characterized by detachment from reality so that the patient is totally self-preoccupied is called:
- Depression
 - Autism
 - Hysteria
 - Schizophrenia
67. The following are antidepressants EXCEPT:
- Amitriptyline
 - Tofranil
 - Phenelzine
 - Serenace

[illegible]

58. Which of the following drugs act by blocking the action of acetylcholine neurotransmitters binding to

1. The following conditions were tested: 1.0×10^6 CFU
 a. Respiratory disease
 b. Gastrointestinal disease
 c. Cardiovascular disease
 d. The skin infections

10. Theological, philosophical, scientific, and literary
11. General literature
12. History
13. Philosophy
14. Science
15. Literature

71. *Effect of the following is a positive-negative correlation relationship. It should show:*

- (a) *Chlamydomonas reinhardtii*
- (b) *Wormella* spp. (microsporidian)
- (c) *Chlamydia*
- (d) *Cryptosporidium*

17. The following are recommended types of formal administrative SOPs:

- (a) Work image
- (b) Reference
- (c) Flow image
- (d) Flow image with

17. Which of the following is a specific statement supported by both scientific theories?

- ☐ a. American Heritage
- ☐ b. Merriam-Webster
- ☐ c. Oxford Online
- ☒ d. Dictionary.com

24. The following are ages of female members of a church choir. Round to the nearest 100.

© 2005 Blackwell Publishing Ltd, *Journal of Internal Medicine* 258: 105–112

1. *Journal of the American Medical Association*, 1997; 277: 1001-1005.

TABLE 1. F STATISTICS FOR GENERAL MODELS AND THEIR SPECIAL CASES.

43. Substituent

12. A distance-measure technique developed by a number of researchers is known as

- ☐ a. Dermal
☐ b. Neural
☒ c. Muscular
☐ d. Epithelial

10. The following are major components of effective team work:

- ☒ **Severely affected**

2) Research design is largely driven by quantitative and qualitative methods used in

13. Which of the following is **not** a characteristic of the normal distribution?
- It is symmetric about the mean.
 - It is bell-shaped.
 - It is unimodal.
 - It is skewed to the right.

c. "There is a relationship between age of a nurse and approval of the nurse's spending habits." The $r = .32$

- a) *Amphioxus* *hyperboreus*
- b) *Amphioxus* *hyperboreus*
- c) *Amphioxus* *hyperboreus*
- d) *Amphioxus* *hyperboreus*

© 2010 Blackwell Publishing Ltd, *Journal of Internal Medicine* 267: 101–107

- a) frequency of the subject
- b) morphological markers
- c) frequency and intensity
- d) number of the subject

10. Which of the following is *not* a part of the definition of "responsible person"?

- (a) *Dimensions of the cylinder*
 (b) *Dimensions of the weight*
 (c) *Dimensions of the liquid*
 (d) *Time of the wave*

16. The following are methods of studying activities: See 1741-1747

- (a) *Streptococcus aureus*
 (b) *Staphylococcus aureus*
 (c) *Staphylococcus epidermidis*
 (d) *Staphylococcus saprophyticus*

doi:10.1017/S0022292412001607

87. In the five number summary, the following are used for data summarization EXCEPT:

- a) The smallest value
- b) The largest value
- c) The median
- d) The 25th percentile

88. Which of the following is an example of nominal scale?

- a) Median
- b) Mode ✓
- c) Mean
- d) Percentile

89. The unplanned grouping of experimental sample into group by chance is called:

- a) Comparison
- b) Randomization
- c) Replication
- d) Orthogonality

90. The following are factors affecting demand for health care EXCEPT:

- a) Marketing factor
- b) Socioeconomic factor
- c) Patient demographic factor
- d) Health care providers' factor

91. When money is not a key factor in expressing a person's desire, it is called a:

- a) Wish
- b) Demand
- c) Immigration
- d) Need

92. Market competitiveness of a profession depends on:

- a) Large volume of its members
- b) Intelligence capacity of its members
- c) Limited membership
- d) High demand of its members

93. The major sources of health care financing in Nigeria is:

- a) Direct government funding
- b) Out-of-pocket payment
- c) Donor funding
- d) NHIS

94. The waiting period for beneficiary of NHIS after registration is:

- a) 15 days
- b) 30 days
- c) 60 days
- d) 90 days

SECTION E:
OBJECTIVE ANSWER
1.A

2.D	54.B
3.B	55.B
4.B	56.D
5.C	57.B
6.B	58.D
7.D	59.C
8.D	60.C
9.B	61.C
10.A	62.C
11.B	63.D
12.B	64.A
13.A	65.A
14.D	66.D
15.B	67.A
16.B	68.D
17.C	69.C
18.B	70.C
19.A	71.C
20.D	72.D
21.C	73.D
22.A	74.B
23.A	75.D
24.B	76.A
25.C	77.B
26.D	78.C
27.C	79.B
28.B	80.A
29.C	81.D
30.D	82.B
31.D	83.C
32.B	84.C
33.C	85.B
34.B	86.C
35.C	87.C
36.C	88.A
37.C	89.A
38.B	90.A
39.B	91.D
40.A	92.B
41.C	93.C
42.A	94.D
43.D	
44.D	
45.A	
46.C	
47.C	
48.B	
49.D	
50.C	
51.B	
52.C	
53.B	

**NOT AUTHORIZED FOR
SALE IN ARIARIA MAIN
MARKET ABA, AND ANY
OTHER MARKET.**

08060230905

SECTION G: OBJECTIVE

1. A failure to provide professional services or duties with the skill usually exhibited by responsible and careful members of a profession, resulting in injury, loss or damage to the party contracting the services is called _____
 - a. Negligence
 - b. Assault
 - c. Malpractice
 - d. Professional failure
2. One of the following does not illustrate negligence
 - a. Loss of patient's property under the care of a Nurse
 - b. Failure to diagnose on time
 - c. Prospective error
 - d. Punitive damages on the side of the Nurse.
3. One of the following illustrates malpractice
 - a. Carrying out diagnosis by the nurse
 - b. Invasion into patients privacy
 - c. Assault, battery and stealing
 - d. Use of patient for experiment and learning
5. _____ comprise of pain and suffering resulting to injury which affects patient.
 - a. Damages due to injury
 - b. Punitive damage
 - c. General damage
 - d. Damage due to special injury
6. Funeral expenses, medical expenses and lost of income are classified as _____ malpractice
 - a. Malpractice damage
 - b. Special damage
 - c. Punitive malpractice
 - d. General damage
7. A type of damage projected to punish the nurse for his or her negligence is called
 - a. Imprisonment
 - b. Use of legal action
 - c. General damage using pain and suffering
 - d. Punitive damage
8. Assessment errors includes one of the following
 - a. Failure to chart each identified problem
 - b. Failure to use language in the care plan that other care givers can understand
 - c. Gathering inappropriate and inadequate patient information.
 - d. Failure to perform tasks correctly.
9. One of the following does not include planning errors
 - a. Failure to recognize certain important information
 - b. Failure to ensure continuity of care
 - c. Failure to give instructions on discharge
 - d. Failure to use understandable language in care plan.
10. Errors occurring due to nursing intervention includes the following except.
 - a. Incorrect calculation of rate of infusion
 - b. Ignoring patients complaints
 - c. Failure to give discharge instructions
 - d. Failure to notify the in charge nurse or Doctor about patient's problem.
11. The Doctrine whereby a client sue a hospital or employee institution instead of the nurse in practice is called _____

Paschal Anaeto

- a. Doctrine of respondent superior
- b. Res IPSa loquitur
- c. Unintended consequences
- d. Respondent client
12. A Doctrine whereby "facts speaks for itself" is called _____
 - a. Respondent superior
 - b. Res IPSa loquitur
 - c. Volenti Non fit Injuria
 - d. Novus Actus Interveniens.
13. A Doctrine of intervening Acts or events which some times involve the conduct of a third party other than the defendant or nurse intervening between the defendants or nurse's wrong doing is called _____
 - a. Doctrine of Nons Actus interveniens
 - b. Doctrine of respondent Actus interveniens
 - c. Doctrine of Actus Non fit interveniens
 - d. Doctrine of Actus Res IPSa loquitur interveniens.
14. To avoid negligence, the nurse should _____
 - a. Conduct proper examination
 - Admit patient only
 - Conduct and make nursing care plan a day
 - Take history of personal date only.
15. A nurse or Doctor who treats a "Religionist" with blood transfusion against her expressed wish is liable for
 - a. Legal malpractice
 - b. Res IPSa loquitur
 - c. Negligence, Assault and battery
 - d. Malpractice, Assault and battery
16. Immunity can be conferred on the following organizations except.
 - a. Officials performing quash- judicial functions
 - b. Infants under certain conditions
 - c. Doctors and professors on special duty
 - d. Insane persons and psychiatric patients.
17. A defence to an action in negligence or intentional torts is called _____
 - a. Immunity
 - b. Consent
 - c. Malicious torts
 - d. Intentional consent
18. The following are intentional tort except
 - a. Defamation
 - b. False imprisonment
 - c. Assault and battery
 - d. Negligence
19. A success achieved when two or more people are working together or with co- operation is called _____
 - a. Proximatism
 - b. Synergism
 - c. Synerquasm
 - d. Proximate success.
20. When a nurse is sensible and careful in making judgment and decisions, such is said to be _____
 - a. Prudent

Paschal Anaeto

9. Schering
10. Glaxo
11. Janssen
20. A nurse who threatened a client with an expense because the parent refused to take oral medication was
a. battery
b. assault
c. slander
d. libel
21. The deprivation of freedom of movement of another person is called justified justification called
a. imprisonment
b. lawful detention
c. false arrest
d. legal detention
22. _____ is not intent if the nurse breaches confidential information to others if private and personal privacy
a. Doctor
b. Nurse
c. Information
d. Libel
23. In absence of privacy a patient must be protected from disclosure of private
a. List of patients name in patients file
b. Photographing a patient without consent
c. Disclosing patients HIV status to a friend at work for diagnosis
d. Defining a breach of privacy includes
24. Searching or going through patients mail is legal to collect drugs without consent
a. Confidential privilege
b. Examining a health care worker and get HIV status to be notified
c. Photographing a patient for study
25. The act of establishing the reputation of someone by stating facts is called
a. Libel
b. Defamation
c. Slander
d. Character assassination
26. One of the following statement is correct
a. A libel is a defamatory statement made orally in a malicious form
b. A slander can be characterized when a nurse tells a friend that another nurse is incompetent
c. A slander is a written or printed statement that damages a person's good reputation
d. A libel and slander is a way of protecting the reputation of those nurses and doctors
27. Elements of defamation includes all except
a. The words must be defamatory
b. The words must refer to the plaintiff
c. The statements must be published
d. The statements must damage the person's health
28. The defense available for defamation includes all except
a. Truth
b. Confidential privilege
c. Statements in public interest
d. Tort

29. A statement made by officials made the performance, by judges or official report used by law. Civil servant is
a. Absolute privilege
b. Qualified privilege
c. Constitutional privilege
d. Confidential privilege
30. A defamatory statement made in other is not if health is called
a. Absolute privilege
b. Qualified privilege
c. Constitutional privilege
d. False statement
31. Defamation is a _____ procedure
a. Tort procedure
b. Criminal procedure
c. False statement procedure
d. A nurse procedure
32. One of the following is not an indication for catheterization
a. To measure the bladder in case of retention of urine
b. To allow urine specimen
c. To monitor urine output
d. To collect urine morning urine
33. One of the following is not a type of catheter
a. To collect up urinary catheter
b. Retention catheter
c. To collect up catheter with Foley
d. Foley catheter
34. A type of catheter is used to measure the amount of urine in the bladder
a. To collect up catheter
b. Retention catheter
c. To collect up catheter with Foley
d. Foley catheter
35. A type of catheter is used to measure the amount of urine in the bladder
a. To collect up catheter
b. Retention catheter
c. To collect up catheter with Foley
d. Foley catheter
36. A type of catheter is used to measure the amount of urine in the bladder
a. To collect up catheter
b. Retention catheter
c. To collect up catheter with Foley
d. Foley catheter
37. One of the following is not a principle of catheterization
a. Catheterization must be performed in an aseptic method
b. The catheter must be inserted the tip to the bladder
c. It should be done when necessary
d. The length of the catheter determines the amount of urine
38. Indications for catheterization includes all except
a. Urinary output
b. Urinary obstruction
c. High grade fever
d. Urigerson
39. Indications for catheterization includes all except
a. Urinary output
b. Urinary obstruction
c. High grade fever
d. Urigerson

- c. Traumatic injury
d. Bladder spasm
39. Contraindications for catheterization includes all except
a. Urge incontinence
b. Spasm of the bladder
c. Acute retention
d. Traumatic injury to the lower urinary tract
40. Nasogastric feeding is indicated in the following except.
a. Dysphagia
b. Tonsillitis
c. Orofacial fracture
d. Diabetic patient.
41. According to Kubler Ross, the first stage of dying is _____
a. Denial
b. Anger
c. Depression
d. Acceptance
42. Physical signs of dying includes all except
a. Loss of appetite
b. Fever
c. Cold skin
d. Involuntary movement
43. Changes in heart rate, loss of reflexes in the legs and arms is a dying sign generally called _____
a. Disorientation
b. Drowsiness
c. Myoclonus
d. Involuntary myociasis
44. Decrease in temperature by a few degrees with each passing hour is called _____
a. Rigor mortis
b. Liver mortis
c. Skin mortis
d. Algor mortis
45. Discoloration of the dependent body parts is called _____
a. Skin mortis
b. Algor mortis
c. Liver mortis
d. Body mortis
46. For a will to be valid, the person must be _____
a. Be of sound mind
b. Be of age
c. Be competent to write and sign
47. A nurse should never sign a will as a witness if _____
a. He or she is on duty
b. He or she is mentioned as a benefactor of the will
c. He or she is not professionally sound
d. He or she is not going to be paid as a contract work
48. During "last office" the nurse should do the following except
a. Straighten the legs and arms placed by the sides
b. Close the eyes

- c. The mouth closed
d. Remove the patients cloths and give to the relatives
49. The following equipments should be in the top trolley except
a. Artery forceps
b. Patient towel, soap and flannel
c. A pair of scissors
d. Patients wrapper
50. Abdominal paracentesis is carried out to _____
a. To obtain urine specimen
b. To obtain fluid specimen
c. To relieve pressure in the cranial region
d. To extract organs for transplant

SECTION G: OBJECTIVE ANSWER

1. C
2. D
3. A
4. C
5. B
6. D
7. C
8. A
9. C
10. A
11. B
12. A
13. A
14. C
15. C
16. B
17. D
18. B
19. A
20. B
21. C
22. D
23. A
24. B
25. B
26. B
27. D
28. D
29. A
30. B
31. B
32. D
33. C
34. A
35. B
36. B
37. C
38. D
39. C
40. D
41. A

42. B
43. C
44. D
45. C
46. A
47. B
48. D
49. D
50. B

**NOT AUTHORIZED FOR
SALE IN ARIARIA MAIN
MARKET ABA, AND
ANY OTHER MARKET.**

08060230905

07067643965

SECTION II: OBJECTIVE

1. Mention four indications for placing a patient in Lithotomy position

2. The most common complication that results from placing the patient in the lithotomy position is

- Femoral nerve injury
- Peroneal nerve injury
- Acute compartment syndrome
- Circulatory injury

3. In lateral position most of the body weight is borne by the following except:

- The lateral aspect of the lower scapular
- The lateral aspect of the ileum
- The greater trochanter of the femur
- The lateral aspect of the thoracic cage

4. The main reason for keeping the client's arm at the side of his body while turning to a prone position is that it:

- Makes it easy to carry out the procedure
- Prevents it from pinned under the body
- Ensures patient is positioned in the centre of the bed
- Prevents injury to the breast

5. Which of these positions is best for the management of deep vein thrombosis

- Trendelenburg position
- Lateral position
- Supine position
- Lithotomy position

6. Aligning the shoulder and hip during positioning prevents

- External rotation of the leg
- Impaired chest expansion
- Twisting of the spine
- Lateral flexion and fatigue of the sternocleidomastoid muscles

7. In which of the following situations should prone position not be used

- When the client's back is correctly aligned
- When client has cardiac or respiratory problem
- For clients recovering from surgery of mouth or throat
- Clients with no evidence of spinal abnormality

8. The route of choice when large amount of drug is to be administered is

- Sublingual route
- Intramuscular route
- Intravenous route
- Intrathecal route

9. The normal absorption time for drugs given via the oral route is

- 5 minutes
- 15 minutes
- 20 minutes
- 30 minutes

10. The use of methylated spirit to clean an area prior to intramuscular injection is primarily intended to

- Remove dead epithelial cells and make injection less painful
- Remove dirt and promote drug distribution
- Prevention of needle contamination

11. Drugs that bind to beta-adrenoreceptors and prevent the binding of norepinephrine and epinephrine at these receptors are called

- Epinephrine blockers
- Norepinephrine antagonists
- Beta adrenoreceptors agonists
- Beta adrenoreceptors antagonists

12. The following are nonselective beta blockers except _____

- Propranolol
- Timolol
- Penbutalol
- Acebutolol

13. Calculate the IV flow rate for 250 mL 0.5% dextrose to be administered over 130 minutes. The infusion set has drop factor of 30.

14. The formula for calculating child dose of drug using Young's rule is _____

15. Using Clerks rule, calculate the amount of drug to be administered to a child when the adult dose of the drug is 500mg and the child weighs 15Kg.

16. The two broad categories of contraindication are _____ and _____

17. The two major forms of drug interactions to be considered while administering medication _____ and _____

18. The maxillary sinuses lie

- Within the ethmoid above
- Below the orbit
- In the midline of the frontal bone
- In the body of the sphenoid bone

19. Which part of the ear contains the receptors for hearing

- Middle ear
- Semi-circular canals
- Cochlea
- Vestibule

20. A nursing measure that is helpful in communicating with a hearing impaired patient is to

- Over enunciate speech
- Use simple sentences
- Raise the voice to a higher pitch
- Write out all questions and responses

21. During assessment of the ear the nurse would expect to find

- Bone Conduction (BC) greater than Air Condition (AC)
- Absent cone of light
- Pearl-gray tympanic membrane
- Lateralization with Weber's test

22. The very first thing a nurse will assess when doing a head to toe examination is what?

- Head
- Eyes
- Ears
- General appearance

23. What could the nurse assess based solely on the way client walks into the room?
- Gender and age
 - Dress and signs of illness
 - Signs of illness, well-nourished
 - Gait and posture
24. When it comes to assessing the client's physical appearance which of the following lists what a nurse would look for?
- Gender, age, ethnicity, dress, speech, level of consciousness
 - Religion, age, ethnicity, dress, speech, level of consciousness
 - Age, gender, ethnicity, dress, diet, speech, level of consciousness
 - Gender, age, ethnicity, marital status, dress, speech, level of consciousness
25. What is the very first thing a nurse should do at the beginning of a head to toe assessment?
- Note the client's name and age
 - Introduce yourself to the client
 - Have the client walk in and take a seat
 - State the client's gender and ethnicity
26. Which two things would a nurse state they are going to do the end of the general appearance portion of the head to toe assessment?
- Record vitals and emotions
 - Record vision and pain level
 - Record vitals and pain level
 - Record level of consciousness and general appearance
27. A nurse palpates a client's temporomandibular joint, then asks him to clench his teeth. In doing this the nurse is assessing which cranial nerve?
- Cranial nerve 5
 - Cranial nerve 7
 - Cranial nerve 3
 - Cranial nerve 4
28. Arrange these parts of the body in the sequence they are bathed
- Hands — Chest — Abdomen — Groins
 - Chest — Abdomen — Groins — Hands
 - Hands — Groins — Chest — Abdomen
 - Chest — Hands — Abdomen — Groins
29. Air current increases loss of heat from the body by
- Radiation
 - Evaporation
 - Conduction
 - Convection
30. Early recovery of client is enhanced by all except one of the following
- Good nutrition
 - Hygienic environment
 - Exercise
 - Immobility
31. The range of motion the shoulder can be put includes all but one of the following except:
- Flexion
 - Extension
 - Everson
 - Circumduction

32. The following are examples of muscle of the shoulder except
- Biceps
 - Coracobrachialis
 - Pronator teres
 - Psoas
33. The skin performs the following functions excluding
- Protection
 - Mobility
 - Heat production
 - Absorption
34. The maintenance of epidermis depends on the following with its exceptions of
- Desquamation of the keratinized cells from the surface
 - Effective keratinized of cells approaching the surface
 - Continual cell division in the deeper layer with newly formed cells being push to the surface
 - Constant of keratinized cells at surface by chemicals
35. Midway during bed bath, the nurse changes the bath water in the following situations when it is
- Dirty
 - Soapy
 - Cold
 - Cloudy
36. The nurse ask the client to clean his or her perineal area to
- Avoid contamination/cross infection
 - To promote client comfort
 - To promote independence
 - To promote self actualization
37. To remove dirt from skin pores while washing client leg during bed bath, the nurse
- Immerse the leg in soapy water
 - Uses soft brush or towel to clean thoroughly
 - Uses strokes from distal to proximal part of the leg
 - Uses strokes from proximal to distal part of the leg
38. The two types of catheterization are _____ and _____
- Indications for catheterization includes all but one of the followings
- To obtain specimen for laboratory investigation
 - To empty bladder during labour
 - Prior surgical interventions
 - To ease breathing
39. The following is true for catheterization except:
- Clean procedure
 - Routine procedure
 - Trolley procedure
 - Tray procedure
40. The length of male urethra is _____
- 15 – 20cm
 - 10 – 15cm
 - 12 – 15cm
 - 20 – 25cm
41. The following are complications that can be associated with catheterization except
- Urolithiasis
 - Haematuria

- c) Ureter stricture
d) Urinary tract infection
- 42 The length of the female urethra is _____
a) 3cm
b) 3.5cm
c) 4cm
d) 4.5cm
- 43 The three stages of urine formation in order of sequence
a) Selective reabsorption ----- secretion ----- filtration
b) Selective secretion ----- reabsorption ----- filtration
c) Selective filtration ----- secretion ----- reabsorption
d) Filtration ----- selective reabsorption ----- secretion
- 44 The normal quantity of urine produced by a normal adult in 24 hours is
a) 500 – 100mls
b) 1,500 – 2,000mls
c) 2,500 – 3,000mls
d) 3,500 – 4,000mls
- 45 Three urinary bladder has layers that is composed of
a) Peritoneal layer ----- smooth and elastic tissue ----- mucosa
b) Smooth and elastic tissue ----- peritoneal layer ----- mucosa
c) Peritoneal layer ----- mucosa ----- smooth and elastic tissue
d) Mucosa ----- peritoneal ----- smooth and elastic tissue
- 46 When the urinary bladder is empty, the inner layer is arranged into folds referred to as _____
- 47 The hormones responsible for the regulations of urine volume and urine concentration are _____ and _____
- 48 The normal urine pH range is
a) 6 – 7
b) 5.5 – 7.0
c) 4.5 – 7
d) 3.5 – 7.5
- 49 The normal urine specific gravity ranges from
a) 1.008 – 1.102
b) 1.037
c) 1.101 – 1.109
d) 1.008 – 2.001
- 50 Passage of urine of greater than 3 litres per day with concentration of < 300 mOsm/kg characterizes _____
- 51 The approximate amount of plasma filtered by the kidney tubules daily is _____
a) 2.5 litres
b) 150 litres
c) 200 litres
d) 1.5 litres
- 52 The functional unit of the kidney is _____
a) Bowman capsule
b) Renal medulla
c) Nephron

- d) Nephron
- 53 Which of the following is true about glucose?
a) It is filtered by the nephrons into urine
b) It is secreted into collecting duct of the renal tubules
c) It is excreted in urine in hyperinsulinaemia
d) When in urine, it reduces specific gravity
- 54 Which of the following conditions is likely to be characterized by the appearance of protein in urine?
a) Multiple sclerosis
b) Myasthenia gravis
c) Diabetes mellitus
d) Cholecystitis
- 55 Which of the following essays require an acidic pH?
a) Benedict's test
b) Use of clinitest tablet
c) Use of Clinistix
d) Use of Alustix
- 56 The following conditions manifest with changes in urine colour except
a) Hemoglobinuria
b) Obstructive jaundice
c) Myasthenia gravis
d) Malaria

SECTION H: OBJECTIVE ANSWER

1. Vaginal examination

Vaginal delivery
Rectal surgery
Vaginal hysterectomy

2. C
3. C
4. B
5. A
6. C
7. B
8. C
9. D
10. D
11. D
12. D
13. 42 drops
14. /min

15. Young's rule = $\frac{\text{Adult dose} \times \text{Child's age (in years)}}{\text{Child's age (in years)} + 12}$

i. $\frac{\text{Child's age (in years)}}{\text{Child's age (in years)} + 12}$

Clarke's rule = $\frac{\text{Child's weight (in pounds)} \times \text{Adult dose}}{\text{Child's weight (in pounds)} + 150}$

ii. Unds

16. Absolute contraindication and Relative contraindication

17. B
18. A
19. A
20. B
21. C

VOLUME 2 3RD EDITION FOR GENERAL NURSES AND PUBLIC HEALTH NURSES

- 22. D
- 23. C
- 24. A
- 25. D
- 26. A
- 27. A
- 28. A
- 29. D
- 30. D
- 31. D
- 32. B
- 33. D
- 34. D
- 35. C
- 36. C
- 37. Intermittent and Continuous Catheterization
- 38. D
- 39. B
- 40. A
- 41. C
- 42. C
- 43. D
- 44. B
- 45. A
- 46. Rugae
- 47. Antidiuretic hormone and aldosterone
- 48. B
- 49. B
- 50. Diabetes insipidus
- 51. B
- 52. D
- 53. C
- 54. B
- 55. B
- 56. C

SECTION I: OBJECTIVE

1. Type, theories attempted categorizing individual into personality types using _____ and _____ characteristics
- a. Emotional and physical
 - b. Psycho and emotional
 - c. Physical and biological

SECTION AB: OBJECTIVE

1. In IMCI, assessment is done by checking first for asking questions about common conditions, examining the child and confirm nutrition and immunization status:
 - a. Signs and symptoms
 - b. Vital signs and anthropometric measurement
 - c. Immunization card and previous treatment chart
 - d. Danger signs
2. The guidelines of IMCI simply outline how to care for a child who is brought to a clinic:
 - a. With a chronic and acute illness
 - b. With an acute illness
 - c. With an illness and for a scheduled follow up visit
 - d. With a chronic illness
3. Fast breathing is a sign of:
 - a. Mild pneumonia
 - b. Severe pneumonia
 - c. Chronic pneumonia
 - d. Mild tuberculosis
4. The cut off point for fast breathing in children aged 0-2 months is:
 - a. 50 breaths per minute
 - b. 40 breaths per minute
 - c. 70 breaths per minute
 - d. 60 breaths per minute
5. In IMCI case management, the word triage means:
 - a. Sorting patient into priority group
 - b. Identifying the treatment and treat the sick child
 - c. Classify the illness
 - d. Assess the child or young infant and mother
6. In integrated management of childhood illness, identify treatment means:
 - a. Giving treatment in the clinic, prescribing drugs or other treatment to be given at home
 - b. Counsel the mother, which includes assessing how the child is fed and telling the mother about the food and fluid to give the child
 - c. Taking history, doing physical examination and selecting appropriate treatment
 - d. Selecting appropriate treatment for all the child's classification.
7. In IMCI, to use good communication skills, the health worker must:
 - a. Use eye contact and good gesture when communicating with the mother
 - b. Use words that mother understands and give mothers time to answer questions
 - c. Listen carefully to what the mother tells you and replying her questions immediately
 - d. Ask additional questions when the mother gives multiple answer
8. A child with cough or difficult breathing who has fast breathing and no general danger signs, no chest in-drawing and no stridor when calm is classified as having:
 - a. Pneumonia
 - b. Severe pneumonia
 - c. No pneumonia, cough or cold
 - d. Pneumonia or very severe disease
9. A child that has cough or difficult breathing without any danger sign, no chest in drawing, no stridor when the child is calm, and no fast breathing is classified as:
 - a. Pneumonia
 - b. Severe pneumonia or very severe disease

- c. Cough or cold
d. No pneumonia, cough or cold
10. The cut off for fast breathing in children aged 12 months up to 5 years is:
a. 25 breaths per minutes
b. 30 breaths per minutes
c. 40 breaths per minutes
d. 50 breaths per minutes
11. Integrated management of childhood illness is an integrated approach to child health that focuses on the _____ of the child:
a. Entity
b. Wellbeing
c. Health
d. Strength and weakness
12. Integrated management of childhood illness is a goal program established as a principal strategy for _____
a. Maintaining good health of the child
b. Treating children
c. Improving child health
d. Supporting children's health
13. Integrated management of childhood illness incorporates _____
a. Good treatment regimen
b. Antenatal cure
c. Family planning services
d. Preventive and health promotion component
14. The IMCI/IMNCI strategy was developed in _____
a. 1992 by WHO and UNICEF
b. 1994 by WHO and UNICEF
c. 1993 by WHO and UNICEF
d. 1995 by WHO and UNICEF
15. Integrated management of childhood illness is a form of management that utilizes _____ and _____
a. Careful and systematic assessment of common symptom
b. Careful and stage by stage assessment
c. Systematic assessment and preventive measure
d. Laboratory support and careful assessment
16. All of the following are common health problem that can affect the quality of care provided to sick children except:
a. Health workers skill
b. Health system issue
c. Community and family practice
d. Family planning and community scarcity.
17. One of the following is component of IMCI/IMNCI strategies:
a. Illness prevention
b. Health promotion
c. Improvement of health care system
d. Improvement of immunization
18. IMCI/IMNCI classification of individual sign leads to one or more classification rather than to a _____
a. Treatment

- b. Diagnosis
c. Signs and symptoms
d. Preventive measure
19. All of the following are element of IMCI/IMNCI except:
a. Counsel
b. Follow up care
c. Identify treatment
d. Instruction on how to assess the child
20. Integrated case management solely depends on _____
a. Simple clinical sign
b. Case detection
c. Baseline data
d. Criteria for treatment

SECTION AB: OBJECTIVE ANSWER

1. D
2. C
3. A
4. D
5. A
6. D
7. B
8. A
9. C
10. D
11. B
12. C
13. D
14. A
15. A
16. D
17. C
18. B
19. D
20. B

- 1 The term used to describe the part of the limb which is farthest away from the point of attachment of the limb is
 - a) Superior.
 - b) Proximal.
 - c) Inferior.
 - d) Distal.
- 2 The following are characteristics of stratified epithelial cells EXCEPT
 - a) They generate from below.
 - b) They are less durable than simple epithelial.
 - c) Their major role is protection.
 - d) They are more durable than simple epithelial.
- 3 The epithelial lining of the digestive, respiratory and urinary systems, glandular cells of the liver and pancreas is formed from
 - a) Ectoderm.
 - b) Mesoderm.
 - c) Endoderm.
 - d) Trophoblast.
- 4 A condition of the bone marrow in which the formed elements of the blood are simultaneously depressed is known as
 - a) Thalassemia.
 - b) Iron-deficiency anaemia.
 - c) Aplastic anaemia.
 - d) Haemolytic anaemia.
- 5 A clinical condition characterized by massive proteinuria, hypoalbuminemia, hyperlipemia and edema is known as
 - a) Nephrosis.
 - b) Glomerulitis.
 - c) Nephritis.
 - d) Nephrotic syndrome.
- 6 Highly specialized nerve cells that generate and conduct nerve impulses are called
 - a) Neurones.
 - b) Ganglion.
 - c) Cerebellum.
 - d) Pons varolii.
- 7 The part of the bone that forms the long axis of the bone is
 - a) Epiphysis.
 - b) Diaphysis or shaft.
 - c) Membranes.
 - d) Epiphyseal plate.
- 8 Which part of the bone acts as a shock absorber?
 - a) Tendon.
 - b) Cartilage.
 - c) Muscle.
 - d) Ligament.
- 9 The major muscles in the buttocks include:
 - a) Rectus muscles and Rhomboid major.
 - b) Trapezius muscles and Teres major.
 - c) Gluteus medius and gluteus maximus.
 - d) Soleus muscles and Fibularis longus.
- 10 One of the following is NOT a characteristic of dendrite of motor neurone?
 - a) They are short.
 - b) They are tapering.
 - c) They are diffusely branching extension.
 - d) They are long.
- 11 Cerebral hemispheres accounts for percentage of total brain mass
 - a) 83

- b) 90
- c) 73
- d) 63
- 12 The auricle and pinna constitute the part of the ear.
 - a) External
 - b) Middle
 - c) Internal
 - d) Cochlea
- 13 One of the following is a chemical that exerts its effect on the same cell that secretes them
 - a) Paracrine.
 - b) Endocrine.
 - c) Autocrine.
 - d) Exocrine.
- 14 The hormone that influence the energy metabolism of most body cells and help to resist stressor is:
 - a) Growth hormone.
 - b) Thyroid hormone.
 - c) Adrenalin.
 - d) Glucocorticoids.
- 15 The stomach is bounded by the following organs superiorly EXCEPT the
 - a) Diaphragm.
 - b) Left lobe of the liver.
 - c) Spleen.
 - d) Oesophagus.
- 16 The duodenum is about cm long.
 - a) 35-45
 - b) 25-30
 - c) 55-65
 - d) 75-85
- 17 The part of the colon that runs across the front of the abdominal cavity inferior to the stomach is
 - a) Ascending colon.
 - b) Descending colon.
 - c) Caecum.
 - d) Transverse colon.
- 18 The circumflex artery is a branch of
 - a) Anterior descending artery.
 - b) Left coronary artery.
 - c) Right coronary artery.
 - d) Descending aorta.
- 19 The following statements are TRUE about coronary arteries EXCEPT
 - a) Circumflex artery supplies the left atrium and lateral wall of the left ventricle.
 - b) Left anterior descending arteries supplies the anterior wall of the left ventricle.
 - c) Right coronary artery supplies the left ventricle.
 - d) Right coronary artery supplies the right side of the heart.
- 20 One of the following is an increase in the rate and depth of breathing that exceeds the body's need to re-
Carbondioxide (CO₂)
 - a) Hyperventilation.
 - b) Hypercarpnoea.
 - c) Hypoventilation.
 - d) Dyspnoea.
- 21 Which of the following therapeutic interventions uses moist heat?
 - a) Sitzbath.
 - b) Aquathermus pad.
 - c) Heat lamp.
 - d) Commercial hot pack.
- 22 The following are protected by non keratinised stratified squamous epithelium EXCEPT
 - a) Pharynx.
 - b) Conjunctiva.

- c) Skin.
d) Vagina.
- 23 The following are natural haemostatic process **EXCEPT**
a) Vasoconstriction.
b) Fibrinolysis.
c) Platelet formation.
d) Clot formation.
- 24 A client with history of peptic ulcer disease develops a fever of 38.3°. Which of the following signs strongly indicate that the client has peritonitis?
a) Abdominal rigidity.
b) Hyperactive bowel sounds.
c) Abdominal pain.
d) Abdominal reflexibility.
- 25 Which of the following explains the influence of aging on the development of peripheral vascular disease
a) Increased viscosity of blood.
b) Increased peripheral resistance.
c) Decreased peripheral resistance.
d) Decreased viscosity of blood.
- 26 The primary goal of peripheral vascular bypass surgery is to
a) Prevent blood infection.
b) Relieve vascular pain.
c) Reroute blood circulation.
d) Substitute blood vessels.
- 27 To maintain adequate glomerular filtration, it is most important for the client to have adequate
a) Intravascular volume and cardiac output.
b) Serum albumin and stroke volume.
c) Oncotic pressure and systemic vascular resistance.
d) Hydrostatic pressure.
- 28 The Nurse is developing a discharge home care plan for a patient with lymphoma, the Nurse should emphasize the following **EXCEPT**
a) Avoid crowds or other large gathering.
b) Take all medications as prescribed.
c) Stop using medications when you feel alright.
d) Do not share personal toiletries.
- 29 The most appropriate nursing intervention for determining fluid balance in a client with end stage renal failure is
a) Weigh patient daily.
b) Monitor urine specific gravity.
c) Monitor intake and output daily.
d) Record vital signs daily.
- 30 The first stage of a stress response is
a) Stage of resistance.
b) Stage of alarm reaction.
c) Stage of exhaustion.
d) Stage of flight.
- 31 The following are symptoms of severe hypernatremia **EXCEPT**
a) Disorientation.
b) Hallucination.
c) Irritability.
d) Thirst.
- 32 A client with recurrent urolithiasis should be restricted from taking one of the following minerals
a) Calcium.
b) Sodium.
c) Phosphorus.
d) Magnesium.
- 33 Which of the following is NOT a phase in the cell cycle?
a) G1 (Gap One) phase.

- b) S (Synthesis) phase
c) G2 (Gap two) phase.
d) Protein phase (P).
- 34 The pain associated with acute pancreatitis is characterized by
a) Lower abdominal pain radiating to hip.
b) Pain around the stomach radiating to the back.
c) Lower abdominal pain radiating to the groin.
d) Abdominal pain radiating to lower and middle abdomen.
- 35 A client is admitted with mitral valve disease and left ventricular dysfunction. What is the most reliable test to determine the cardiac status?
a) Cardiac catheterization.
b) Echocardiogram.
c) Electrocardiogram.
d) Stress test.
- 36 The primary reason for performing coronary artery bypass surgery is to:
a) Reduce overall contractility of the heart muscles.
b) Increase oxygen supply to the heart muscles.
c) Decrease oxygen overload to the cardiac muscles.
d) Reduce plaque formation in the carotid artery.
- 37 A client on nitroglycerine treatment complained of throbbing headache, the Nurse should
a) Administer prescribed analgesics.
b) Stop nitroglycerine treatment.
c) Give nitroglycerine with few glasses of water.
d) Position patient in supine position to alleviate the headache.
- 38 A hypertensive client on Frusemide, Atenolol and Ramipril developed a second degree heartblock (Mobitz type I). Which of the following actions should the Nurse take?
a) Prepare for cardioversion.
b) Withhold the atenolol.
c) Set up for arterial line.
d) Withhold Ramipril.
- 39 The most common cause of dementia in the general population is
a) Parkinson disease.
b) Vascular disease.
c) Alzheimer's disease.
d) Epilepsy.
- 40 Parkinson's disease is caused by the degeneration of neurons in an area of the brain called
a) Basal ganglia.
b) Cerebellum.
c) Corpus callosum.
d) Substantia nigra.
- 41 Damage to the glomerulus leads to
a) Increase permeability of the glomerular membrane.
b) Decrease permeability of the glomerular membranes
c) Cessation of permeability of the glomerular membrane.
d) Destruction of permeability of the membrane.
- 42 Categories of self care requisites according to Orem's theory of Nursing include all **EXCEPT**
a) Developmental.
b) Fundamental.
c) Universal.
d) Health deviation.
- 43 The Nurse is providing pre-operative care for a booked cardiac surgery patient. The most important action during this period is?
a) Discuss with the client the steps of myocardial cellular metabolism.
b) Provide pre-operative education regarding the mechanics of the cardio pulmonary by-pass machine.
c) Perform a thorough nursing assessment to provide an accurate baseline for post-operative evaluation.

- d) Discuss with the client and family the anticipated amount of post-operative chest tube drainage.
- 44 A reduction in one of the following laboratory measurements will provide an indication that treatment is successful in the treatment of Cushing's syndrome
- Serum glucose levels.
 - Urine sodium levels.
 - Serum potassium levels.
 - Gastric pH.
- 45 A patient with angina pectoris was instructed NOT to swallow glyceryl trinitrate tablet but place it under the tongue because
- It cannot be absorbed by the gastro intestinal mucosa.
 - It has high metabolic effect.
 - It is bitter and can cause vomiting.
 - It can cause severe diarrhoea.
- 46 Bronchial asthmatic attack that is triggered by foreign allergies is classified as
- Atopic asthma.
 - Non-atopic asthma.
 - Cardiac asthma.
 - Foreign allergic asthma.
- 47 The constant process of adding or deleting elements within a culture is called
- Culture shock.
 - Cultural relativism.
 - Culture change.
 - Cultural dynamism.
- 48 The presence of multiple illnesses simultaneously in a person is called
- Comorbidity.
 - Co-existence.
 - Compromise.
 - Comortality.
- 49 A group of persons having a defined membership and specified purpose is known as
- Informal group.
 - Coherent group.
 - Formal group.
 - Incoherent group.
- 50 A field of study that explores the biopsychosocial issues of aging is known as
- Gynaecology.
 - Geriatology.
 - Gerontology.
 - Geratonomy.
- 51 Presence of contradictory and often competing role expectations is otherwise referred to as
- Role behaviour.
 - Role ambiguity.
 - Role conflict.
 - Role overload.
- 52 Which of the following techniques is used in assessing crepitations in patients with Osteoarthritis of the knees
- Percussion.
 - Palpation.
 - Inspection.
 - Auscultation.
- 53 A client in balanced suspension traction for a fractured femur needs to be positioned towards the head of the bed. During repositioning, the nurse should
- Release the weight and replace immediately after positioning.
 - Lift the traction and the client during repositioning.
 - Place slightly additional tension on the traction cot.
 - Maintain the same degree of traction and tension.
- 54 The following are clinical features of Osteoarthritis EXCEPT
- Crepitations.
 - Joint stiffness.

- c) Joint trauma.
- d) Pain that relieves by resting the joint.
- 55 Which of the following is the most obvious clinical manifestation of dislocation?
- Painful bone.
 - Swelling of the soft tissue surrounding the joints.
 - Asymmetry of the musculoskeletal contour.
 - Tenderness.
- 56 Which of the following is a chronic inflammatory disease that primarily affect the sacroiliac joints apophyseal and costovertebral joints of the spine and adjacent soft tissues?
- Osteomyelitis.
 - Arthritis.
 - Ankylosing spondylitis.
 - Lyme's disease.
- 57 One of these will be the appropriate thing to do if you are trapped in a burning building
- Go into a room with window and shut the door.
 - If you have to cross a smoke-filled room, stay upright.
 - If you have to escape through a window, go out hands first.
 - Lower yourself to the full length of your legs before dropping down.
- 58 The most common cause of shock is
- Fear.
 - Severe blood loss.
 - Stress.
 - Diarrhoea.
- 59 One of these is NOT a priority in the emergency treatment of severe burns?
- Treatment of pain.
 - Rapid cooling of the burn.
 - Ensuring breathing.
 - Ensuring patient is not in shock.
- 60 In a case of bleeding varicose vein, the following should be done EXCEPT
- Assist the casualty to lie down on her back with the legs at the same level.
 - Apply firm, direct pressure on the area using sterile dressing.
 - Remove garments like elastic-topped stocking.
 - Monitor and record vital signs.
- 61 Strains and sprains should initially be treated using the following EXCEPT
- Rest the injured part.
 - Apply warm compress.
 - Compress the injury.
 - Elevate the injured part.
- 62 One of these should not be part of care during asthmatic attack?
- Encourage client to keep calm.
 - Get client to take a puff of her inhaler.
 - Encourage client to lie down.
 - Ask client to breathe slowly and deeply.
- 63 To provide First Aid to a conscious spinal injury casualty, the first aider should do the following EXCEPT
- Reassure the casualty and advise her not to move.
 - Kneel behind the casualty, steady and support the head in a lateral position.
 - Continue to support the casualty's head until emergency medical services take over.
 - Get help to monitor and record the vital signs.
- 64 Emergency treatment for fractured collar bone include the following EXCEPT
- Help the casualty to sit down.
 - Lay the affected arm transversely across her chest.
 - Ask her to support the elbow with her other hand.
 - Secure the arm to the chest with a broad fold bandage.
- 65 The presence of calculi in the gall bladder is called
- Cholecystitis.
 - Cholelithiasis.
 - Cholesatoma.

- d) Chondrolysis.
- 66 Which of the following represents a condition characterized by the absence of spermatozoa in the semen?
- Oligospermia.
 - Polyspermia.
 - Azoospermia.
 - Asthenospermia.
- 67 Antrum is a cavity found in the
- Uterus.
 - Graafian follicles.
 - Ovaries.
 - Fallopian tubes.
- 68 Which of the following are examples of paraphilias?
- Transvestism, voyeurism, organismic disorders.
 - Sexual masochism, transvestism, voyeurism.
 - Pedophilia, exhibitionism, organismic disorders.
 - Dyspareunia, vaginismus, sexual sadism.
- 69 Amniocentesis refers to.....
- A diagnostic procedure of withdrawing a small amount of amniotic fluid from the amniotic sac.
 - Collection of fluid in the fallopian tube of pregnant woman.
 - Withdrawal of allatonic fluid from pregnant woman.
 - Chemical analysis of fluid from pregnant woman.
- 70 The term used in describing failure of testes to descend into the scrotum is
- Cryptorchidism.
 - Castration.
 - Paedogenesis.
 - Impotency.
- 71 Part of the sperm involved in penetrating egg membrane is the
- Autosomes.
 - Allosomes.
 - Acrosomes.
 - Tail.
- 72 Corpus Luteum develops from the
- Oocyte.
 - Nephrostome.
 - Graafian follicle.
 - Chorionic villi.
- 73 When a couple complain of infertility, the first essential step is to:
- Take careful detailed history interviewing the man and woman separately.
 - Take careful history interviewing the man and woman together.
 - Request for sperm specimen for sperm count.
 - Order for hystero-salpingography.
- 74 The basic functional unit of a matured placenta is the
- Syncitium.
 - Mesoderm.
 - Chorionic villi.
 - Trophoblast.
- 75 Which of the following is NOT a feature of gynaecoid pelvis?
- Round brim.
 - Shallow cavity.
 - Heart shaped brim.
 - Well curved sacrum.
- 76 The most reliable test for differentiating between conductive and sensorineural deafness is
- Watch tick test
 - Falacies
 - Turning fork test
 - Conversational voice test
- 77 A pedunculated mass lying in the external auditory canal refers to.....

- Otorrhoea.
 - Aural polyp.
 - Otomycosis.
 - Myringitis.
- 78 Otorrhoea is caused by all of the following EXCEPT
- Otomycosis.
 - Labyrinthitis.
 - Myelitis.
 - Myringitis.
- 79 The term used in describing a hallucination of the sense of equilibrium and movement, where the person feels that either his surroundings are going round him, or he himself is rotating is
- Tinnitus.
 - Otitis.
 - Vertigo.
 - Myringitis.
- 80 One of the following terms is used in describing acute ulceration involving one or both tonsils and spreading to the pillars, soft palate and gums
- Vincent's angina.
 - Menniere's disease.
 - Quinsy.
 - Aural Polyps.
- 81 Vitamin A deficiency can cause all of the following EXCEPT
- Night blindness.
 - Keratomalacia.
 - Dermoid.
 - Xerosis.
- 82 Herbert's pits are seen in
- Spring catarrh.
 - Trauma.
 - Herpetic conjunctivitis.
 - Ophthalmia neonatorum.
- 83 Retinoblastoma is a term used in describing
- White mass behind the iris.
 - Frequent tumor in childhood.
 - Common malignant tumor of the eye found in children.
 - Chrosomal abnormalities of the retina.
- 84 Increased nervous tension, accelerated pulse, loss of body weight and increased oxygen consumption in a child is as a result of over production of which of the following glands?
- Gonads.
 - Pituitary gland.
 - Pancreas.
 - Thyroid gland.
- 85 The clouding or opacity within the crystalline lens that leads to gradual painless blurring and eventual loss of vision is called.
- Glaucoma.
 - Cataract.
 - Trauma.
 - Chalazion.
- 86 The variable that are NOT under study but can create some effects on the variables that are being studied are referred to as
- Extraneous variables.
 - Dependent variables.
 - Independent variables.
 - Stimulus variables.
- 87 Research implies all of the following EXCEPT
- Systematic approach to problem solving.
 - An empirical investigation.