



NURSING AND MIDWIFERY COUNCIL OF NIGERIA

Established by Nursing and Midwifery Regulations No. 442 Cap. No. 147 Laws of the Federation of Nigeria, 2004

Professional Examination for General Nurses November 2020

PAPER II

SECTION B: OBJECTIVE QUESTIONS (40%)

Answer ALL questions

INSTRUCTIONS:

The following are Objective Test Items. Circle the appropriate option with PENCIL. Each question counts for ONE (1) mark. Enter your NUMBER on this booklet. This Booklet MUST be attached to the essay answer script.

1. The gap between the axon of one neuron and dendrite or cell body of the next neuron is called
 - (a) Gap
 - (b) Synapse
 - (c) Spaceton
 - (d) Node
2. The effect of sympathetic nerve on the smooth muscles of the stomach and intestines is
 - (a) Decreased peristalsis
 - (b) Increased peristalsis
 - (c) Decreased and sometimes increased peristalsis
 - (d) No effect
3. The loss of vision that occurs when the eye stops focusing because the brain ignores the nerve impulse is called
 - (a) Lazy eye
 - (b) Strabismus
 - (c) Amblyopia
 - (d) Presbyopia
4. The foot of stapes bone is hooked into the
 - (a) Oval window
 - (b) Round window
 - (c) Cochlea
 - (d) Scala vestibule

5. The functional unit of the auditory system is called the
- Rods
 - Tympanic
 - Organ of Corti
 - Semi-circular canal
6. The triad of symptoms of ear disease are
- Otorrhea, tinnitus and vertigo
 - Imbalance, pain and tinnitus
 - Hearing loss, tinnitus and vertigo
 - Pain, hearing loss and tinnitus
7. The external genitalia of the female is collectively known as the
- Labia majora
 - Clitoris
 - Vulva
 - Mons pubis
8. The nerve supply to the cervix is through a group of nerves called
- Plexuses
 - Lee Frankenhausers plexus
 - Cervical plexuses
 - Mathew Roys plexus
9. Which of the following is a rudimentary analogue of the male prostate gland?
- Urethral crypts
 - Tunica albuginea
 - Tunica vaginalis
 - Sertoli cells
10. A nurse is testing urine for specific gravity. Which of the following is the normal range of result?
- 0.100 - 0.999
 - 1.000 - 1.050
 - 1.010 - 1.030
 - 1.050 - 1.100
11. Primary breast development occurs in both sexes and commences at about the _____ of intrauterine life
- 2nd Week
 - 3rd Week
 - 4th Week
 - 5th Week

12. The principal oestrogen produced by the theca and granulosa cells is
- Oestrogenic oestriol
 - Oestriol
 - Oestrone
 - Oestradiol
13. The following are types of neuroglial cells found in the central nervous system **EXCEPT**
- Microglial cells
 - Astrocytes
 - Oligodendrocytes
 - Dendrites
14. The three neurons in reflex arc are
- Motor, sensory and afferent neurons
 - Efferent, motor and sensory neurons
 - Sensory, motor and inter neurons
 - Afferent, efferent and motor neurons
15. The visual area is located in the _____ of the cerebrum
- Frontal lobe
 - Parietal lobe
 - Temporal lobe
 - Occipital lobe
16. The bulging of the bladder downward in to the vagina is referred to as
- Dysplasia
 - Rectocele
 - Enterocoele
 - Cystocele
17. The normal vaginal pH ranges between
- 3.8 - 4.5
 - 3.8 - 5.0
 - 3.8 - 5.5
 - 4.8 - 5.5
18. Fever, tachycardia with warm peripheries, tachypnoea and raised white cell count suggest
- Shock
 - Sepsis
 - Inflammatory response
 - Malaria parasite infection

- 4
19. Which of the following hormones is at peak during ovulation?
- (a) Follicle stimulating hormone
 - (b) Inhibin and progesterone
 - (c) Relaxin and oestrogen
 - (d) Luteinizing hormone
20. The first - line treatment for prostate cancer with patient whose tumour is confined to the prostate is
- (a) Chemotherapy
 - (b) Radical prostatectomy
 - (c) Radiation therapy
 - (d) Hormonal therapy
21. The kidney is divided into outer and inner portions known as
- (a) Cortex and medulla
 - (b) Glomerulus and tubule
 - (c) Cortex and glomerulus
 - (d) Medulla and glomerulus
22. The main difference between Belroth I and II procedure is
- (a) Belroth I affects the stomach while Belroth II affects both stomach and small intestine
 - (b) Belroth II is partial while Belroth I is complete
 - (c) Belroth I is complete while Belroth II is incomplete
 - (d) Belroth I & II are almost the same
23. Acute dialysis is indicated in the following conditions **EXCEPT**
- (a) High and rising level of serum potassium
 - (b) End-Stage Renal Disease
 - (c) Nephrotic syndrome
 - (d) Fluid overload
24. The dilation of the renal pelvis and calyces of one or both kidneys due to an obstruction is known as
- (a) Nephrosclerosis
 - (b) Renal carbuncle
 - (c) Urethritis
 - (d) Hydronephrosis
25. The following are pre-renal causes of acute renal failure **EXCEPT**
- (a) Congestive heart failure
 - (b) Dysrhythmias

26. A condition in which the white cells are fewer in number than normal is

- (a) Leukaemia
- (b) Agranulocytosis
- (c) Leukopenia
- (d) Polycythaemia

27. The following are conditions affecting the middle ear **EXCEPT**

- (a) Endolymphic drops
- (b) Labyrinthitis
- (c) Cholesteatoma
- (d) Meniere's disease

28. Many cancer cells produce growth factors which derive their own proliferation by a positive feedback known as

- (a) Cell cycle
- (b) Growth pattern
- (c) Autocrine stimulation
- (d) Mutation

29. Which of the following is a characteristic feature of lung cancer?

- (a) Dry tongue
- (b) Finger clubbing
- (c) Moist skin
- (d) Insomnia

30. The following are clinical consequences of aging related to central nervous system changes **EXCEPT**

- (a) Increased risk of osteoporosis
- (b) Reduced position and vibration sense
- (c) Increased risk of delirium
- (d) Increased risk of falls

31. The following are features peculiar to older patients **EXCEPT**

- (a) Late presentation
- (b) Multiple pathology
- (c) Interdependency
- (d) Atypical presentation

32. The following are types of incontinence observed in the aged **EXCEPT**

- (a) Rapid incontinence
- (b) Urge incontinence
- (c) Stress incontinence
- (d) Overflow incontinence

33. A common adverse drug reaction among aged patients who consumes opiates is
- (a) Delirium
 - (b) Constipation
 - (c) Hypotension
 - (d) Bradycardia
34. Auditory hallucination suggests
- (a) Schizophrenia
 - (b) Depression
 - (c) Mania
 - (d) Organicity
35. The following medications are examples of a typical antipsychotic **EXCEPT**
- (a) Olanzapine
 - (b) Chlorpromazine
 - (c) Haloperidol
 - (d) Molindone Hydrochloride
36. The following are number of theories influencing the treatment of patients with violent behaviour **EXCEPT**
- (a) Analytical theory
 - (b) Psychological theory
 - (c) Sociocultural theory
 - (d) Biological theory
37. The following are symptoms of delirium among children **EXCEPT**
- (a) Stuttering
 - (b) Difficulty sustaining attention
 - (c) Disorganized thinking
 - (d) Clouding of consciousness
38. Which of the following is the major cause of primary dementia?
- (a) Alzheimer's disease
 - (b) HIV
 - (c) Cerebral trauma
 - (d) Diabetes mellitus
39. The following are substance related disorders **EXCEPT**
- (a) Intoxication
 - (b) Withdrawal
 - (c) Abuse

40. A mental disorder characterized by periods of deep depression alternating with irritable mood is termed
- Schizoaffective disorder
 - Bipolar disorder
 - Mania
 - Depression
41. The following are characteristics of manic episodes *EXCEPT*
- Cachexia
 - Grandiosity
 - Diminished need for sleep
 - Pressured speech
42. Which broad categories can be used to differentiate these terms 'male' & 'female' and 'masculinity' & 'femininity'?
- Sex and gender
 - Masculine and feminist perspectives
 - Gender and sexual orientation
 - Sex and sexual orientation
43. A cancer that is commonly found among HIV/AIDS patient is
- Cervical cancer
 - Kaposi sarcoma
 - Breast cancer
 - Hepatic carcinoma
44. The World AIDS day is celebrated annually on
- 1st May
 - 1st October
 - 1st April
 - 1st December
45. Which of the following cultural practices may increase the risk of obstructed labour, post-partum haemorrhage, infection and can cause severe pain following delivery?
- Traditional birth practices
 - Female genital mutilation
 - Farming and hard labour
 - Food taboos

46. The antiretroviral drug most commonly used to reduce mother to child transmission of HIV is
- (a) Nevirapine
 - (b) Azidovudine
 - (c) Zidovudine
 - (d) Amovudine
47. Genital warts is mainly caused by
- (a) Bacteria
 - (b) Fungi
 - (c) Protozoa
 - (d) Virus
48. Delays are factors that affect the interval between the onset of health complications and its outcomes. As a trained nurse, how would you define 'Phase II Delay'?
- (a) Delay in decision to seek care
 - (b) Delay in access to care
 - (c) Delay in the provision and receiving of adequate care at the health facility
 - (d) Delay in quality of care
49. Which of the following principles of growth and development is applicable to children?
- (a) Development depends upon multiple factors
 - (b) Anthropometric measurement can be done to assess physical growth
 - (c) Development proceeds from general to specific responses
 - (d) Weight is a good indicator of health and nutritional status of a child
50. The commonest sexually transmitted infections is
- (a) Gonorrhoea
 - (b) Human Papilloma virus
 - (c) Syphilis
 - (d) HIV/AIDS
51. The main purpose of research is to
- (a) Gain popularity
 - (b) Challenge traditional practice
 - (c) Interrogate knowledge
 - (d) Solve problem and advance knowledge
52. The following are determinants of qualitative research *EXCEPT*
- (a) Communication skills
 - (b) Confidentiality
 - (c) Fluency

The following are non-probability sampling techniques **EXCEPT**

- (a) Snowball sampling
- (b) Panel sampling
- (c) Purposive sampling
- (d) Cluster sampling

54. Which of the following is a Type I error?

- (a) Accepting a true null hypothesis
- (b) Rejecting a true null hypothesis
- (c) Accepting part and rejecting others
- (d) Rejecting all at a time

55. A tentative statement about relationship between two or more variables is called

- (a) Statement of problem
- (b) Variable relationship
- (c) Hypothesis statement
- (d) Statement of correlation

56. A pilot study provide opportunity to

- (a) Test research instrument
- (b) Test hypothesis
- (c) Test research subject
- (d) Test the statistical requirement

57. P- value of 0.05 means in only _____ would expect to get results by chance only

- (a) 5 out of 100 times
- (b) 5 out of 50 times
- (c) 5 out of 25 times
- (d) 5 out of 15 times

58. Research summary means

- (a) Researcher expressing personal view
- (b) Presentation of all the chapters
- (c) Analysis of result
- (d) Harvest of the overall discovery in the study

59. The following are parts of the research process **EXCEPT**

- (a) Problem identification
- (b) Literature review
- (c) Abstract
- (d) Selecting appropriate design

60. The following are characteristics of a good questionnaire **EXCEPT**
- (a) Easily understood
 - (b) Should not require calculations
 - (c) Should not be too long
 - (d) Should be ambiguous
61. ANOVA in statistics stands for
- (a) Analysis of value assessment
 - (b) Analysis of numerical value assessment
 - (c) Analysis of variance
 - (d) Advance numerical value assessment
62. The probability of rejecting a true null hypothesis is called
- (a) Level of rejection
 - (b) Level of precision
 - (c) Level of specification
 - (d) Level of probability
63. The following are steps used in creating grouped frequency distribution **EXCEPT**
- (a) Find the largest and smallest values
 - (b) Compute the median
 - (c) Select the number of classes desired
 - (d) Pick a suitable starting point less than or equal to the minimum value.
64. The curve obtained by representing a cumulative frequency distribution on a graph is known as
- (a) Histogram
 - (b) Net balance
 - (c) Bar chart
 - (d) Ogive
65. The following are measures of central tendency **EXCEPT**
- (a) Median
 - (b) Mode
 - (c) Range
 - (d) Harmonic mean
66. The following statements explained standard deviation **EXCEPT**
- (a) Measures the variability in the data
 - (b) Have the intuitive meaning of an average
 - (c) Have a close link to the mean
 - (d) Very important for the development of statistical theory

67. The following are emergency management of airway obstruction **EXCEPT**
- (a) Vigorously shake the victim and shout "ARE YOU OKAY"
 - (b) Remove any foreign body obstructing the airway
 - (c) Apply head-tilt-chin-lift or jaw-thrust manoeuvre
 - (d) Place the patient supine on a firm, flat surface
68. Vulnerability analysis features in the _____ part of disease management cycle
- (a) Mitigation
 - (b) Preparedness
 - (c) Response
 - (d) Recovery
69. The following are general signs of shock **EXCEPT**
- (a) Low blood pressure
 - (b) Hypothermia
 - (c) Increased urine output
 - (d) Confusion
70. The type of wound that occurs when the skin is broken by a sharp instrument such as knife or a piece of glass is called
- (a) Lacerated wound
 - (b) Punctured wound
 - (c) Contused wound
 - (d) Incised wound
71. The guiding document used to coordinate response and recovery action is
- (a) Standard operating procedures
 - (b) Community comprehensive plan
 - (c) Risk management plan
 - (d) Emergency operations plan
72. The following can be applied in the treatment of submersion injuries **EXCEPT**
- (a) Correction of hypoxia
 - (b) Correction of fluid imbalances
 - (c) Immediate hydration
 - (d) Supporting physiologic functions
73. Rapid sequence intubation is the preferred procedure for
- (a) Securing unprotected airway
 - (b) Maintaining patency of tubes
 - (c) Immediate dislodgement of catheter
 - (d) Oxygen delivery

74. Severe snake bite is associated with the following *EXCEPT*
- (a) Persistent itching
 - (b) Bleeding
 - (c) Lysis
 - (d) Oedema
75. The following are determining factors for severity of snake bite *EXCEPT*
- (a) Age and size of victim
 - (b) Time of attack
 - (c) Site of bite
 - (d) Presence of infecting organism in the wound
76. Deterioration in neurological status suggests the following *EXCEPT*
- (a) Pulmonary embolism
 - (b) Cerebral oedema
 - (c) Worsening hypoxia
 - (d) Profound acidosis
77. What is the full meaning of PPP in business?
- (a) People's Participation Programme
 - (b) Public Private Partnership
 - (c) Petroleum Pump Price
 - (d) Private Public Partnership
78. Nursing Audit serves the following purposes *EXCEPT*
- (a) To evaluate nursing care giving
 - (b) To contribute to nursing research
 - (c) To focus on the care provided and not on the provider
 - (d) To execute a fault finding assignment
79. The distribution of resources in a manner that ensures no redistribution will yield other returns to the population is termed
- (a) Allocative efficiency
 - (b) Efficiency
 - (c) Equitable distribution
 - (d) Technical efficiency
80. The type of budget that is based on the cost of direct labour to meet the standards of health care is known as
- (a) Personal budget
 - (b) Open ended budget
 - (c) Variable budget
 - (d) *Cost budget*

81. The following are determinants of supply *EXCEPT*
- (a) Number of sellers
 - (b) Expected price hike
 - (c) Technique of promotion
 - (d) Price of supply
82. Health economics is best described as
- (a) Economic control
 - (b) Application of economic principles in health
 - (c) Health control strategy
 - (d) Demand and supply
83. The following are types of budget *EXCEPT*
- (a) Zero- based budget
 - (b) Simple budget
 - (c) Fixed budget
 - (d) Line - by - line budget
84. The main source of health care financing in Nigeria is
- (a) User charge
 - (b) Donor funding
 - (c) NHIS
 - (d) Budget allocation
85. Healthy person is economically defined as
- (a) Person that has wealth although sick
 - (b) Person that is economically active despite illness
 - (c) Person that is healthy although economically inactive
 - (d) Person that is business oriented only
86. The following are economic evaluation programmes *EXCEPT*
- (a) Cost summary analysis
 - (b) Cost benefit analysis
 - (c) Cost effectiveness analysis
 - (d) Cost of illness evaluation
87. The following are natural disasters *EXCEPT*
- (a) Nuclear explosion
 - (b) Deforestation
 - (c) Forest fire
 - (d) Lightning

88. Which of the following is an example of obstructive shock?
- (a) Myocardial infarction
 - (b) Burns
 - (c) Cardiac tamponade
 - (d) Dysrhythmias
89. Which of the following is considered a priority element of primary survey on trauma patients?
- (a) Initiation of pulse oximetry
 - (b) Complete set of vital signs
 - (c) Client's allergy history
 - (d) Brief neurologic assessment
90. A 70-year old patient arrived at the triage area with complaints of diaphoresis, dizziness, and left sided chest pain. This patient should be prioritized in which of the following categories?
- (a) Non-urgent
 - (b) Urgent
 - (c) Emergent
 - (d) High urgent
91. Which of the following is a medical counter measure?
- (a) Cover mouth while coughing
 - (b) Hand washing
 - (c) Isolation
 - (d) Personal protective equipment
92. Which of the following is an accurate definition of individual resilience?
- (a) Capability to meeting vital needs
 - (b) Ability to adapt to changing conditions
 - (c) Action taken to eliminate long-term risk
 - (d) Maintaining infrastructural changes
93. Which of the following viruses is attributed to be a risk factor in the causation of cervical cancer?
- (a) *Neisseria gonorrhoea*
 - (b) *Treponema pallidum*
 - (c) Human immunodeficiency virus
 - (d) Human papilloma virus
94. In ABCD of resuscitation, the "D" stands for
- (a) Diagnosis
 - (b) Dialogue

95. The following are fundamental rights of a child **EXCEPT**
- (a) Every child has the right to be born well, to be cared for and raised well.
 - (b) Every child has the right to live with a family, who loves, cares and teaches good morals to him or her.
 - (c) Every child has the right to have proper care and freedom of choice.
 - (d) Every child has the right to adequate standard of living, health care, education, play and recreation.
96. Which of the following is a direct cause of maternal mortality?
- (a) Anaemias
 - (b) Metabolic disorders
 - (c) Hypertensive disorders
 - (d) HIV/AIDS
97. A primary medication prescribed and served by the nurse refers to
- (a) Medication bought by the patient
 - (b) Medications served by the nurse in the presence of relatives
 - (c) Medications used to treat the target symptoms of the patient's primary diagnosis
 - (d) Psychotropic medication
98. The following are causes of secondary dementia **EXCEPT**
- (a) Parkinson's disease
 - (b) Pick's disease
 - (c) Alzheimer's disease
 - (d) HIV
99. The following are different types of mean **EXCEPT**
- (a) Quadratic mean
 - (b) Metric mean
 - (c) Harmonic mean
 - (d) Geometric mean
100. Measures of dispersion are calculated by the use of
- (a) Standard deviation
 - (b) Chi - square
 - (c) T - test
 - (d) ANOVA