

ANATOMY

1. Round ligament is to uterus as falciform ligament is to
 - a. **Liver**
 - b. Kidney
 - c. Stomach
 - d. Fallopian tube
2. The pituitary gland in a normal adult weighs about
 - a. 200mg
 - b. 300mg
 - c. 400mg
 - d. **500mg**
3. The nurse is assessing the lymphatic system. Which organ is defined as a lymphatic tissue?
 - a. Pancreas
 - b. Sinus
 - c. **Thymus**
 - d. Thyroid.
4. Arteries are composed of three layers. The layer that is responsible for constriction and dilatation of the artery is the
 - a. Tunica adventitia
 - b. Tunica aorta
 - c. Tunica intima
 - d. **Tunica media.**
5. The blood supply to the heart is through the
 - a. Cardiac arteries
 - b. Carotid arteries
 - c. **Coronary arteries**
 - d. Arteriosus cardiosus
6. The apex of the heart is located at the level of
 - a. 4th intercostal space
 - b. 4th rib
 - c. 5th rib
 - d. **5th intercostal space.**
7. Firing of SA node causes
 - a. Atrial relaxation
 - b. Ventricular relaxation
 - c. **Atrial contraction**
 - d. Relaxation of the heart

8. The external genitalia consists of the following except
- a. **Vagina**
 - b. Clitoris
 - c. The vestibule
 - d. Hymen
9. A hollow muscular pear shaped organ, flattened antero-posteriorly is the
- a. Heart
 - b. Ovary
 - c. **Uterus**
 - d. Pancreas
10. Mackenrodt's ligaments are ligaments of the
- a. Ovary
 - b. **Cervix**
 - c. Liver
 - d. Kidney
11. The portion of the breast that pierced the deep fascia is called the
- a. Suspensory ligaments of Coopers
 - b. **Axillary tail of Spence**
 - c. Mammary papilla
 - d. Montgomery's tubercles
12. The blood supply to the breast include the following except
- a. Perforating branches of the internal thoracic artery
 - b. Lateral branches of lateral thoracic artery
 - c. Pectoral branches of the thoraco-acromial artery
 - d. **Posterior intercostal arteries**

Situation: Each of the uterine tubes is divided into the following parts 1.cornus 2.ampulla 3. Infundibulum 4.Isthmus 5.fimbriae

13. What is the order of arrangement from the point of attachment of uterus to the ovary?
- a. 1,2,3,4,5
 - b. 1,2,4,3,5
 - c. **1,4,2,3,5**
 - d. 1,3,2,4,5
14. Cardiac Reserve means
- a. **Ability of the heart to adjust its output to meet the metabolic needs of the body**
 - b. Ability of the heart to receive blood to maintain the metabolic needs of the body

- c. Ability to eject blood
 - d. None of the above
15. Another name for tricuspid valve is
- a. Left atrioventricular valve**
 - b. Right atrioventricular valve
 - c. Pulmonary valve
 - d. Aortic valve
16. Which cell functions as part of the immune system?
- a. Keratinocyte
 - b. Melanocyte**
 - c. Epidermic dendritic cell
 - d. Tactile cell
17. The process by which the bone matrix (collagen fibres and ground substance) is formed and hard mineral crystals composed of calcium and phosphorus are bound to collagen fibres is termed
- a. Osteogenesis
 - b. Osteopenia
 - c. Ossification**
 - d. Mineralization
18. Based on kinds of joints, which of the following is a diarthrosis joint?
- a. Symphysis pubis
 - b. Shoulder joint**
 - c. Skull sutures
 - d. Vertebral joints
19. The site for rennin production in the kidney is
- a. Macula densa
 - b. Juxtaglomerular apparatus**
 - c. Distal convoluted tubule
 - d. Bowman's capsule

Match the item in Column A with the item in Column B

A	B	Answers
20. Langerhans	a.Liver	C
21. Kupffer cells	b.Kidney	A
22. Mesangial cells	c.Skin	B
23. Microglia	d.Spleen	E
24. Reticular cells	e.Brain	D

25. The lobe of the brain (cerebrum) responsible for visual interpretation is the

- a. Frontal
 - b. Occipital**
 - c. Parietal
 - d. Temporal
26. Mr Okazi, a 50 year old man had motor accident and sustained head injury. On assessment, the physician maintained that the Broca's area, critical for motor control of speech is affected. This means that the lobe affected is the
- a. Frontal**
 - b. Temporal
 - c. Occipital
 - d. Parietal
27. Sexual behaviour in man including mating and child rearing is controlled by the
- a. Medulla oblongata
 - b. Hypothalamus**
 - c. Cerebral cortex
 - d. Thalamus
28. Madam Uzo, a 40 year old woman gradually lost her vision following a pituitary tumour of bitemporal hemianopia. Nurse Kenneth on duty understands that the lesion affected the central portion of
- a. Optic tract
 - b. Lateral geniculate body
 - c. Optic chiasma**
 - d. Optic radiations
29. In describing urethra, which of the parts is the shortest and narrowest?
- a. Spongiosum
 - b. Penile urethra
 - c. Prostatic urethra
 - d. Membranous urethra**
30. Conditions affecting the penis include the following except
- a. Priapism
 - b. Peyronie's disease**
 - c. Orchidism
 - d. Phimosis
31. A child, age 4, is taken to clinic for a routine examination. When observing the tympanic membrane, the nurse identifies which colour as normal?
- a. Light pink
 - b. Deep red
 - c. Pearly gray**

- d. Yellowish white
32. Vagina runs obliquely upwards and backwards at an angle of
- a. 65°
 - b. **45°**
 - c. 25°
 - d. 30°
33. In most women the uterus leans forward. This is described as
- a. Antelexion
 - b. **Anteversion**
 - c. Lateral flexion
 - d. Posteflexion
34. Gynaecoid pelvis has a fore pelvis that is
- a. Narrowed
 - b. Thin
 - c. **Generous**
 - d. Compressed
35. A justo minor pelvis occurs as a result of
- a. Trauma
 - b. Osteomalacia
 - c. **Heredity**
 - d. Defect
36. The large flared-out part of the hip bone is the
- a. Pubis
 - b. Ischium
 - c. Sacrum
 - d. **Ilium**
37. The innominate bone consists of a deep cup, this receive
- a. Head of the humerus
 - b. Head of the tibia and fibula
 - c. Head of the ulna and radius
 - d. **Head of the femur**
38. The following are types of pelvis except
- a. Anthropoid
 - b. Gynaecoid
 - c. Android
 - d. **Juvenile**
39. The three bones of the pelvis are
- a. Two innominate bones, one sacrum and ilium

- b. Two innominate bones one sacrum and one coccyx**
 - c. Pubis, two innominate bones and ilium
 - d. Pubis, ischium and ilium
- 40. Fertilization takes place in the
 - a. Fimbriae
 - b. Isthmus
 - c. Ampulla**
 - d. Infundibulum
- 41. One of the following structures is part of the female External Genitalia
 - a. Bartholin's gland**
 - b. Vagina
 - c. Bladder
 - d. Fallopian tubes
- 42. Anterior to the vagina lies
 - a. Bladder
 - b. Urethra
 - c. Rectum**
 - d. a and b
- 43. In describing female reproductive system, the term Adnexa is used for
 - a. Uterus and fallopian tubes
 - b. Ovaries and uterus
 - c. Ovaries and fallopian tube**
 - d. Vagina and uterus
- 44. The vaginal fluid is strongly acidic with:
 - a. pH 3.5
 - b. pH 4.5**
 - c. pH 5.5
 - d. pH 6.5
- 45. Osteoblast is the bone resorption cell
 - a. True
 - b. False**
- 46. More than 98% of total body calcium is present in bone not blood
 - a. True**
 - b. False
- 47. Metacarpals are examples of
 - a. Long bones
 - b. Short bones**
 - c. Flat bones

- d. Irregular bones
48. The ends of the long bones are called
- a. Diaphyses
 - b. Metaphyses
 - c. Epiphyses**
 - d. Pediphyses
49. The epiphyseal plate is the center for longitudinal growth in children not the diaphyseal plate
- a. True**
 - b. False
50. Bone is a dynamic tissue in a constant state of turnover
- a. True**
 - b. False
51. During childhood, bones growth are formed by a process called
- a. Modeling**
 - b. Ossification
 - c. Mineralization
 - d. Compactation
52. Estrogen stimulates osteoclasts and inhibits osteoblasts
- a. True
 - b. False**
53. A patient has fallen on her outstretched hand and dislocated a carpal bone. Which bone is most likely to be dislocated?
- a. Lunate**
 - b. Scaphoid
 - c. Hamate
 - d. Capitate
54. The term salpinges is used for
- a. Ovaries
 - b. Cervix
 - c. Fallopian tubes**
 - d. Brain
55. The ends of the long bones called epiphyses are primarily made of
- a. Cancellous bone**
 - b. Cortical bone tissue
 - c. Compact bone tissue
 - d. Cartilage
56. The mesoderm gives rise to all the following structure in the fully developed fetus except

- a. Urinary
 - b. Nervous system**
 - c. Circulatory system
 - d. Gonads
57. The uterus receives its blood supply directly from the uterine artery from the
- a. Iliac artery
 - b. Ovarian artery**
 - c. Hypogastric artery
 - d. Uterosacral artery
58. Tunica albuginea, a fibrous covering divides the testis into
- a. 100-200 lobules
 - b. 200-300 lobules**
 - c. 300-400 lobules
 - d. 400-500 lobules
59. The comma-shaped, coiled tube that lies on the superior surface of each testis is the
- a. Deferent duct
 - b. Seminal vesicles
 - c. Epididymis**
 - d. Spermatic cord
60. The _____ separates the thoracic from abdominal cavities
- a. Pelvis
 - b. Rib cage
 - c. Diaphragm**
 - d. Peritoneum
61. The following are sinus areas except
- a. Frontal
 - b. Maxillary
 - c. Ethmoid
 - d. Cranial**
62. The wrist is the _____ part of the hand region
- a. Proximal**
 - b. Distal
 - c. Superior
 - d. Inferior
63. _____ section divides the body into right and left
- a. Coronal
 - b. Transverse
 - c. Sagittal**

- d. Frontal
64. The term capacitance vessels apply to
- a. Arteries
 - b. Arterioles
 - c. Capillaries
 - d. Veins**
65. The right side of the heart pumps blood to the
- a. Aorta
 - b. Systemic circulation
 - c. Superior vena cava
 - d. Lungs**
66. Large arteries are sometimes referred to as
- a. Resistance arteries
 - b. Capacitance vessels
 - c. Elastic arteries**
 - d. Accommodating arteries
67. External acoustic meatus is a slightly S-shaped tube about
- a. 1.5cm long
 - b. 4.5cm long
 - c. 2.5cm long**
 - d. 3.5cm long
68. A cross section of the cochlea of the ear contains three compartments. Which of the following is not among?
- a. The scala Ampulla**
 - b. The scala vestibuli
 - c. The scala media
 - d. The scala tympani
69. The depth of a pelvic cavity is
- a. 2cm
 - b. 4cm**
 - c. 10cm
 - d. 13cm
70. A pyramid of muscle and fibrous tissue situated between the vagina and the rectum is
- a. Ischial spine
 - b. Transverse perineal muscle
 - c. Pubococcygeus
 - d. Perineal body**
71. The vaginal walls are thrown into small folds called

- a. Arches
 - b. Fornix
 - c. Rugae**
 - d. Vulva
72. A large distensible fibromuscular tube that leads down and back to the uterine cervix is
- a. Anus
 - b. Rectum
 - c. Vagina**
 - d. Vulva
73. The average weight of the newborn is
- a. 2.7kg
 - b. 3.2kg
 - c. 3.5kg**
 - d. 4.5kg
74. Pelvis serve as the passage way for the passenger during child-birth. The most ideal pelvis for childbirth is
- a. Android
 - b. Anthropoid
 - c. Platypelloid
 - d. Gynecoid**
75. An important landmark of the pelvis that determines the distance of the descent of the head is known as
- a. Linea terminalis
 - b. Sacrum
 - c. Ischial spines**
 - d. Ischial tuberosity
76. The uterine (fallopian) tubes in an adult female measures about
- a. 15cm long
 - b. 9cm long
 - c. 10cm long**
 - d. 12cm long
77. Testes are the equivalent of the vagina in the female
- a. True
 - b. False**
78. Concerning the foetal skull, the forehead is also a term use to describe the
- a. Occiput
 - b. Vertex
 - c. Sinciput**