

- a. Body surface area
 - b. Body weight
 - c. Body mass index**
 - d. Age
12. While teaching drug absorption to a junior colleague, a final year student nurse should state the following as what could affect absorption except
- a. Food in stomach
 - b. Excess water**
 - c. Drugs
 - d. Physiological state
13. Which drug is not named generically?
- a. Valium**
 - b. Hyoscine
 - c. Atropine
 - d. Ipratropium
14. Which of the following is not a pharmacokinetic property of a drug?
- a. Protein binding
 - b. Absorption
 - c. Metabolism
 - d. Receptor binding**
15. The following are antihypertensives to be avoided during pregnancy except
- a. Frusemide
 - b. Propranolol
 - c. Methyldopa**
 - d. Lisinopril
16. Drugs are often _____ proteinbound in the blood stream. What is the principal protein that does this best?
- a. Albumin**
 - b. Globulin
 - c. Gammaglobulin
 - d. Fibrinogen.
17. Natural vitamin _____ E are usually given in gelatine capsules dissolved in in the solvation process?
- a. A. Hhydrophilic
 - b. Lipophilic**
 - c. Lipophobic
 - d. Hydrophobic.
18. Drugs are mainly metabolized in the

- a. Stomach
 - b. Colon
 - c. Kidneys
 - d. **Liver**
19. Which of these drugs is a potent enzyme inhibitor in the liver?
- a. Femotidine
 - b. Ranitidine
 - c. Nizatidine
 - d. **Cimetidine**
20. Which of the following statements is applicable when administering a drug to a paediatric client?
- a. **Involve the parents in the procedure**
 - b. In order to gain the child's cooperation tell the child that injections don't hurt.
 - c. Prepare the medications in front of the child.
 - d. Avoid the oral route when giving a drug to a young child
21. The hypersensitivity reaction characterized by blood cell lysis is called type ____ reaction
- a. I
 - b. **III**
 - c. III
 - d. IV
22. What is the mainstay of treatment for anaphylactic shock?
- a. **Intravenous adrenaline**
 - b. Intravenous antihistamine
 - c. Intravenous gelofusine
 - d. Hydrocortisone.
23. The following are antihypertensive drugs except
- a. Methyldopa
 - b. Indapamide
 - c. Prazosin
 - d. **Cyclosporine**
24. When you are taking a patient's history, she tells you she has been depressed and is dealing with an anxiety disorder. Which of the following would be most likely medication the patient is taking?
- a. **Elavil**
 - b. Calcitonin
 - c. Levodopa
 - d. Nifedipine

25. Drug used in severe hypertension in pre-eclampsia is?
- a. Metoprolol
 - b. Labetalol
 - c. Alpha methyldopa**
 - d. Nifedipine.
26. Which of the following is not an antifungal?
- a. Ciclopirox**
 - b. Fluconazole
 - c. Clofazimine
 - d. Undecylenic acid
27. Which of the following vaccines is contraindicated in pregnancy?
- a. Measles, mumps & rubella vaccines
 - b. Rabies
 - c. Hepatitis B
 - d. Tetanus Toxoid**
28. Which of the following drugs is not contraindicated in G6PD deficiency?
- a. Chloroquine
 - b. Quinine
 - c. Primaquine
 - d. Pyrimethamine.**
29. A patient told a nurse during an interview session that she has taken among other drugs pyridoxine. The nurse understands pyridoxine to be
- a. Vitamin B2
 - b. Vitamin D2
 - c. Vitamin B6**
 - d. Vitamin B1
30. All fat soluble vitamins are stored in the body for prolonged periods and are liable to cause cumulative toxicity except
- a. Vitamin K**
 - b. Vitamin A
 - c. Vitamin D
 - d. Vitamin E
31. A nurse while administering medications gave a certain vitamin to a patient with undiagnosed megaloblastic anaemia which resulted in neuropathy. The vitamin could be said to be
- a. Folic acid**
 - b. Thiamin
 - c. Ascorbic acid

- d. Riboflavin
32. The vitamin that is essential for the synthesis of DNA and certain proteins is
- a. Folic acid
 - b. Vitamin B12**
 - c. Retinol
 - d. Ascorbic acid
33. The nurse encourages Mr.Ogbodo to avoid foods that have a laxa-tive effect.He is instructed to avoid
- a. Yam**
 - b. Pawpaw
 - c. Eggs
 - d. Palp
34. Which laxatives have the gentlest of effects among others
- a. Bulk forming laxatives**
 - b. d Stimulant laxatives
 - c. Faecal softeners
 - d. Osmotic laxatives
35. The class of laxative that acts by causing stool to absorb water and swells is
- a. Bulk forming
 - b. Lubricant
 - c. Emollient**
 - d. Stimulant
36. Bran as a bulk purgative is most useful for
- a. Treatment of diarrhoea
 - b. Treatment of constipation
 - c. Prevention of constipation
 - d. Prevention of dysuria**
37. The physician prescribed stimulant purgatives for a patient who is having constipation.The nurse administering the medication was asked by the supervisor to give
- a. Methylcellulose
 - b. Psyllium
 - c. Liquid paraffin
 - d. Bisacodyl**
38. Nurse should recommend to their patients the avoidance of habit-ual use of laxatives,because
- a. They will cause a faecal impaction
 - b. They will cause chronic constipation**

- c. They change the PH of the gastrointestinal tract
 - d. They inhibit the intestinal enzymes.
39. A diuretic agent, such as frusemide, works by which of the following mechanisms?
- a. To prevent PH changes caused by organic acid
 - b. To enhance atrial contractions
 - c. To reduce blood pressure and blood volume by inhibiting sodium and water retention**
 - d. To activate the rennin-angiotensin mechanism
40. A nurse administering drugs to a group of patients may identify the following drugs as belonging to the same group of antibiotics except
- a. Erythromycin**
 - b. Streptomycin
 - c. Gentamicin
 - d. Neomycin
41. One of these is the major side effect of non steroidal anti-inflammatory drug
- a. Nose bleeding
 - b. Skin irritation
 - c. Gastrointestinal irritation**
 - d. Nausea and vomiting
42. Chloramphenicol is noted for one of the under listed side effects.
- a. Skin infection
 - b. Super infection
 - c. Dizziness
 - d. Aplastic anaemia**
43. The major problem in the use of penicillin is
- a. Nausea and vomiting
 - b. Hypersensitivity**
 - c. Severe headache
 - d. Electrolyte disturbance
44. Mr.Ogoja with Parkinson's disease is receiving levodopa.The nurse should teach the client to
- a. Rise slowly from a recumbent position**
 - b. Increase the intake of protein rich foods
 - c. Be sure to take the prescribed vitamin B6
 - d. Take the medication at the first sign of tremor
45. A nurse was administering medications in her ward when she saw that Augmentin 625mg 2 times daily was prescribed for a patient with urinary tract infection. The nurse understands that the components of Augmentin are:

- a. Ampicillin and cloxacillin
 - b. Amoxicillin and clavulanic acid**
 - c. Ampicillin and clavulanic acid
 - d. Amoxicillin and cloxacillin
46. A nurse during ward rounds observed a new prescription of 5mg of valium Nocte. The nurse knows that Nocte means
- a. At bed time**
 - b. Early in the morning
 - c. Without food
 - d. After lunch
47. An elderly client with renal insufficiency is to receive a calcium channel blocker. The nurse is most likely to administer which of the following?
- a. A decreased dosage**
 - b. The standard dosage
 - c. An increased dosage
 - d. Divided dosage
48. The following drugs cannot cause asthma
- a. Beta blocker
 - b. Histamine
 - c. Ibuprofen
 - d. Atropine**
49. Drugs that facilitate aqueous humor outflow include
- a. Timolol
 - b. Pilocarpine
 - c. Epinephrine
 - d. B and C only**
50. Which class of drug is the first line of therapy for open angle glaucoma when no contraindication exists?
- a. β blockers**
 - b. β agonist
 - c. Carbonic anhydrase inhibitors
 - d. Prostaglandins
51. The drug Dihydroartemisinin is an
- a. Antimalaria**
 - b. Antifungal
 - c. Antibiotic
 - d. Antiinflammatory.
52. Dorzolamide is a/an

- a. Oral carbonic anhydrase inhibitor
- b. Topical carbonic anhydrase inhibitor**
- c. Prostaglandin
- d. None of the above

Match the items in column A with those in column B.

Column A	Column B	Answers
53. OS	a. Each eye	B
54. OU	b. Left Eye	A
55. TID	c. Four times daily	D
56. QID	d. Three times daily	C
	e. As required	
	f. As one single	

57. A male client who has severe burns is receiving H² receptor antagonist therapy to
- a. Prevent stress ulcer**
 - b. Block prostaglandin synthesis
 - c. Facilitate protein synthesis
 - d. Enhance gas exchange
58. The physician prescribes a loop diuretic for a client. When administering this drug, the nurse anticipates that the client may develop which electrolyte imbalance?
- a. Hyponatremia
 - b. Hyperkalemia
 - c. Hypokalemia**
 - d. Hypervolemia
59. Which of medication order might read vitamin k 10mg I.M. daily x 3 days?
- a. Single order
 - b. Standard written order
 - c. Standing order**
 - d. Stat order
60. The nurse knows that the nystatin used in the treatment of fungal infection is a/an
- a. Antimetabolite
 - b. Heterocyclic Benzofuran antibiotic
 - c. Imidazole
 - d. Polyene antibiotic**
61. A nurse wants to administer a drug prescribed for a child with surface area of 0.8 square meters, when the adult dose of the drug is 100mg. What dose should the nurse deliver to the child?
- a. ≈47mg**

- b. $\approx 73.5\text{mg}$
 - c. $\approx 44\text{mg}$
 - d. $\approx 33\text{mg}$
62. If a child is weighing 10kg and is placed on 6hourly intramuscular Ampicillin 60mg/kg body weight. What is the amount for single dose?
- a. 36mg
 - b. 24mg
 - c. **150mg**
 - d. 100mg
63. The following antibiotics act by inhibiting protein synthesis except
- a. **Ceftriaxone**
 - b. Erythromycin
 - c. Tetracyclines
 - d. Chloramphenicol
64. Adverse drug reactions include all except
- a. Unintended actions of a drug
 - b. **Side effects of a drug**
 - c. Idiosyncratic effects
 - d. None of the above.
65. During discussion of drug classification with a classmate, the student nurse mentioned the following as central nervous system drugs except
- a. Diazepam
 - b. Clozapine
 - c. Tramadol
 - d. **Indapamide**
66. The physician prescribes meperidine (Demerol) 75mg I.M. every 4 hours as needed, to control a client's postoperative pain. The package insert is "Meperidine" 100mg/ml". How many milliliters of meperidine should the client receive?
- a. **0.75**
 - b. 0.6
 - c. 1.33
 - d. 0.25
67. A male client with diabetes mellitus is receiving insulin. Which statement correctly describes an insulin unit?
- a. It's a common measurement in the metric system
 - b. It's the basis for solids in the avoirdupois system
 - c. It's the smallest measurement in the apothecary system
 - d. **It's a measure of effect not as standard measure of weight or quantity**

68. To prepare 1000ml of 1 in 100 from a stock solution of 1 in 20, the amount of the stock solution (1 in 20) required is
- 1500ml**
 - 1000ml
 - 500ml
 - 200ml
69. In the treatment of fungal infection of the toes, Nurse Stephen knows that the use of topical antifungal medication is the best. He then decided to use
- Clotrimazole**
 - Ceftriaxone
 - Amphotericin
 - Lucylosine
70. A 10 year old child with type I diabetes develops diabetic ketoacidosis and receives a continuous insulin infusion. Which condition represents the greatest risk to this child?
- Hypernatremia
 - Hypokalemia**
 - Hyperphosphatemia
 - Hypocalcaemia
71. Nurse was administering sublingual nitroglycerine (Nitrostat) to the newly admitted client. Immediately after, the client may experience:
- Throbbing headache or dizziness**
 - Nervousness or paresthesia
 - Drowsiness or blurred vision
 - Tinnitus or diplopia
72. Long acting glucocorticoids include
- Prednisolone
 - Hydrocortisone
 - Dexamethasone**
 - Triamcinolone
73. When insulin use is preferred, certain factors are put into consideration in selecting the type of insulin to use. Which of the following is intermediate acting insulin?
- Protamine zinc insulin
 - Insulin glargine
 - Insulin zinc suspension**
 - Soluble insulin
74. The following drugs may be used during cardiopulmonary resuscitation except
- Atropine
 - Epinephrine

- c. **Digoxin**
 - d. Sodium bicarbonate
75. High ceiling diuretics may be used along with blood transfusion. This is to
- a. Prevent post transfusion reaction
 - b. Prevent post transfusion oedema
 - c. **Prevent vascular overload**
 - d. Facilitate flow to peripheral tissues
76. Which of the following is high ceiling diuretic
- a. **Furosemide**
 - b. Hydrochlorothiazide
 - c. Amiloride
 - d. Spironolactone
77. The following have been classified as diuretics except
- a. **Hydralazine**
 - b. Amiloride
 - c. Hydrochlorothiazide
 - d. Mannitol
78. One of the drugs below is known to be associated with hyperkalaemia
- a. **Amiloride**
 - b. Mannitol
 - c. Bumetanide
 - d. Clopamide
79. During the transduction of nociception, which method of pain control is most effective
- a. Tricyclic antidepressant
 - b. Opioids Ibuprofen
 - c. **Ibuprofen**
 - d. Distraction
80. Grouping of drugs has been an easy way to identify their mode of action. Which of the following is not among the 3rd generation cephalosporins
- a. Cefotaxime
 - b. Ceftizoxime
 - c. **Cefuroxime**
 - d. Ceftriaxone
81. Which of these group of drugs is not an oral cephalosporin
- a. Cephalexin
 - b. Cefaclor
 - c. **Cefoxitin**
 - d. Cefixime