

- a. Epidemiology
 - b. Demographics
 - c. Vital statistics**
 - d. Health statistics
19. Health for all (HFA) means the following except
- a. That health is brought within the reach of every one
 - b. That health should be regarded as an objective of economic development
 - c. That health is a measure of the individual growth**
 - d. A holistic concept calling for efforts in all sectors
20. The following are factors which led to the evolution of the goal HFA/2000 except
- a. Inaccessibility and non equitability of essential health care
 - b. Gross inequalities in health care system and distribution of health facilities
 - c. Failure of existing health care system to cope with primary health care problems
 - d. Increased spread/rate of incurable diseases in the world**
21. All are ways of purifying water except
- a. Sedimentation**
 - b. Filtration
 - c. Distillation
 - d. Chlorination
22. The nurse completing anthropometric measurements for a patient collects the following information
- a. Height and weight**
 - b. Serum haemoglobin and hematocrit levels
 - c. Diet history
 - d. Intake and output
23. Nurse Oti, a world leader wants females to be highly recognized as they form greater percentage of Nurses in the world. This is an attempt to achieve millennium development goal
- a. 2
 - b. 4
 - c. 3**
 - d. 6
24. The millennium development goal 5 speaks about
- a. Reducing child mortality rates
 - b. Improving maternal health**
 - c. Combating HIV/AIDS, malaria and other diseases
 - d. Developing global partnership for development
25. Nigeria launched Pentavalent vaccine in the year

- a. 2010
- b. 2011
- c. 2012**
- d. 2013

26. A patient asks a nurse the following question. In case of exposure to TB, which of the following tests is the most definitive

- a. Chest x-ray
- b. Mantoux test**
- c. Breath sounds examination
- d. Sputum culture for gram-stain bacteria

27. Typhoid is an acute infectious disease caused by

- a. Salmonella**
- b. Leishmania
- c. Histolyticum
- d. Falciparum

28. Therapy for post exposure prophylaxis to HIV infection is said to offer no benefit after

- a. 13 weeks
- b. 24 hours
- c. 72 hours**
- d. 1 week

29. The National Programme on Immunization is aimed at preventing all the following diseases except

- a. Tuberculosis
- b. Measles
- c. Small pox**
- d. Whooping cough.

30. The nurse in an outpatient clinic is supervising student nurses administering influenza vaccinations. The nurse should question the administration of the vaccine to which of the following clients?

- a. A 45-year-old male who is allergic to shellfish
- b. A 60-year-old female who says she has a sore throat**
- c. A 66-year-old female who lives in a group home
- d. A 70-year-old female with congestive heart failures

31. The period of maximum infectivity in mumps is during

- a. Incubation period
- b. Onset of swelling**
- c. After swelling appears
- d. Prodromal period

32. Schick test is done in

- a. Meningitis
- b. Diphtheria**
- c. Pertusis
- d. Poliomyelitis

33. According to document produced by Wellcome Working Party, kwashiorkor is defined as

- a. Weight 60-80% of expected; no oedema
- b. Weight less than 60% of expected; oedema present
- c. Weight less than 60% of mean weight for age; no oedema
- d. Weight 60-80% of expected; oedema present**

34. AIDS virus has

- a. Single strand DNA
- b. Double strand DNA
- c. Single strand RNA**
- d. Double strand RNA

35. Which of these diseases is not communicable

- a. Typhoid
- b. Leprosy
- c. Measles
- d. Leukemia**

36. Achronic course of a disease denotes

- a. Severe attack of the disease
- b. Mild attack of the disease
- c. Disease occurs for a very long period**
- d. All of the above

37. An insect which transmits a disease is called

- a. Intermediate host
- b. Parasite
- c. Vector**
- d. Prey

38. The 4D syndrome characterizes the following disease

- a. Pellagra
- b. Xerophthalmia
- c. Scurvy
- d. Beri-beri**

39. Oral rehydration solution does not contain

- a. Sodium chloride
- b. Sodium bicarbonate

c. **Sodium cyanide**

d. Glucose

40. Which of the following services is not part of public health?

a. Vaccination clinics

b. Work place safety inspection

c. Fluoridation of drinking water

d. **Out-patient therapy services**

41. The best and safest method of skin preparation before immunization is by cleansing the skin with

a. Salt water

b. Clean water

c. **Sterile water**

d. Methylated spirit

42. The time interval between the first exposure to the appearance of the first signs and symptoms is called

a. Prodromal period

b. **Incubation period**

c. Clinical manifestation

d. Coalescence

43. To prevent whooping cough, which of the following vaccines should be given

a. BCG

b. **DPT**

c. OPV

d. IPV

44. Nematode parasites *Brugia Malayi* and *Wuchereria Bancrofti* cause the communicable disease called

a. Schistosomiasis

b. Epidemic parotitis

c. Diphtheria

d. **Filariasis**

45. The epidemic triangle consists of three components which are the following except

a. Host

b. **Mode of transmission**

c. Agent

d. Environment

46. All the vaccines retain their potency at temperature between

a. 10-15°C

b. 4-16°C

- c. **2-8°C**
- d. 12-20°C

47. The components of Primary Health Care does not include

- a. Immunization
- b. Health education
- c. **Safe motherhood**
- d. Provision of dental care

48. In regular administration of TT to pregnant women, second dose of TT is given

- a. After 4 months
- b. **After 4 weeks**
- c. After 6 months
- d. After 6 weeks

49. Microparasites are

- a. Nematodes
- b. Trematodes
- c. Cestodes
- d. **Protozoa**

50. Undercooked pork may act as a source of

- a. **Taenia solium**
- b. Taenia saginata
- c. Diphyllbothrium latum
- d. Ancylostoma duodenale

51. A 9 month old child develops a high fever associated with febrile convulsions. The fever ends abruptly after 3 days and is followed by a maculopapular rash. What is the most likely diagnosis?

- a. Rubella
- b. Rubeola
- c. **Roseola**
- d. Varicella

52. A pig farmer in the Midwest complains of generalized aches and pains. The peripheral blood exhibits an increased eosinophil count (35%). Which of the following pathogens is most likely responsible for this patient's disease?

- a. Strongiloides stercoralis
- b. Ascaris lumbricoides
- c. **Trichinella spiralis**
- d. Trichuris trichiura

53. Which of the following diseases has a pathogenesis that is different from the other diseases listed?

a. **Rheumatic fever**

b. Scarlet fever

c. Diphtheria

d. Cholera

54. Which of the following is the single most common infectious cause of death in the world?

a. AIDS

b. **Tuberculosis**

c. Influenza

d. Cholera

55. Xenognosis is used in the diagnosis of a disease that is transmitted by the bite of a

a. Body louse

b. Deer tick

c. **Reduviid bug**

d. Mosquito

56. The classic 'slapped-cheek' rash is usually found in

a. **Roseola infantum**

b. Chicken pox

c. Erythema infectiosum

d. Scarlet fever

57. Bull's-eye sign is usually found in patients diagnostic of

a. **Diphtheria**

b. Poliomyelitis

c. Measles

d. Tuberculosis

58. Which of the following is more likely a feature of atypical pneumonia rather than a pneumonia caused by *Streptococcus pneumoniae*?

a. High fever

b. **Non productive cough**

c. Gram-positive sputum stain

d. Sudden onset

59. A rock collector who just returned from a thick forest presents with fever, and enlarged painful inguinal lymph nodes. This patient most likely has a disease that was transmitted by the bite of a

a. Louse

b. Tick

c. Bug

d. **Flea**

60. Which of the following diseases is most commonly transmitted by a mosquito bite?

- a. Tularemia
- b. Plague
- c. Yellow fever**
- d. African sleeping sickness

61. Which of the following organisms cause conjunctivitis and pneumo-nia in a newborn?

- a. Parainfluenza virus
- b. Neisseria gonorrhoea
- c. Chlamydia trachomatis**
- d. Streptococcus agalactiae

62. Nail infections and an association with polyendocrinopathy syn-drome characterize infection due to

- a. Trichophyton species
- b. Microsporum species
- c. Candida albicans**
- d. Staphylococcus aureus

63. Regarding the Millennium development goals, which of the fol-lowing targets is associated with goal 5?

- a. Reduce by three quarters between 1990 and 2015 the mater-nal mortality rate**
- b. Reduce by two-thirds between 1990 and 2015, the under five mortality rate
- c. Achieve by 2010, universal access to treatment for HIV/AIDS for all those who need it
- d. Reduce biodiversity loss, achieving by 2010, a significant reduction in the development

64. To improve gender equality and empower women is a Millennium development

- a. Goal 5
- b. Goal 4
- c. Goal 3**
- d. Goal 2

65. The incubation period of measles is

- a. 5-7 days
- b. 7-10 days
- c. 7-14 days**
- d. 4-8 days

66. Which of the following diseases is associated with grayish pseudo-membranes on the pharynx?

- a. Pertussis
- b. Measles
- c. Mump
- d. Diphtheria**

67. _____ is responsible for botulism?

- a. **Clostridium botulinum**
- b. Mycobacteria botulinum
- c. Bordetella botulinum
- d. Streptococcus botulinum

68. A 9 year old boy goes on a camping trip with his parents. Upon arrival, he eagerly jumps out of the car and runs into the bushes to play.

The next day, he complains of intense itching and blistering of hands, arms and legs. Which of the following conditions is he likely to have?

- a. Serum sickness
 - b. Hay fever
 - c. Arthus reaction
 - d. **Contact dermatitis**
69. Training of an expectant couple in the principles of child development is an example of
- a. **Primary prevention**
 - b. Secondary prevention
 - c. Tertiary prevention
 - d. Retroactive prevention
70. Helping a 25 year old male schizophrenia patient learn self care is an example of
- a. Primary prevention
 - b. **Secondary prevention**
 - c. Tertiary prevention
 - d. Retroactive prevention
71. A gold miner in the southwest who contracts plague most likely had contact with a/an
- a. Arthropod
 - b. **Rodent**
 - c. Wild dog
 - d. Dead bird
72. Which of the following organisms is most likely to cause watery diarrhoea?
- a. Campylobacter jejuni
 - b. Salmonella typhi
 - c. Shigella sonnei
 - d. **Vibrio cholerae**
73. Kwashiorkor is similar to marasmus in that both diseases have
- a. A fatty liver
 - b. An apathetic affect
 - c. Pitting oedema
 - d. **Anaemia**

74. In yellow fever infections, death most often results from necrotic lesions observe in which of the following organs?

- a. **Liver**
- b. Spleen
- c. Brain
- d. Blood vessels.

75. Which of the following is true contraindication to childhood immu-nization?

- a. Prematurity
- b. Recent exposure to an infectious disease.
- c. Current antimicrobial therapy
- d. **Moderate or severe illness with or without a fever**

76. Which of the following vaccines is recommended for first adminis-tration at age of 12 to 15 month

- a. Hepatitis B
- b. H.influenza type b vaccine
- c. **Measles-Mumps- Rubella (MMR) vaccine**
- d. All of the above

77. Which of the following is not among the target diseases in pen-tavalent vaccine?

- a. **Typhoid fever**
- b. Influenza
- c. Hepatitis B
- d. Diphtheria

78. The following statements are true about Hepatitis C virus except

- a. **HCV is spread primarily by fecal-oral route**
- b. HCV only infects humans and chimpanzees
- c. An estimated 130-200 million people worldwide are infected with hepatitis
- d. HCV is a single stranded positive-sense RNA virus

79. The incubation period for chickenpox is

- a. 7-14 days
- b. 4-10 days
- c. **10-21 days**
- d. 2-7 days

80. The incubation period for rabies is around

- a. 1-2weeks
- b. 2-4 weeks
- c. **4-8 weeks**
- d. 8-10 weeks

81. When a child is given BCG vaccine, the body develops antibody against tuberculosis protecting the child. This is an example of
- Innate immunity
 - Active immunity**
 - Passive immunity
 - Transferred immunity
82. The immunity developed as a result of administration of serum/ immunoglobulin is called
- Humoral immunity
 - Active immunity
 - Cellular immunity
 - Passive immunity**
83. Live attenuated vaccines does not include
- Measles vaccine
 - BCG vaccine
 - Hepatitis B vaccine**
 - Chicken pox vaccine
84. The following are organic dust diseases except
- Farmers lung
 - Dengue haemorrhagic**
 - Byssinosis
 - Bagassosis
85. The six killer diseases of children are Diphtheria, Poliomyelitis, Measles, Tetanus, Pertussis and Tuberculosis.
86. Methods of communication include Verbal and Non Verbal .
87. The period of time between the initial infection with HIV and development of a positive antibody test for HIV is called Widow period.
88. Cold Chain a system of storage and transport of vaccines in potent state.
89. Yersinia pestis is the causative organism for plague disease.
90. Rocky mountain spotted fever is caused by Rickettsia Rickettsii.

Situation: Identify the causative organism in column B for the following communicable diseases in column A