

Disease (Column A)	Causative Organism(Column B)
91. Tuberculosis	Mycobacterium tuberculosis
92. Mumps	Myxovirus Parotidis
93. Trachoma	Chlamydia trachomatis
94. Diphtheria	Corynebacterium diphtheriae
95. Pertussis	Bordetella pertusis
96. Tetanus	Clostridium tetani
97. Leprosy	Mycobacterium Leprae
98. Cholera	Vibrio Cholerae
99. Typhoid	Salmonella typhi
100. Amoebic dysentery	Entamoeba hystolitica

PSYCHIATRY NURSING

1. A nurse is planning care for a patient who is in the acute stage of manic episode. Which if these approaches would be more therapeutic for the patient?
 - a. **Interact with the patient one on one until she can control environmental input**
 - b. Expend the patient excessive energies in competitive group activities
 - c. Put a patient in charge of a discussion group so she can express her feelings
 - d. Shadow the patient and remind her to control her hyperactive behaviour
2. A patient with a diagnosis of border line personality disorder compliments staff members and then requests special favours. What is the most important measure the nurse should take when managing the patient?
 - a. Provide the patient with consistent boundaries
 - b. Give the patient leadership responsibilities on the unit
 - c. Offer the patient a variety of recreational activities
 - d. **Place the patient in a quiet room and limit visitors**
3. A nurse is planning care for a patient who has a diagnosis of depression. The nurse should recognize that the patient is at risk for suicide if he
 - a. Tells the staff he is very angry about new day room restrictions
 - b. Has a number of recurring somatic complaints
 - c. Is not permitted to engage in his compulsive rituals

d. Gives other patients gifts of his personal possessions

4. A nurse is caring for a patient diagnosed with antisocial personality disorder; which behaviours would the nurse expect the patient to exhibit?

- a. Isolation from most social interactions on the unit
- b. Disorganized conversation with loose associations

c. Charming manipulation of staff to foster alliances

d. Colourful descriptions of his auditory hallucination

5. A nurse is evaluating the affect of a patient who has been admitted to the psychiatric unit. Which of these questions should the nurse ask the patient?

- a. Are your medications working yet?

b. How do you feel?

- c. What did you eat for breakfast today?
- d. Would you repeat a sequence of numbers?

6. Tonic clonic seizures are also referred to as

- a. Absence seizures

b. Grand mal seizures

- c. Myoclonic seizures
- d. Petitmal seizures

7. A nurse is planning care for a depressed patient who is withdrawing from most social contacts on the psychiatric unit. Which intervention is the most appropriate for this patient?

- a. Allow the patient to stay in his room until he feels better
- b. Encourage the patient to make his own activity decisions
- c. Take the patient to sit in the day room for social stimulation

d. Establish a schedule of daily activities for the patient

8. Status epilepticus is a:

- a. Reaction to seizure medications

b. State of continuous or successive seizures

- c. State of continuous petit mal seizures
- d. Term used only for seizures that occurs in succession

Situation: 30 year old male employee frequently complains of low back pain that leads to frequent absences from work. Consultation and tests reveal negative results

9. The client has which somatoform disorder?

- a. Somatization disorder
- b. Hypochondriasis
- c. Conversion disorder**
- d. Somatoform pain disorder

10. Freud explains anxiety as:
- a. Strives to gratify the needs for satisfaction and security
 - b. Conflict between Id and superego**
 - c. Hypothalamic pituitary adrenal reaction to stress
 - d. A conditioned response to stressors
11. The therapeutic approach in the care of an autistic child include the following except
- a. Engage in diversionary activities when acting out
 - b. Provide an atmosphere of acceptance
 - c. Provide safety measures
 - d. Rearrange the environment to activate the child**
12. A 5 year old boy is diagnosed to have autistic disorder. Which of the following manifestations may be noted in a client with autistic disorder?
- a. Argumentativeness, disobedience, angry outburst
 - b. Intolerance to change, disturbed relatedness, stereotypes**
 - c. Distractibility, impulsiveness and over activity
 - d. Aggression, truancy, stealing, lying
13. The parents express apprehensions on their maladaptive child. The nurse identifies what nursing diagnosis?
- a. Hopelessness
 - b. Impaired parenting**
 - c. Dysfunctional family processes
 - d. Ineffective coping.
14. A 10 year old child has very limited vocabulary and interaction skills. She has an IQ of 45. She is diagnosed to have mental retardation of which classification
- a. Profound
 - b. Mild
 - c. Moderate**
 - d. Severe
15. The mechanism by which an individual changes his primitive animal love and hate into activities which the society approves is called
- a. Sublimation**
 - b. Interjection
 - c. Conversion
 - d. Compensation
16. If you live in an environment in which there is prejudice against ethnic group, you are most likely to be prejudiced like the people around you. This is used to illustrate which adaptive mechanisms.

a. Identification

b. Conversion

c. Interjection

d. Rationalization.

17. After realizing she insulted the nurse unintentionally, Madam Kate then spent next 30 minutes praising the nurse's beauty. This is an example of

a. Sublimation

b. Idealization

c. Undoing

d. Compensation

18. A busy woman attorney with a successful law practice is admitted to the acute care hospital with epigastric pain. Since admission, she has called the nurse every 15 minutes with one request or another. The patient is exhibiting

a. Repression

b. Somatization

c. Regression

d. Conversion

19. The following are disorders of perception except

a. Illusion

b. Hallucination

c. Delusion

d. None of the above.

20. Mr. G. Lost an important advertising account and had a flat tire on the way home. That evening, he began to find fault with everyone. Which defence mechanism is he using?

a. Displacement

b. Projection

c. Regression

d. Sublimation

21. Which primary unconscious defence mechanism keeps highly anxiety-producing situations out of conscious awareness?

a. Introjection

b. Regression

c. Repression

d. Denial

22. Mr. J. aged 17, rarely expresses his feeling and usually remains passive, however, when he is angry, his face typically becomes flushed and his blood

pressure rises to 170/100mmHg. His parents are described as passive and easygoing. Mr. J may be using which defense mechanism to handle anger?

a. Displacement

b. Introjection

c. Projection

d. Sublimation.

23. The man who gets angry at his boss, but can't express his anger to his boss for fear of being fired, comes home and kicks the dog and argue with the wife is a classic example of

a. Projection

b. Introjections

c. Displacement

d. Reaction formation.

24. _____ Is the imitation of the interviewer's words automatically even when asked not to do so.

a. Catalepsy

b. Echolalia

c. Echopraxia

d. Negativism

25. One of the internationally accepted classification available in psy-chiatry is D.S.M.IV (Diagnostic and statitical manual of mental disorder) by

a. American nurses association

b. American psychiatric association

c. World Health Organization

d. Canadian Nurses Association

26. Which of the following is a generally accepted criterion of mental health?

a. Self acceptance

b. Absence of anxiety

c. Ability to control others

d. Happiness

27. The positive or negative shifting of feelings from one person to another because one identifies with the two is called

a. Transference

b. Rationalization

c. Projection

d. Conversion

Match the items in column A with those in column B.

Column A	Column B	Answers
28. Chronic organic Psychoses'	a.Delirumlar	C
29. Acute organic psychoses.	b. Bipolar disorder	A
30. Mood disorder	c. Dementia	B
31. Neurotic disorder	d.Paraphilias	E
32. Sexual disorder	e.Hypochondrias	D
33. Gamophobia	f.Fear of dogs	B
34.Nyctophobia	g.Fear of marriage	D
35. Mysophobia	h.Fear of dirt	C
36. Cynophobia	i.Fear of darkness	A
37. Acrophobia	j.Fear of height	E
	k.Fear of death	
38. Simple partial seizures	l.Jacksonian epilepsy	A
39. Complex partial seizures	m.Absence seizures	D
40. Catamenial epilepsy	n.Salaam attacks	E
41. Infantile spasms	o.Temporal lobe epilepsy	C
42. Petitmal epilepsy	p.Menstrual cycle seizure	B
	q.Status epilepticus	

43. The client presents in the emergency room with hallucinations, insomnia, disorientation, and extreme agitation. A family member reports the symptoms started abruptly 2 days ago after the client was diagnosed with a urinary tract infection. The client is presenting with symptoms associated with

- a. **Delirium**
- b. Dementia
- c. Vascular dementia
- d. Huntington's disease.

44. A client diagnosed as having panic disorder with agoraphobia is admitted to the inpatient psychiatric unit. Until her admission, she had been a virtual prisoner in her home for 5 weeks afraid to go outside even to buy food. What is the nurse's overall goal when planning care for this client?

- a. To help the client perform self-care activities
- b. **To help the client function effectively in her environment**
- c. To help control the client's symptoms
- d. To help the client participate in group therapy.

45. A 93 year-old female with a history of Alzheimer's disease gets admitted to an Alzheimer's unit. The patient has exhibited signs of increased confusion and limited stability with gait. Moreover, the patient is refusing to use a w/c. Which of the following is the most appropriate course of action for the nurse?

- a. Recommend the patient remains in her room at all times
- b. Recommend family members bring pictures to the patient's room**
- c. Recommend a speech therapy consult to the doctor
- d. Recommend the patient attempt to walk pushing the w/c for safety

46. A 64 year-old Alzheimer's patient has exhibited excessive cognitive decline resulting in harmful behaviours. The physician orders restraints to be placed on the patient. Which of the following is the appropriate procedure?

- a. Secure the restraints to the bed rails on all extremities
- b. Notify the physician that restraints have been placed properly
- c. Communicate with the patient and family the need for restraints**
- d. Position the head of the bed at a 45 degree angle

47. A 22 year-old patient in a mental health lock-down unit under sui-cide watch appears happy about being discharged. Which of the following is probably happening?

- a. The patient is excited about being around family again
- b. The patient's suicide plan has probably progressed**
- c. The patient's plans for the future have been clarified
- d. The patient's mood is improving

Situation: A 35 year old male has intense fear of riding an elevator. He claims "As if I will die inside". This has affected his studies

48. This client is suffering from

- a. Agoraphobia
- b. Social phobia
- c. Claustrophobia**
- d. Xenophobia

49. Initial intervention for the client should be to:

- a. Encourage him verbalize his fears as much as he wants
- b. Assist him to find meaning to his feelings in relation to his past
- c. Establish trust through a consistent approach
- d. Accept his fears without criticizing**

50. The nurse develops a counter transference reaction. This is evidenced by

- a. Revealing information to the client**
- b. Focusing on the feeling of the client
- c. Confronting the client about discrepancies in verbal or non-verbal behaviour.
- d. The client feels angry towards the nurse who resembles his mother.

51. The client with anorexia nervosa is improving if:
- a. She eats meals in the dining room
 - b. She gains weight**
 - c. She attends ward activities
 - d. She has a more realistic concept
52. Which of the following may be seen in dissociative disorders?
- a. Hallucinations
 - b. Delusions
 - c. Amnesia**
 - d. Phobias
53. La belle in difference may be seen in
- a. Conversion disorders**
 - b. Phobic anxiety disorders
 - c. Schizophrenia
 - d. Bipolar affective disorders
54. Sudden "loss of memory" or blackouts related to painful or humiliating experience is
- a. Generalized anxiety disorders
 - b. Obsessive compulsive disorders
 - c. Dissociative disorders**
 - d. Bipolar disorders
55. Bizarre and childish thinking, speech and very disordered motor actions are characteristics of
- a. Catatonic schizophrenia
 - b. Paranoid schizophrenia
 - c. Undifferentiated schizophrenia
 - d. Hebephrenic schizophrenia**
56. Schizophrenia which has poor response to treatment and poor prognosis,
- a. Paranoid
 - b. Catatonic
 - c. Undifferentiated
 - d. Hebephrenic**
57. Which of the following is not a feature of catatonic schizophrenia?
- a. Negativism
 - b. Waxy flexibility
 - c. Echolalia
 - d. Flight of thoughts**
58. Schizophrenia is most commonly associated with
- a. Psthesis

- b. Asthenic**
 - c. Athletic
 - d. Dysplastic
- 59. Schizoid personality is characterized by
 - a. Shy, quiet, passive daydreaming, introverted**
 - b. Dramatic, emotional, and erratic behaviour
 - c. Eccentric behaviours and incongruous effect
 - d. Suspicious ideas and lack of trust
- 60. The male child's attraction for his mother and hostile attitudes toward his father is referred to as
 - a. Electra complex
 - b. Romantic complex
 - c. Oedipus complex**
 - d. Esentric complex
- 61. The female's attraction for her father and hostile attitudes toward her mother is called Oedipus complex
 - a. True
 - b. False**
- 62. The most frequent period of onset of schizophrenia is
 - a. Adolescence**
 - b. Childhood
 - c. Middle age
 - d. Old age
- 63. Primary symptoms of schizophrenia according to Bleuler are all except
 - a. Disorders of affect
 - b. Loosening of association
 - c. Ambivalence
 - d. Automatic obedience**
- 64. Miss Udo says "give me 10 minutes to recall the name of our college professor who failed many students in our anatomy class. She is operating on her."
 - a. Subconscious**
 - b. Conscious
 - c. Unconscious
 - d. Ego
- 65. The superego is that part of the psyche that
 - a. Uses defensive function for protection
 - b. Is impulsive and without morals
 - c. Determines the circumstances before making decisions**

- d. The censoring portion of the mind
66. When evaluating a severely depressed adolescent the nurse knows that one indicator of a high risk for suicide is
- a. Depression
 - b. Excessive sleepiness
 - c. A history of cocaine use
 - d. A preoccupation with death.**
67. Eugen Bleuler renamed dementia precox as
- a. Autism
 - b. Schizophrenia**
 - c. Bipolar affective disorder
 - d. Melancholia
68. _____ Can be considered as the outward expression of the inner self.
- a. Personality**
 - b. Overt behaviour
 - c. Attitude
 - d. Covert behaviour
69. Anxiety felt when taking an examination is a
- a. Mild type
 - b. Moderate type**
 - c. Severe type
 - d. Panic type
70. Common neurotic disorders include the following except
- a. Phobic disorders
 - b. Schizophrenia**
 - c. Hysterical disorder
 - d. Obsessive disorders
71. When a client make up stories to fill in blank spaces of memory, it is known as
- a. Lying
 - b. Rationalizing
 - c. Denying
 - d. Confabulating**
72. As a community health nurse, you are involved in the care of people who were rescued from a fire breakout involving Mr. A's shop. Which of the following may not be Mr. A's response to the disaster?
- a. Depression
 - b. Anxiety
 - c. Somatization