

d. Regression

73. Nurse Obichili places a client in a four point restraint following orders from the physician. The client care plan should include:
- a. Assess temperature frequently
 - b. Provide diversional activities
 - c. Check circulation every 15-30 minutes**
 - d. Socialize with other patients once a shift.
74. The following may precipitate Epilepsy except
- a. Cerebrovascular accident
 - b. Head Injury
 - c. Brain Fog**
 - d. Infection.
75. When one obtains sexual pleasure by touching or rubbing against a non-consenting person especially in a bus, it is known as
- a. Frotteurism**
 - b. Necrophilia
 - c. Sexual Masochism
 - d. Voyeurism
76. Which personality disorder is more common in women than in men?
- a. Schizoid
 - b. Antisocial
 - c. Dependent**
 - d. Narcissistic
77. The most common type of hallucination seen in delirium is
- a. Auditory
 - b. Visual**
 - c. Gustatory
 - d. Kinesthetic
78. Which term is associated with the most severe state of depression?
- a. Anhedonia**
 - b. Euthymia
 - c. Dysphoria
 - d. Euphoria
79. Which of the following symptoms is most likely to occur with with-drawal from nicotine?
- a. Delirium
 - b. Weight gain**
 - c. Excitability

- d. Euphoria
80. Positive symptoms of schizophrenia include
- Flattening of affect
 - Hallucinations**
 - Poverty of speech
 - Social withdrawal
81. The most important factors that determine individual's personality
- Heredity
 - Environment**
 - Genetics
 - Nutrition
82. Consequent to withdrawal behaviour, the individual may develop the following except
- Extreme Sensitivity
 - Narcissism
 - Introverted personality
 - Egoism**
83. As an adult ages, his or her need for sleep
- Increase
 - Decreases
 - Remain the same**
 - Shows a significant gender difference
84. When infants do not have a primary attachment figure, they commonly display
- Infantile autism
 - Asperger syndrome
 - Childhood schizophrenia
 - Anaclitic depression**

Match each of the following developmental milestones with the age at which it commonly first appears

Column A	Column B	Answers
85. Sitting unassisted	a. 0-3 months	C
86. Stranger anxiety	b. 4-6 months	C
87. Rapprochement	c. 6-8 months	E
88. Social smile	d. 12-14 months	A
89. Walking unassisted	e. 16-24 months	D

90. A man presents himself at a police station in Enugu claiming that he does not know who he is. A fingerprint check reveals that he has been reported as a missing person by a family in Ogburu Anambra state. The most accurate diagnosis for this man is

- a. Dissociative Identity disorder
- b. Dissociative fugue**
- c. Dissociative amnesia
- d. Derealization.

91. Which of the following is most characteristic of sleep in a 45 year old woman with major depressive disorder?

- a. Sleeping too many hours at night
- b. Falling asleep suddenly during the day time
- c. Waking up too early in the morning**
- d. Having difficulty coming fully awake after sleep

92. A 50 year old happily married male patient tells you that prior to having sex with his wife of 32 years; he often enjoys watching videos of women getting undressed. This man is

- a. A voyeur
- b. Normal**
- c. An exhibitionist
- d. A frotteur

93. Which of the following is least likely to be seen in an 8year-old child with attention deficit hypersensitivity disorder (ADHD)?

- a. Mental retardation**
- b. Distractibility
- c. Impulsiveness
- d. Restlessness

94. In a group of 52 year-old men and women, which individual is most likely to commit suicide?

- a. A married man
- b. A married woman
- c. A divorced man**
- d. A divorced woman

95. A 60 year old male patient tells you that he has filed three lawsuits against the town for infringing on his property and has filed complaints against two doctors who formerly treated him. What is the best diagnosis for this man?

- a. Borderline disorder
- b. Schizoid disorder
- c. Paranoid disorder**
- d. Passive-aggressive behaviours

96. According to Freud, the Methods the ego uses to fulfil the need of the id in a socially acceptable manner are called **Defensive/Adaptive Mechanism.**

97. Sigmund Freud identified three aspects of the personality are Id, Ego and Super Ego.

98. Freud proposed that the underlying motivation to human development is a dynamic psychic energy which he called Libido.

99. Phobia is a condition characterized by discrete episodes of intense anxiety that begin abruptly and reach a peak within 10mins.

100. Behaviour is a learned response that develops as a result of past experience.

OBSTETRICS AND GYNAECOLOGY

1. The process of I.M.C.I case management rely on
 - a. **Case detection using clinical signs and empirical treatment**
 - b. The use of clinical signs and symptoms
 - c. The use of clinical signs alone
 - d. Symptomatic treatment
2. Which of the following categories of children is the concern of I.M.C.I?
 - a. 1 week to 2 months
 - b. **0-5years**
 - c. 2 months to 5 years
 - d. 1 year to 5 years
3. Neonatalty is defined as
 - a. Deaths occurring in the first 24 hours of life
 - b. **Deaths occurring in the first month of life**
 - c. Deaths occurring in the first week of life
 - d. Deaths occurring in the first year of life
4. The term eumenorrhoea denotes
 - a. **Normal menstruation**
 - b. Absence of menstrual flow

- c. Irregular menstruation
 - d. Anovular menstruation
- 5. Mrs Kate just gave birth to a healthy baby boy(Baby Smart).Who is going to report the birth of the baby?
 - a. Nurse
 - b. Midwife
 - c. Parents
 - d. Birth attendant**
- 6. In reporting the birth of Baby Smart, where will he be registered?
 - a. the local civil registrar**
 - b. In the natural statistics office
 - c. In the city health department
 - d. In the field health services and information system main office
- 7. Deborah the birth attendant noticed that babySmart has low set of ears, micrognathia, microcephaly and a typical cat like cry.What should Deborah do?
 - a. Bring Smart immediately to the nearest hospital
 - b. Ask her assistant to call the nearby pediatrician
 - c. Bring Smart to the nearest pediatric clinic
 - d. Call a taxi and together with Mrs. Kate bring Smart to the near-est hospital.**
- 8. Deborah would suspect which disorder?
 - a. Trisomy21
 - b. Turners syndrome
 - c. Cri du chat**
 - d. Klinefelters syndrome
- 9. During the admission history, Mrs. Kate tells you that she experi-ences extreme pain during intercourse. An appropriate nursing diagnosis would be
 - a. Fear related to pain during sexual intercourse
 - b. Body image disturbance related to painful intercourse**
 - c. Ineffective individual coping related to pain
 - d. Pain related to dyspareunia
- 10. Mrs Josephine seeks the advice of nurse Marvellous on contracep-tive use. Nurse Marvellous should be able to state that combined oral contraceptives are absolutely contraindicated in all the following except
 - a. Historye of cerebrovascular disease
 - b. Hypertension
 - c. Suspected/overt malignancy of breast and genitals
 - d. Obesity**
- 11. The hormone testosterone is produced by

- a. Leydig
 - b. Seminiferous tubules
 - c. Epididymis**
 - d. Vas deferens
12. The following conditions may cause intermittent or continuous pain except
- a. Abruptio placenta
 - b. Ruptured uterus
 - c. Placenta praevia**
 - d. Ectopic pregnancy
13. Sterilisation in males is called
- a. Tubectomy
 - b. Vasectomy**
 - c. Epidectomy
 - d. Orchidectomy
14. Development of breast in a female during puberty is known as
- a. Thelarche**
 - b. Puberche
 - c. Menarche
 - d. Selarche
15. Failure of testis to descend into the scrotum is called
- a. Paedogenesis
 - b. Castration
 - c. Cryptorchidism**
 - d. Impotency
16. Oral contraceptive pills function by inhibiting
- a. Fertilization
 - b. Ovulation**
 - c. Reproduction
 - d. Implementation
17. Chancroid is a sexually transmitted disease caused by
- a. Treponema
 - b. Haemophilus**
 - c. Neisseria
 - d. Corynebacterium
18. A nulliparous woman is best described as
- a. One who has not completed a pregnancy to a stage of foetal viability**
 - b. One who has not yet married
 - c. A single parent mother.

- d. One who has giving birth once
19. Medical Termination of Pregnancy (MTP) is considered safe up to how many weeks of pregnancy?
- a. Six weeks
 - b. Eight weeks
 - c. Twelve weeks**
 - d. Eighteen weeks
20. In male, there is no period comparable to female menopause
- a. True**
 - b. False
21. Perinatal mortality refers to the sum of still births plus deaths within the first ____ of life
- a. Four weeks
 - b. Year
 - c. 6 months
 - d. Week**
22. Some women experience pelvic discomfort during ovulation. This is known as
- a. Climacteric
 - b. Mittelschmerz**
 - c. Dysmenorrhea
 - d. Metrorrhagia
23. Number of births divided by total population including men, women and children (in 1000s) is
- a. Crude birth rate**
 - b. General fertility rate
 - c. Age specific fertility rate
 - d. Total period fertility rate
24. The average heart rate of the foetus is 120mmHg
- a. True
 - b. False**
25. The average weight of the newborn is
- a. 2.7kg
 - b. 3.5kg**
 - c. 3.7kg
 - d. 4.5kg
26. The proliferate phase of the menstrual cycle usually takes about 4 days
- a. True**
 - b. False
27. Measurements in the newborn are done to

- a. Exclude abnormalities
 - b. Provide parameters against which future growth can be monitored**
 - c. For record purposes
 - d. For medico-legal purposes
28. The most reliable method of contraception is
- a. Spermicidal
 - b. Intra uterine contraceptive device
 - c. The type the client can conveniently afford
 - d. The one that suits the client**
29. A surgical contraceptive method in the male involves occlusion of the
- a. Vas deference**
 - b. Seminal vesicles
 - c. Spermatic cord
 - d. Corpus spongiosum
30. Sperm comprises only 10% of the final ejaculation in males
- a. True**
 - b. False
31. In Nigeria abortion/miscarriage is defined as loss or expulsion from mother's uterus of a growing and developing foetus before
- a. 20 weeks of gestation**
 - b. 24 weeks of gestation
 - c. 28 weeks of gestation
 - d. 32 weeks of gestation
32. Breast milk consists of the following except
- a. Vitamin A,D,E,K
 - b. Protein
 - c. Lactose
 - d. Sugar**
33. One of the reasons why human milk is best suited for babies is that it contain
- a. More digestible proteins than cow's milk**
 - b. Less digestible protein than cow's milk
 - c. The same amount of protein as cow's milk
 - d. None of the above
34. It is always good for a nurse to calculate the expected date of deliv-ery for a woman on her first visit to the clinic. This can be done using
- a. The last day of her last menstrual period
 - b. The first day of her last menstrual period**
 - c. The 3rd day of her last menstrual period

- d. The last day of her first menstrual period
35. If a woman's last menstrual period began on 2nd June 2013 and she has a 35 day cycle;her expected date of delivery would be
- a. 9/03/2014
 - b. 16/03/2014**
 - c. 9/02/2014
 - d. 16/02/2014
36. Jessa, 17 years old, is bleeding between periods of less than two weeks.This condition is an abnormality in the menstrual cycle known as
- a. Metrorrhagia**
 - b. Menorrhagia
 - c. Amenorrhoea
 - d. Dysmenorrhea
37. A primigravid patient came into your ward with complaint of back-ache, intermittent low abdominal pain and slight vaginal bleeding. A speculum examination done by the doctor reveals a closed cervical os, the membranes are intact. A diagnosis of miscarriage is made. The nurse should understand this miscarriage is
- a. An inevitable abortion
 - b. Missed abortion
 - c. Therapeutic abortion
 - d. Threatened abortion**
38. The following are features of missed abortion except
- a. Symptoms of pregnancy usually disappear
 - b. Speculum examination usually reveals an open cervical os**
 - c. It may follow a threatened abortion
 - d. Management is mainly by evacuation
39. Omphalitis is defined as the infection of the
- a. Baby's eye during birth
 - b. Umbilical cord**
 - c. Olfactory area in first week of life
 - d. Cornea of the newborn
40. Ophthalmia neonatorum is a notifiable condition defined as puru-lent discharge from the eyes of an infant within the first
- a. 21 days of life**
 - b. 28 days of life
 - c. Week of life
 - d. Month of life
41. Chadwick sign is

- a. Waxy streaks that appear on the abdomen and breast during pregnancy
 - b. Separation of the muscles due to abdominal distension during pregnancy
 - c. Deep reddish or purple discolouration of the vagina due to increased vascularity**
 - d. Thin yellowish fluid present in the breast during pregnancy.
42. Which of the following is a normal symptom of pregnancy at the 1st trimester?
- a. Foetal movement
 - b. Dyspnoea
 - c. Nausea and Vomiting**
 - d. Heartburn
43. The proteolytic enzyme's action on the uterine muscles following childbirth is known as
- a. Necrosis and ischaemia
 - b. Autocrysis and Ischaemia
 - c. Autolysis and Ischaemia**
 - d. Autonecrosis and dry gangrene
44. Meconium should be passed by the newborn within
- a. 6 hours of birth
 - b. 12 hours of birth
 - c. 18 hours of birth
 - d. 24 hours of birth**
45. The infant doubles its birthweight by the
- a. 4th month
 - b. 6th month**
 - c. 8th month
 - d. 12th month
46. When baby Eno was delivered, she weighed 2.6kg. By the time she visits the infant welfare clinic at one year, her expected weight will be
- a. 4.8kg
 - b. 5.8kg
 - c. 6.8kg
 - d. 7.8kg**
47. The skin of an infant is covered at birth with jelly substance called
- a. Vernix lochia
 - b. Sebaceous secretion
 - c. Vernix caseosa**
 - d. Vernix lanugo
48. The current WHO approved regimen for tetanus toxoid (TT) immunization for all women within childbearing age covers ____ dose