

- a. Dorothea Orem
 - b. Imogene King
 - c. Martha Rogers**
 - d. Callista Roy.
110. A client is at risk for fluid volume excess. Which nursing intervention would ensure the most accurate monitoring of the client's fluid status
- a. Measuring and recording fluid intake and output
 - b. Weighing the client daily at the same time each day**
 - c. Assessing vital signs every 4 hours
 - d. Checking the lungs for crackles every shift.
111. The type of patient record in which each member of the health care team or department makes notations about patient health problems that are integrated throughout the patient's chart is a
- a. Computer record
 - b. Department record
 - c. Problem oriented medical record
 - d. Source oriented medical record**
112. Which of the following choices is an inference rather than a cue?
- a. 'A patient's statement that it hurts right here
 - b. Febrile**
 - c. Hemovac output of 40mls
 - d. Blood pressure of 120/90mmHg
113. The nurse elicits rebound tenderness on palpation of the abdomen when the abdomen is
- a. Deeply palpated
 - b. Deeply palpated and quickly released**
 - c. Deeply palpated in two areas at once
 - d. Lightly palpated.
114. A 36-year old client with paranoid schizophrenia believes that his room is bugged by Central Intelligence Agency and that his roommate is a foreign spy. The client has never had a romantic relationship, has no contact with family members, and hasn't been employed in the last 14 years. Based on Erikson's theories the nurse should recognize that this client is in which stage of psychosocial development?
- a. Autonomy versus shame and doubt
 - b. Generativity versus stagnation**
 - c. Integrity versus despair
 - d. Trust versus mistrust

115. Nurse Jane after measuring the blood pressure of a patient recorded the pulse pressure as 40mmHg. It can be deduced from this that the patient's blood pressure is
- a. **120/80mmHg**
 - b. 130/70mmHg
 - c. 120/70mmHg
 - d. 110/60mmHg
116. Determinants of blood pressure include the following except
- a. Pumping action of the heart
 - b. Peripheral vascular resistance
 - c. **Hypertension**
 - d. Blood viscosity
117. The nurse organizes a support group for elderly people in a complex who have lost a spouse. This is an example of
- a. Primary prevention
 - b. Secondary prevention
 - c. Social directing
 - d. **Tertiary prevention**
118. Calista Roy (1971) proposed the _ modes of adaptation
- a. Five
 - b. **Four**
 - c. Three
 - d. Two
119. Florence Nightingale was born on
- a. 14th March 1820
 - b. **12th May 1820**
 - c. 10th July 1820
 - d. 16th January 1980
120. The first ICN code of ethics was published in
- a. 1951
 - b. 1952
 - c. **1953**
 - d. 1950
121. During blood transfusion, antibody-antigen reaction will lead to
- a. **Severe allergic reaction**
 - b. Hemolytic reaction
 - c. Sepsis
 - d. Febrile reaction.
122. There are ___ stages of sleep in human

- a. Two
 - b. Three
 - c. Four**
 - d. Five
123. About 75-80% of sleep during a night is Non-Rapid Eye Movement sleep
- a. True**
 - b. False
124. Six stages of grieving to include Restitution was described by
- a. Kubler
 - b. Engel**
 - c. Martocchio
 - d. Rando
125. Who among these nurse leaders is often considered the first nurse theorist?
- a. Virginia Henderson
 - b. Florence Nightingale**
 - c. Margaret Sanger
 - d. Clara Barton
126. The work "Notes on Nursing: what it is, and what it is not" was done by
- a. Virginia Henderson
 - b. Mary Mahoney
 - c. Imogen King
 - d. Florence Nightingale**
127. The word patient comes from a Latin word "patiens," from "patior," meaning to
- a. Suffer**
 - b. Receive treatment
 - c. Receive care
 - d. Receive help
128. The term Hospice care stands for
- a. Palliative care
 - b. Care of the aged
 - c. Care of the dying**
 - d. Care of the disabled.
129. The following are criteria for identifying a profession except
- a. Specialized education
 - b. Ongoing research
 - c. Group socialization**
 - d. Autonomy
130. Health promotion is best represented by which of the following activities?

- a. Administering immunization
 - b. Giving a bath
 - c. Preventing accident in the home**
 - d. Performing diagnostic procedures
131. A nurse with 2 to 3 years of experience who has the ability to coordinate multiple complex nursing care demands is at which stage of Ben-ner's states of nursing expertise?
- a. Advanced beginner
 - b. Competent**
 - c. Proficient
 - d. Expert
132. The health illness continuum was developed by
- a. Yura
 - b. Travis**
 - c. Abdellah
 - d. Poriggs
133. Veracity is an assumption developed by
- a. Dorothy Orem
 - b. Jean Watson
 - c. Madeleine Leininger
 - d. Callista Roy**
134. The central figure in healthcare services is the
- a. Nurse
 - b. Government
 - c. Patient**
 - d. Doctor
135. Addressing needs by priority reflects
- a. Freud's theory
 - b. Pavlov theory
 - c. Maslow's theory**
 - d. Herzberg's theory
136. Maslow ranked Human needs as follows
(i) physiological (ii) sense of belonging and affection (iii) self esteem (iv) safety and security (v.) self actualization-which of the following is the increasing order in the hierarchy
- a. i,ii,iii,iv,v
 - b. i,ii,iv,iii,v
 - c. i,iv,ii,iii,v**
 - d. i,iii,ii,iv,v

137. The limitation of the WHO definition of health are clear in relation to

- a. Acute illness
- b. Chronic illness and disability**
- c. Terminal illness
- d. End-stage diseases.

Match the items in column A with those in column B

Column A	Column B	Answers
138. Fracture board	(a) Protect from pressures of bed clothes	C
139. Bed blocks	(b) Immobilize a part of the body	D
140. Sand bags	(c) Prevent sagging of mattress	B
141. Bed cradle	(d) Elevate one end of a bed	A
142. Air ring	(e) Prevent pressure sore	E
	(f) Ambulate patient	
	(g) Support patient	

143. Which of the following techniques uses a sugar to look at the functioning of the brain?

- a. EEG
- b. Ctscan
- c. PET scan**
- d. MRI scan

144. Which of the following is not among the bed accessories?

- a. Bed block
- b. Bed cradle
- c. Bed pan**
- d. Bed board

145. Actual and risk NANDA diagnoses for the postoperative client may include the following except:

- a. Acute pain
- b. Self care deficit
- c. Disturbed body image
- d. Anticipatory grieving**

146. A nurse knows that postoperative care planning and discharge planning begin in the

- a. Theatre
- b. Outpatient department**
- c. Preoperative phase

- d. After the surgery
147. Nurse Oge must verify the client's identity before administering medication. She is aware that the safest way to verify identity is to:
- a. **the client's identification band**
 - b. Ask the client to state his name
 - c. State the client's name out loud and wait a client to repeat it
 - d. Check the room number and the client's name on the bed
148. Nursing and Midwifery Council of Nigeria was established by Nurs-ing and Midwifery Registration_____; Laws of Nigeria, 2004
- a. Act, Cap No.153
 - b. **Act,Cap No.143**
 - c. Act, Cap No.133
 - d. Act, Cap No.123
149. Growth and development are
- a. Dependent processes
 - b. **Interrelated processes**
 - c. Complementary processes
 - d. Supplementary processes
150. According to Freud, latency stage of a child's development is
- a. 4 to 6 years
 - b. 11/,to 3 years
 - c. **6 years to puberty**
 - d. Puberty and after
151. Which of the following best defines the unique function of a nurse?
- a. Provide care and support to the sick
 - b. **Assist the individual, sick or well in performance of his/her activities**
 - c. Diagnosis and treatment of human responses to health prob-lems
 - d. Care of sick and injured persons
152. The following are theories common to theoretical definitions of nursing except
- a. Nursing is a helping profession
 - b. Nursing is adaptive
 - c. **Nursing is systematic**
 - d. Nursing is client centered
153. In the diagnostic statement "Excess fluid volume related to decreased venous return evidenced by oedema", the pathophysiology associated with the problem is
- a. Oedema
 - b. Unknown
 - c. **Decreased venous return**

- d. Excess fluid volume
154. Temperature can be measured in the following sites except
- a. Mouth
 - b. Axilla
 - c. Nose**
 - d. Rectum
155. When measuring blood pressure using stethoscope, the nurse identifies phases in the series of sounds called
- a. Auscultatory gap
 - b. Korotkoff's sounds**
 - c. Pulse deficit
 - d. Pulse pressure
156. The examination of the body using the sense of touch is called
- a. Inspection
 - b. Auscultation
 - c. Percussion
 - d. Palpation**
157. In indirect percussion of the body, the non-dominant hand that is placed firmly on the client's skin is called the
- a. Pleximeter**
 - b. Plexor
 - c. Fleximeter
 - d. Sensor
158. The process of implementing nursing order does not include
- a. Reassessing the client
 - b. Supervising the delegated care
 - c. Determining nurse's need for assistance
 - d. Relating nursing activities to outcomes**
159. Which of the following is the best indication of proper placement of a nasogastric tube in the stomach?
- a. Client is unable to speak
 - b. Client gags during insertion
 - c. pH of aspirate is less than 5**
 - d. Fluid is easily instilled into the tube.
160. Which of the following nursing diagnoses is most appropriate for a client with a body mass index (BMI) of 35?
- a. Imbalanced Nutrition: less than body requirements
 - b. Imbalanced Nutrition: more than body requirements**

- c. Altered nutritional status
 - d. Risk for imbalanced nutrition
161. Which of the following can not be included among the categories of blood tests?
- a. Coagulation test
 - b. Serology
 - c. Cytology**
 - d. Serum tumour markers
162. Compliance with medical advice is most closely associated with
- a. Intelligence
 - b. A good nurse-patient relationship**
 - c. Race
 - d. Educational level
163. Which element in the circular chain of infection can be eliminated by preserving skin integrity?
- a. Host
 - b. Reservoir
 - c. Mode of transmission
 - d. Portal of entry**
164. Which of the following will probably result in a break in sterile technique for respiratory isolation?
- a. Opening the patient's window to the outside environment
 - b. Turning on the patient's room ventilator
 - c. Opening the door of patient's room leading into the hospital corridor**
 - d. Failing to wear gloves when administering a bed bath
165. Sterile technique is used whenever
- a. Strict isolation is required
 - b. Terminal disinfection is performed
 - c. Invasive procedures are performed**
 - d. Protective isolation is necessary
166. A natural body defense that plays active role in preventing infection is
- a. Yawning
 - b. Body hair**
 - c. Hiccupping
 - d. Rapid eye movements
167. The primary purpose of a platelet count is to evaluate the
- a. Potential for clot formation
 - b. Potential for bleeding**
 - c. Presence of an antigen-antibody response

- d. Presence of cardiac enzymes
168. The most appropriate time for the nurse to obtain a sputum specimen for culture is
- a. Early in the morning
 - b. After the patient eats a light breakfast
 - c. After aerosol therapy
 - d. After chest physiotherapy**
169. Which of the following is a sign or symptom of haemolytic reaction to blood transfusion
- a. Haemoglobinuria
 - b. Chest pain**
 - c. Urticaria
 - d. Distended neck veins
170. An infected patient has chills and begins shivering. The best nursing intervention is to
- a. Apply iced alcohol spinges
 - b. Provide increased cool liquids
 - c. Provide additional bed clothes**
 - d. Provide increased ventilation
171. Clay coloured stools indicate
- a. Upper gastrointestinal bleeding
 - b. Impending constipation
 - c. An effect of medication
 - d. Bile obstruction**
172. Which of the following is a primary nursing intervention necessary for all patients with a foley catheter in place?
- a. Maintain the drainage tubing and collection bag level with the patient's bladder
 - b. Irrigate the patient with 1% neosporin solution three times a day
 - c. Clamp the catheter for 1 hour every 4 hours to maintain the bladder's elasticity
 - d. Maintain the drainage tubing and collection bag below bladder level to facilitate drainage by gravity**
173. Melaena is a term used to describe the presence of
- a. Blood in urine
 - b. Blood in stool**
 - c. Pus in urine
 - d. Pus in stool
174. Which of the following persons will have the highest respiratory rate in a normal condition?
- a. Newborn infant**
 - b. Twelve months old baby
 - c. Five years old baby

d. Sixty years old man

Match the theorists in column A with their theories in column B.

Column A	Column B	Answers
175. Abraham Maslow	a. Environment theory	E
176. Doroty Orem	b. Science of unitary human being	F
177. Callista Roy	c. Cognitive development theory	J
178. Betty Neuman	d. Psychosocial theory	I
179. Erik Erickson	e. Self-care theory	B
180. Jean Piaget	f. Self-care theory	D
181. Virginia Henderson	g. Activity of daily living	C
182. Florence Nightingale	h. Interpersonal relations	G
183. Hildegard Peplau	i. System's model	A
	k. Two factor theory	H

Match the percussion sounds in column A with the examples of location in column B

Column A	Column B	Answers
184. Flatness	a. Normal lung	C
185. Dullness	b. Stomach filled with gas	D
186. Resonance	c. Muscle & bone	A
187. Hyper-resonance	d. Liver & heart	E
188. Tympani	e. Emphysematous lung	B

189. The three dynamic interactive elements of Leavell and Clark's eco-logic model of health include **Agent**, **Host** and **Environment**.

190. The pH of a normal freshly voided urine ranges **4.5** to **8.0**.

191. The four concepts common in all nursing theories are **Person**, **Environment**, **Nursing** and **Health**.

192. Of the concepts mentioned, the most important is **Person**.

193. The physiologic process related to pain perception is described as nociception. Four physiologic processes involved in nociception are **Transduction**, **Transmission**, **Perception** and **Modulation**.