

- d. Encourage family and friends to visit
60. Nurse Obeta witnesses as female client sustain a fall and suspects that the leg may be broken. Which should be the nurse priority action?
- a. Takes a set of vital signs
 - b. Call the radiology department for X-ray
 - c. Reassure the client that everything will be alright
 - d. Immobilize the leg before moving the client**
61. Nurse abudu is teaching a group of parents about otitis media. When discussing why children are predisposed to this disorder the nurse should mention the signiicance of which anatomical feature?
- a. Eustachian tubes**
 - b. Nasopharynx
 - c. Tympanic membrane
 - d. External ear canal
62. Insisting a female client for immediate surgery, the nurse in-charge is aware that she should
- a. Encourage the client to void following preoperative medication
 - b. Explore the client's fears and anxieties about her surgery
 - c. Assist the client in removing dentures and nail polish**
 - d. Encourage the client to drink water prior to surgery
63. Nursesea prepared to perform an otoscopic examination on a female client. For proper visualization, the nurse should position the cli-ents ear by
- a. Pulling the lobule down and back
 - b. Pulling the helix up and forward
 - c. Pulling the helix up and back**
 - d. Pulling the lobule down and forward
64. A nurse is monitoring a postoperative client after abdominal sur-gery for signs of complications. The nurse assess theclient for the pres-ence of Homan's sign and determines that this sign is positive if which of the following is noted
- a. Incisional pain
 - b. Absent bowel sounds
 - c. Pain with dorsiflexion of the foot**
 - d. Crackles on auscultation of the lungs
65. The nurse is aware that the most important nursing action when a client returns from surgery is
- a. Assess the IV for type of fluid and rate of flow
 - b. Assess the client for presence of pain**
 - c. Assess the Foley catheter for patency and urine output

- d. Assess the dressing for drainage
66. Nurse Betty is assigned to the following clients. The client that the nurse would see first after endorsement is?
- a. A 34 year old post operative appendectomy client of five hours who is complaining of pain
 - b. 44 year old myocardial infarction (MI) client who is complaining of nausea**
 - c. A 26 year old client admitted for dehydration whose intravenous (IV) drip has infiltrated
 - d. A 63 year old post operative abdominal hysterectomy client of 3 days whose incisional dressing is saturated with serosanguinous fluid
67. The nurse is aware that the most common assessment finding in a child with ulcerative colitis is
- a. Intense abdominal cramps
 - b. Profuse diarrhoea**
 - c. Anal fissures
 - d. Abdominal distension
68. When performing a physical examination on an infant, the nurse in charge notes abnormally low set ears. This finding is associated with:
- a. Otogenous tetanus
 - b. Tracheoesophageal fistula
 - c. Congenital heart defects
 - d. Renal anomalies**
69. The nurse is evaluating a female child with acute poststreptococcal glomerulonephritis for signs of improvement. Which finding typically is the earliest sign of improvement
- a. Increased urine output**
 - b. Increased appetite
 - c. Increased energy level
 - d. Decreased diarrhoea
70. A child is diagnosed with Wilms' tumour. During assessment, the nurse in-charge expects to detect
- a. Gross hematuria
 - b. Dysuria
 - c. Nausea and vomiting
 - d. An abdominal mass**
71. A young client is in the hospital with his left leg in Buck's traction. The team leader asks the nurse to place a footplate on the affected side at the bottom of the bed. The purpose of this action is to

- a. Anchor the traction
 - b. Prevent foot drop**
 - c. Keep the client from sliding down in bed
 - d. Prevent pressure areas on the foot.
72. For a client who has ataxia, which of the following tests would be performed to assess the ability to ambulate?
- a. Kernig's
 - b. Romberg's**
 - c. Riley-day's
 - d. Hoffmann's
73. A client being treated for esophageal varices has a Sengstaken Blakemore tube inserted to control the bleeding. The most important assessment is for the nurse to
- a. Check that a hemostat is at the bedside
 - b. Monitor IV fluids for the shift
 - c. Regularly assess respiratory status**
 - d. Check that the balloon is deflated on a regular basis
74. Following an accident, a client is admitted with a head injury and concurrent cervical spine injury. The physician will use crutchfield tongs. The purpose of these tongs is to
- a. Hypoextend the vertebral column
 - b. Decompress the spinal nerves
 - c. Allow the client to sit up and move without twisting his spine
 - d. Hyperextend the vertebral column**
75. The physician has ordered a 24-hour urine specimen. After explaining the procedure to the client, the nurse collects the first specimen. This specimen is
- a. Tested then discarded
 - b. Placed in a separate container and later added to the collection
 - c. Saved as part of the 24- hour collection
 - d. Discarded, then the collection begins**
76. There is a physician's order to irrigate a client's bladder. Which one of the following nursing measures will ensure patency of catheter/irrigation tube
- a. Use a solution of sterile water for the irrigation
 - b. Apply a small amount of pressure to push the mucus out of the catheter if the tube is not patent.
 - c. Carefully insert about 100ml of aqueous zephiran into the bladder, allow it to remain for 10 hours and then siphon it out
 - d. Irrigate with 20mls of normal saline to establish patency**

77. A 24-year-old male is admitted with a possible head injury. His arterial blood gases show that his PH is less than 7.3, P CO₂ is elevated above 60 mmHg, and his P_O₂ is less than 45mmHg. Evaluating this ABC panel, the nurse would conclude that.
- Oedema has resulted from a low PH state
 - Acidosis has caused vasoconstriction of cerebral arterioles
 - Cerebral oedema has resulted from a low oxygen state**
 - Cerebral blood flow has decrease
78. Following regurgitation or vomiting the prone position is recommended to avoid
- Hypoxia
 - Hypothermia
 - Aspiration**
 - Asphyxia
79. A child with a poor nutritional status and weight loss is at risk for a negative nitrogen balance. To help diagnose this problem, the nurse in charge anticipates that the doctor will order which laboratory test?
- Total-binding capacity
 - Haemoglobin
 - Total protein**
 - Serum transferrin
80. A male client is admitted and diagnosed with acute pancreatitis after a holiday celebration of excessive food and alcohol. Which assessment finding reflects this diagnosis?
- Blood pressure above normal range
 - Presence of crackles in both lung fields
 - Hyperactive bowel sounds
 - Sudden onset of epigastric and back pain**
81. A child with suspected rheumatic fever is admitted to the paediatric unit. When obtaining the child's history, the nurse considers which information to be most important?
- A fever that started 3 days ago
 - Lack of interest in food
 - A recent episode of pharyngitis**
 - Vomiting for 2 days.
82. Your patient who has a large abdominal wound suddenly calls out for help because she feels as though something is coming out of her incision. When you inspect the incision, you find the wound to be gaping open with tissue bulging outward. You immediately report this as
- An unknown complication

- b. An overproduction of granulation tissue
 - c. Wound dehiscence with evisceration**
 - d. A normal response to a large wound
83. If a central venous catheter becomes disconnected accidentally, what should the nurse in-charge do immediately?
- a. Clamp the catheter**
 - b. Call another nurse
 - c. Call the physician
 - d. Apply a dry sterile dressing to the site
84. The sudden occurrence of serosanguineous wound drainage after surgical intervention for peritonitis strongly suggest _____ to the nurse
- a. Infection
 - b. Presence of pus
 - c. Wound dehiscence
 - d. Fresh wound**
85. Twenty hours after admission for an acute Myocardial infarction, Nkechi's temperature is noted at 39.3°. The nurse monitors him for other adaptations related to the pyrexia including:
- a. Shortness
 - b. Chest pain
 - c. Elevated blood pressure
 - d. Increased pulse rate**
86. While camping trip. A friend sustains a snake bite from a poisonous snake. The most effective initial intervention would be to
- a. Place a restrictive band above the snake bite**
 - b. Elevate the bite area above the level of the heart
 - c. Position the client in a supine position
 - d. Immobilize the limb
87. The term integrative Health care means that
- a. Patients are passive recipients of doctors orders
 - b. Patients are active participants in their health care and changing health needs**
 - c. Patients are solely dependent on the care given to him
 - d. Patients receive all the care needed at a time
88. A client has disabling attacks of vertigo. The nurse suspects that the client has Meniere's disease. The nurse is aware that the client diet must be modified. Which of the following is the best diet for the client?
- a. High protein
 - b. Low carbohydrates

- c. **Low sodium**
 - d. Low fat
- 89. A 78 year old does not want to eat lunch and complains that the food that is served does not taste good. Consistent with knowledge about age related changes to taste, the nurse may find that the client is more willing to eat
 - a. Greasy foods
 - b. Sour foods
 - c. **Sweet foods**
 - d. Salty foods
- 90. A client who is on enteral feedings begins to complain of abdominal cramping, followed by the passage of watery stools. A nurse notes that the client has abdominal distension as well. The nurse reviews the nutritional content on the label of the can of feeding to see if it has which of the following ingredients?
 - a. **Lactose**
 - b. Sucrose
 - c. Fructose
 - d. Maltose
- 91. Sister Nkechi is admitted to the medical surgical unit with a diagnosis of cerebrovascular accident. The nurse's assessment reveals hemiplegia and slurred speech. Hemiplegia is understood by the nurse as
 - a. **Paralysis of one side of the body**
 - b. Paresthesia of one side of the body
 - c. Paralysis of the upper or lower half of the body.
 - d. Paresthesia of the upper or lower half of the body.
- 92. The language defect caused by a cerebral cortex disorder that can affect talking, writing, reading and understanding words is
 - a. **Agnosia**
 - b. Aphasia
 - c. Apraxia
 - d. Dysarthria.
- 93. The ability to constantly change both structure and function of many cells in the brain in response to experience and trauma is termed as:
 - a. Spasticity
 - b. **Neural plasticity**
 - c. Arousal
 - d. Deep lesioning
- 94. Parkinson's disease is caused by the degeneration of neurons in an area of the brain called the

- a. **Substantia nigra**
 - b. Basal ganglia
 - c. Cerebellum
 - d. Corpus callosum
95. A baby has just been delivered, and you are examining its posture. The baby has tremors, twitches, startles easily, arms and hands are flexed, legs extended. What is this called?
- a. Hypotonia
 - b. **Hypertonia**
 - c. Opisthotonic posturing
 - d. Rigidity
96. The nurse was cross checking the chart of a 10 year old child and found out that the child has Pott's disease. The nurse understands the disease as
- a. Fracture of the skull
 - b. **Tuberculosis of the spine**
 - c. Paralysis of the upper limbs caused by malnutrition
 - d. Septic condition of the cerebrospinal fluid
97. A patient's chart indicates a history of meningitis, which of the following would you not expect to see?
- a. **Increased appetite**
 - b. Vomiting
 - c. Fever
 - d. Poor tolerance of light.
98. In neurological assessment using the Glasgow coma scale, the nurse scores a patient 4 for best motor response if he (the patient)
- a. Moves the limbs spontaneously
 - b. Localizes to pain
 - c. **Has flexion withdrawal**
 - d. Decerebrate extension
99. Nurse Okezie was carrying out neurological assessment of a patient who is recovering from head injury following RTA. If the patient opens eyes on command, with incomprehensible sounds, but moves limbs spontaneously. Then Okezie will record a total coma score of
- a. 10/15
 - b. **11/15**
 - c. 8/15
 - d. 12/15

100. The nurse assessing Cynthia, a 65 year old woman diagnosed of right sided heart failure should know that the following are peculiar to right sided heart failure except
- a. Ascites
 - b. Ankle swelling
 - c. Hepatomegaly
 - d. Paroxysmal nocturnal dyspnoea**
101. Mrs.Cynthia now developed marked limitation on activities of daily living,feels comfortable at rest but less than ordinary activity will cause symptoms.According to New York Heart Association, Mrs. Cynthia is at which grade of heart failure?
- a. Grade I
 - b. Grade II
 - c. Grade III**
 - d. Grade IV
102. A nurse is caring for an infant that has recently been diagnosed with a congenital heart defect which of the following clinical signs would most likely be present?
- a. Slow pulse rate**
 - b. Weight gain
 - c. Decreased systolic pressure
 - d. Irregular WBC laboratory values.
103. Which of the following vital signs may indicate cardiogenic shock after myocardial infarction?
- a. BP-80/60,pulse-110 irregular**
 - b. BP-90/50,pulse-50 regular
 - c. BP-130/80,pulse-90 irregular
 - d. BP-180/100,pulse-90 irregular
104. Blood pressure will be at its highest when the
- a. Atria contract
 - b. Heart muscle is relaxed
 - c. Blood is pushed to the ventricle
 - d. Blood is pumped from the heart**
105. If the elastic and muscular tissues of the arteries are replaced with fibrous tissue, the arteries loose much of their ability to constrict and dilate. This is called.
- a. Atherosclerosis
 - b. Arterial dystrophy
 - c. Arterial stenosis
 - d. Arteriosclerosis**
106. Possible complicatons of hernia include all except
- a. Obstruction

- b. Strangulation
 - c. Contracture**
 - d. Inflammation
107. A client with chronic pulmonary disease has a bluish tinge around the lips. Which of the following most accurately describes the client's condition?
- a. Hypoxia**
 - b. Hypoxemia
 - c. Dyspnoea
 - d. Cyanosis
108. The nurse is assessing a patient who has a diagnosis of scoliosis. The nurse knows that scoliosis can be described as
- a. An anterior curvature of the spine
 - b. A humpback
 - c. A lateral curvature of spine**
 - d. A swayback
109. Osteoporosis is a disorder of
- a. Decreased bone mass**
 - b. Decreased oestrogen level
 - c. Autoimmune disorder
 - d. All of the above
110. Postmenopausal women are at risk of osteoporosis due to
- a. Decreasedrone level
 - b. Increased progesterone level
 - c. Decreased oestrogen level**
 - d. Increased oestrogen level
111. It has been established that the following may cause secondary osteoporosis except
- a. Nutritional deficiencies
 - b. Medications
 - c. Post menopausal changes**
 - d. Cushing's syndrome
112. The following are risk factors to osteoporosis except
- a. High phosphate intake
 - b. Smoking
 - c. Low phosphate consumption**
 - d. Low calcium intake
113. Astudent nurse was studying the metabolic bone disorders.Which of the following will she not include in her studies?

- a. **Osteomyelitis**
 - b. Osteoporosis
 - c. Osteomalacia
 - d. Paget's disease of bone
114. Nurse madueke claims that studies of the vertebrae may show a compression fracture with indistinct vertebral endplates in a metabolic bone disease. The nurse is indirectly referring to which disease?
- a. Osteomyelitis
 - b. **Osteomalacia**
 - c. Gout arthritis
 - d. Paget's disease
115. The disorder in which bones are porous and thin but bone composition is normal is
- a. Osteomalacia
 - b. **Osteoporosis**
 - c. Paget's disease
 - d. None of the above
116. In some cases, the cranium but not the face is enlarged giving the face a small triangular appearance. This is used to describe
- a. **Paget's disease**
 - b. Spondylo arthritis
 - c. Reactive arthritis
 - d. Osteoma
117. Autoimmune joint disorder which most often affects the fingers, wrists etc is called
- a. Paget's disease of bone
 - b. Osteoarthritis
 - c. **Rheumatoid arthritis**
 - d. Osteomyelitis
118. When there is a fracture, the broken bone fragments may rub against each other. The phenomenon produced as a result is called
- a. **Crepitation**
 - b. Ossification
 - c. Proliferation
 - d. Consolidation
119. If the patient is experiencing pain, numbness and tingling of the hand, the patient may have
- a. **Carpal tunnel syndrome**