


- b. Peripheral neuropathy
 - c. Reynaud's disease
 - d. Tendonitis
120. Tinubu, 'a Perioperative nurse' knows that resection of nerve roots is an example of
- a. Ablative surgery
 - b. Diagnostic surgery
 - c. Palliative surgery**
 - d. Constructive surgery
121. A type of surgery which involves removal of diseased body part is best described as
- a. Diagnostic
 - b. Palliative
 - c. Ablative**
 - d. Constructive
122. Nurse Tony knows that biopsy of a mass in a breast is
- a. Diagnostic**
 - b. Palliative
 - c. Ablative
 - d. Constructive
123. Dr.Okechukwu is delivering lectures to second year students on elective surgery.He mentioned the following as examples except
- a. Cholecystectomy for chronic gallbladder disease
 - b. Hip replacement surgery
 - c. Surgery to control internal haemorrhage**
 - d. Breast reduction surgery
124. A client who is having a mastectomy expresses sadness about losing her breast. Based on this information, the nurse would identify that the client is at risk for which nursing diagnosis?
- a. Body image disturbance
 - b. Anticipatory grieving**
 - c. Anxiety
 - d. Ineffective coping
125. A nurse assesses a postoperative client who has a rapid weak pulse, urine output less than 30mL/hr, and decreased blood pressure. The client's skin is cool and clammy. What complication should the nurse suspect?
- a. Hypothermia
 - b. Hypovolemic shock**

- c. Aspiration pneumonia
 - d. Cardiogenic shock
126. The client is most likely to require the greatest amount of analgesia for pain during which of the following time periods?
- a. Immediately after surgery
 - b. 4 hrs after surgery
 - c. 12 to 36 hrs after surgery**
 - d. 48 to 60 hours after surgery
127. The nurse knows that the following are true about consent for surgery except
- a. The nurse is the most important person when it comes to issue of patient's consent to surgery**
 - b. Informed consent is required from all patients prior to surgery
 - c. The surgeon is responsible for obtaining the informed consent
 - d. The nurse may witness the client signature on the agency consent form
128. The major nursing activity to ensure that the client is prepared for surgery is
- a. Vital signs
 - b. Urinalysis
 - c. Preoperative teaching**
 - d. Screening tests
129. Nurse Victor was teaching a patient who had abdominal incision leg exercises. He told the patient to raise and lower the legs alternatively from the surface of the bed. Flex the knee of the stable leg and extend the knee of the moving leg so as to:
- a. Contract and relax the calf muscles
 - b. Contract and relax the quadriceps muscles**
 - c. Promote venous return
 - d. Stimulate gastrointestinal motility
130. Nurse Agba is giving students information on diagnostic procedures. Which of the following illustrates this?
- a. Cholecystectomy
 - b. Appendisectomy
 - c. Laparoscopy**
 - d. Prostatectomy
131. What is the ratio of chest compressions to ventilation when one rescuer performs CPR on an adult
- a. 30:1
 - b. 15: 1**
 - c. 10: 1
 - d. 5: 1

132. Mr Odo is experiencing some difficulty breathing. The nurse most appropriately assists him into the
- Dorsal recumbent position
 - Lateral position
 - Fowler's position**
 - Sim's position
133. After accessing the following arterial blood gas values ($\text{PH}=7.30$, $\text{PCO}_2=32$, $\text{HCO}_3=14$)= 32, $\text{HCO}_3=14$), the nurse identifies
- Respiratory acidosis
 - Respiratory alkalosis
 - Metabolic acidosis**
 - Metabolic alkalosis
134. Having the patient focus on breathing more slowly would be the most helpful intervention for the problem of
- Respiratory acidosis**
 - Respiratory alkalosis
 - Metabolic acidosis
 - Metabolic alkalosis
135. Deep breathing exercise will help prevent the following except
- Pneumonia
 - Atelectasis
 - Hyperventilation**
 - Excess secretion of mucous
136. Asthma is basically
- An infectious disease
 - An autoimmune disease
 - An atopic disease**
 - A malignant disease.
137. The nurse reports that the client has dyspnoea when ambulating. The nurse is most likely to have assessed which of the following?
- Shallow respiration
 - Wheezing
 - Shortness of breath**
 - Coughing up blood.
138. To prevent nausea and vomiting postural drainage is better performed
- Before meals and at bedtime**
 - After meals and at bedtime
 - While patient remains on NPO for 6-8 hours

- d. Early morning and before meals
- 139. During a postural drainage of the lungs a patient sits on a chair leaning forward on a pillow or cardiac table so as to drain
 - a. Upper lobes anterior apical segment
 - b. Upper lobe posterior apical segment**
 - c. Upper lobes anterior segment
 - d. Lower lobes superior bronchi



Situation:

- 140. To drain the fluid in the diagram above, the patient
 - a. Sits on a chair leaning forward**
 - b. Sits on a chair leaning backward
 - c. Lie on the right side with arm over head
 - d. Lie on the left side and foot of the bed raised by 30cm
- 141. Mrs Ada, a 62 year old is admitted into your ward with diagnosis of Atelectasis. Delivering oxygen to relieve her dyspnoeic condition, the nurse uses the face mask that delivers the highest oxygen concentration possible. Which of the following did the nurse use
 - a. Partial rebreather mask
 - b. Non rebreather mask**
 - c. Ventous mask
 - d. Simple face mask
- 142. Mr. Ogbolu has an ABG analysis with the following results: PH = 7.28, P, CO₂ = 50, P, CO₂ = 50, PO₂ = 75, HCO₃ = 24 and SaO₂ = 96%. = 96%. The nurse's interpretation of these results is
 - a. Metabolic acidosis
 - b. Metabolic alkalosis
 - c. Respiratory acidosis**

- d. Respiratory alkalosis
143. A patient is admitted to a medical unit with a diagnosis of hepatitis. Assessment reveals jaundice. The nurse knows that jaundice is
- a. An accumulation of bilirubin in the gall bladder
 - b. An accumulation of bilirubin in the blood
 - c. Hyperactivity of macrophages within the liver
 - d. Hyperactivity of macrophages within the spleen**
144. Nurse Michael should know that two types of viral hepatitis are primarily transmitted through fecal-oral route. These are
- a. Hepatitis A and D
 - b. Hepatitis B and C**
 - c. Hepatitis A and E
 - d. Hepatitis D and E
145. A physician after examining a 50 year old woman with liver changes made the diagnosis of infectious hepatitis. The nurse on duty understands this to be
- a. Hepatitis B infection
 - b. Hepatitis C infection
 - c. Hepatitis A infection**
 - d. Hepatitis E infection
146. The type of Hepatitis with incubation period between 15 and 50 days, no carrier state and rarely transmitted by blood transfusions is
- a. Hepatitis C
 - b. Hepatitis A
 - c. Hepatitis B**
 - d. Hepatitis D
147. Each HBV antigen elicits its specific antibody and is a marker for different stages of the disease. Hence presence of anti-Hbe usually signifies
- a. Reduced infectivity
 - b. Ongoing replication of HBV**
 - c. Recovery and development of immunity
 - d. Continuing HBV in the liver
148. Hepatitis B core antigen
- a. HbcAg**
 - b. HbsAg
 - c. HbeAg
 - d. HbxAg
149. The antibody to the hepatitis B-antigen which may indicate ongoing replication of HBV, is the

- a. **Anti HBc**
 - b. Anti HBs
 - c. Anti Hbe
 - d. Anti HBx
150. A student nurse is performing a sitz bath for a patient with a diagnosis of anal varicose vein, the student should understand that anal varicose veins are also known as
- a. Anal abscesses
 - b. Anal cysts
 - c. Perianal fistula
 - d. **Hemorrhoids**
151. A female client with a fecal impaction frequently exhibits which clinical manifestation?
- a. Increased appetite
 - b. Loss of urge to defecate
 - c. Hard, brown, formed stools
 - d. **Liquid or semi-liquid stools**
152. Nonsteroidal anti-inflammatory drugs have been found to exacerbate inflammatory bowel disease (IBD). A nurse should know that IBD include the following except
- a. Regional enteritis
 - b. Ulcerative colitis
 - c. Peritonitis
 - d. **Crohn's disease.**
153. A patient with duodenal ulcer will likely experience
- a. Pain 2- 3 hours after meal
 - b. Vomiting
 - c. **Weight loss**
 - d. Haemorrhage
154. The inability to void even when the kidneys are producing urine into the bladder is known as
- a. **Urgency**
 - b. Retention
 - c. Oliguria
 - d. Dysuria.
155. Which of the following term will a nurse use to report intestinal rumbling which accompanies diarrhoea?
- a. Tenesmus

- b. **Borborygmus**
 - c. Diverticulus
 - d. Azotorrhoea
- 156. The term the nurse will use for ineffectual strumming at stool is
 - a. **Tenesmus**
 - b. Borborbygmus
 - c. Diverticulus
 - d. Azotorrhoea
- 157. The urine of a patient with urinary tract infection was tested by a nurse. The pH of 3.0 obtained should make the nurse suspect infection from
 - a. Pseudomonas
 - b. Proteus
 - c. **E.coli**
 - d. All of the above
- 158. The organism associated with nephritis (acute glomerulonephritis)
 - a. Staphylococcus aureus
 - b. **Beta haemolytic streptococcus (group A)**
 - c. E.coli
 - d. Proteus marabalis.
- 159. Renal replacement therapy becomes an alternative if in a patient
 - a. One of the kidneys is completely damaged
 - b. **The total number of functioning nephron is less than 20% of normal**
 - c. The total renal output in a day is less than 1000mls
 - d. When there are kidney stones
- 160. Which of the following forms of energy is the stimulus for vision?
 - a. **Chemical**
 - b. Electrical
 - c. Mechanical
 - d. Radiant.
- 161. Risk factors for glaucoma include
 - a. Cardiovascular diseases
 - b. Family history of glaucoma
 - c. Hypothyroidism
 - d. **All of the above**
- 162. Which of these is not a likely cause of painful red eye in a patient?
 - a. **Open angle glaucoma**
 - b. Closed angle glaucoma
 - c. Conjunctivitis

- d. Herpes simplex
163. The nurse is counseling a client with the diagnosis of glaucoma. She explains that if left untreated, this condition leads to
- a. **Blindness**
 - b. Myopia
 - c. Retrolental fibroplasia
 - d. Uveitis
164. The muscles of the eye normally change the curvature of the crys-talline lens to adjust its focus on objects at different distances. The fail-ure in this adjustment or accommodation is known as
- a. Astigmatism
 - b. Hyperopia
 - c. **Presbyopia**
 - d. Myopia
165. _____ is the term used to describe the eye that is lazy (lazy eye)
- a. Strabismus
 - b. **Amblyopia**
 - c. Presbyopia
 - d. Hyperopia
166. The inflammation of the sebaceous glands of the eye lids is called
- a. Blepharitis
 - b. **Hordeolum**
 - c. Conjunctivitis
 - d. Keratitis
167. Which of the following is the most common surgical procedure for chronic otitis media?
- a. Myringotomy
 - b. Ossiculoplasty
 - c. Mastoidectomy
 - d. **Tympanoplasty**
168. Which dietary guidelines are important for Nurse Oliver to imple-ment in caring for the client with burns?
- a. Provide high fibre, high fat diet
 - b. **Provide high protein, high carbohydrate diet**
 - c. Monitor intake to prevent weight gain
 - d. Provide ice chips or water intake.
169. A more precise method of estimating the extent of burns in patients with scattered burns is

- a. Lund and Browder method
 - b. Rule of nine
 - c. Palm method**
 - d. Finger breath method
170. A 23 year old female student reported to the clinic with history of skin rashes. On examination, the nurse felt elevated palpable solid mass with circumscribed border measuring less than 0.5cm. The nurse concludes that this is a
- a. Papule**
 - b. Plaque
 - c. Nodule
 - d. Wheal
171. Mr.Okeh reported to the skin clinic with history of skin rashes.A diagnosis of pemphigus was made. The nurse understands pemphigus as an example of a
- a. Vesicle
 - b. Wheal
 - c. Bulla**
 - d. Pustule
172. The following are examples of pustule except
- a. Acne
 - b. Impetigo
 - c. Urticaria**
 - d. Carbuncles
173. A client has chronic dermatitis involving the neck,face and antecubital creases- she has a strong family history of varied allergy disorders. This type of dermatitis is probably best described
- a. Contact dermatitis
 - b. Atopic dermatitis**
 - c. Eczema
 - d. Dermatitis medicamentosa
174. Grossman 16 yearsof age was involved in an automobile accident and received wound across her nose and cheek. After surgery to repair the wound, Grossman says "I am so ugly now. Based on this state-ment what nursing diagnosis would be appropriate?
- a. Acute pain
 - b. Disturbed Body image**
 - c. Impaired skin integrity
 - d. Disturbed thought processes

175. A newly admitted female client was diagnosed with deep vein thrombosis. Which nursing diagnosis should receive the highest priority?
- a. **Ineffective tissue perfusion related to venous congestion**
 - b. Risk for injury related to oedema
 - c. Excess fluid volume
 - d. Impaired gas exchange related to increased blood flow.
176. A nursing diagnosis of ineffective peripheral tissue perfusion would be validated by
- a. Bounding radial pulse
 - b. Irregular apical pulse
 - c. Carotid pulse stronger on the left side than the right
 - d. **Absent posterior tibial and pedal pulse**
177. Which of the following diseases has a lower incidence among blacks than whites?
- a. Diabetes mellitus
 - b. Essential hypertension
 - c. Prostate hyperplasia
 - d. **Testicular Cancer**
178. A newly admitted female client was diagnosed with agranulocytosis. The nurse formulates which priority nursing diagnoses?
- a. Constipation
 - b. Diarrhoea
 - c. **Risk for infection**
 - d. Deficient knowledge
179. A child with tetralogy of Fallot may be fatigued. The fatigue is related to which of the following?
- a. Inadequate increased calories, food and vitamins
 - b. Poor muscular tone and development
 - c. **Oxygenation of tissue is inadequate to support energy metabolism**
 - d. Restricted blood flow leaving the heart
180. Benign growth of the smooth muscle is called
- a. **Leiomyoma**
 - b. Chondroma
 - c. Lipoma
 - d. Fibroma
181. Increase in number of constituent cells is termed
- a. Hypertrophy
 - b. **Hyperplasia**