

1. The duty not to inflict harm as well as to prevent and remove harm is termed
 - (a) Justice
 - (b) Non-maleficence
 - (c) Autonomy
 - (d) Veracity
2. Pain felt in the calf when the foot is flexed backward is
 - (a) Romberg's sign
 - (b) Cafatil's sign
 - (c) Homan's sign
 - (d) Roving's sign
3. is an amino acid produced in the liver as a by-product during the conversion of ammonia to urea
 - (a) Alanine
 - (b) Ornithine
 - (c) Threonine
 - (d) Agaltine
4. The term hemianopia refers to
 - (a) absence of the opposite side of the normal field of vision
 - (b) absence of the entire normal field of vision
 - (c) absence of the half of the normal field of vision
 - (d) absence of the double normal field of vision
5. A failure in psychological development in which traumatic events prevent a child from progressing to the next developmental stage is called
 - (a) Regression
 - (b) Stagnancy
 - (c) Conflict
 - (d) Fixation
6. The incubation period of measles is
 - (a) 10-12 days
 - (b) 10-21 days
 - (c) 7-12 days
 - (d) 7-21 days
7. Growth hormone perform the following functions except
 - (a) stimulates protein synthesis
 - (b) increase the concentration of steroids
 - (c) promotes breakdown of fats
 - (d) increase blood glucose levels
8. Infectious mononucleosis is a disease caused by
 - (a) Epstein-barr virus
 - (b) Herpes Simplex virus
 - (c) Varicella-zoster virus
 - (d) Agaltine
9. Ostium secundum is a type of defect found in
 - (a) Tetralogy of Fallot
 - (b) Atrial septal defect
 - (c) Patent ductus arteriosus
 - (d) Ventricular septal defect



10. The Theory of Human Caring was opined by
- (a) Jean Watson (b) Joyce Travelbee
(c) Martha Rogers (d) Hildegard Peplau
11. The following are types of altered gait EXCEPT
- (a) Ataxic gait (b) Festinating gait
(c) Hemiplegic gait (d) Wagging gait
12. Kanner's syndrome is another name for
- (a) Autism (b) Mongolism (c) Cryptorchidism (d) Pollinosis
13. The following are drugs used in GIT conditions EXCEPT
- (a) Proton pump inhibitors (b) Beta-adrenergic blocker
(c) Antispasmodic agents (d) H2 receptor antagonist
14. Types of Bone Marrow Transplant based on the source of donor cells include all EXCEPT
- (a) Allogeneic (b) Autologous (c) Syngeneic (d) Osteologous
15. Burkitt's lymphoma is commonly caused by
- (a) Epstein-Barr virus (b) Herpes Simplex virus
(c) Rubella virus (d) Varicella virus
16. The most appropriate intravenous solution to resuscitate a burns patient is
- (a) 5% dextrose in Water (b) Ringer's lactate
(c) 5% dextrose in Saline (d) Normal Saline
17. Which of the following neurotransmitters is believed to be elevated in Schizophrenia?
- (a) Norepinephrine (b) Serotonin (c) Histamine (d) Dopamine
18. Scarpa is another name for
- (a) Inguinal ligament (b) Femoral triangle (c) Sartorius muscle (d) Adductor longus
19. sleep is produced by withdrawal of neurotransmitters from the reticular formation and inhibition of arousal mechanism in the cerebral



- cortex.
- (a) Rapid Eye Movement (REM) (b) Non-Rapid Eye Movement (NREM)
- (c) Deep (d) Shallow
20. The stiffening of the body after death is referred to as
- (a) Liver motis (b) Algor motis (c) Rigor motis (d) Muscle motis
21. is the hallmark of P.H.C., without which the P.H.C will not succeed.
- (a) Community mobilization (b) Community participation
- (c) Self reliance (d) Community motivation
22. Sterilization using autoclave employs the use of one of the following
- (a) Hot air at low pressure (b) Steam at high pressure
- (c) Steam at low pressure (d) All of the above
23. Which of the following can be used in carrying out community diagnosis?
- (a) Direct physical observation i.e on the spot assessment
- (b) Obtaining information by the use of questionnaire
- (c) Obtaining records from the health centres
- (d) All of the above
24. Which of the following is involved in humoral immunity
- (a) B-lymphocytes (b) T-lymphocytes (c) T-monocytes (d) B-monocytes
25. The rhythmic contraction of muscle is known as
- (a) Callus (b) Clonus (c) Crepitus (d) Tonus
26. The mesenteric lymph node found in the small intestine is known as
- (a) Payers patches (b) Kupfter cells (c) Lymphnodes (d) Cisterna chylli
27. The normal value of Partial pressure of alveolar oxygen (PaO_2) is
- (a) 60-100 mmHg (b) 60-120 mmHg (c) 80-100 mmHg
- (d) 80-120 mmHg
28. In ECG, what does U wave depicts?
- (a) The part of an ECG that may reflect Purkinje fiber repolarization
- (b) The part of an ECG that reflects repolarization of the ventricles
- (c) The part of an ECG that reflects the time from ventricular depolarization to repolarization
- (d) The part of an ECG that reflects conduction of an electrical impulse through the ventricles
29. The drug of choice in the treatment of Lassa fever is
- (a) Raltegravir (b) Ritonavir (c) Ribavirin (d) Rimantadine
30. Obstruction of blood flowing from the left atrium into the left



ventricle is

- (a) Aortic Stenosis (b) Tricuspid Stenosis
- (c) Mitral Stenosis (d) Septum Stenosis

31. In head-to-toe assessment, abdominal percussion is aimed at detecting the following EXCEPT

- (a) Fluid in the peritoneum (b) Masses within the abdomen
- (c) Gaseous distension (d) Abdominal ulcer

32. Complications of Diverticulitis include all EXCEPT

- (a) Rupture of the abdomen (b) rips in the pouches
- (c) Fistula (d) haemorrhage

33. The following are emergency operations plan in Disaster EXCEPT

- (a) A plan for coordinated patient care (b) An activation response
- (c) A data management strategy (d) Identification of internal resource

34. A shock state resulting from a severe allergic reaction producing an overwhelming systemic vasodilation and relative hypovolemia is

- (a) Anaphylactic shock (b) Cardiogenic shock
- (c) Circulatory shock (d) Hypovolaemic shock

35. The following are examples of cancers influenced by genetic factors EXCEPT

- (a) Cowden syndrome (b) Familial adenomatous polyposis
- (c) Kaposi's sarcoma (d) Retinoblastoma

36. Movement characterized by slow, irregular twisting motions is called

- (a) Athetosis (b) Chorea (c) Dystonia (d) Tremor

37. In Body Mass Index calculation, the unit of conversion from pounds to kilogram is

- (a) 2.2lb = 1 kg (b) 22lb = 1 kg (c) 220lb = 1 kg (d) 2200 lb = 1kg

38. The standard blood protein index of Albumin is

- (a) 12.5 – 15 g/dL (b) 7.5 – 10 g/dL (c) 3.5 – 5 g/dL
- (d) 1.5 – 3 g/dL

39. The group of amines that serve as neurotransmitters is

- (a) Ammonia (b) Amoxapine (c) Amphetamines (d)



Catecholamines

40. The phase of General Adaptation Syndrome in which sympathetic "fight-or-flight" response is activated with release of neurotransmitters is
(a) Perception (b) Alarm (c) Resistance (d) Exhaustion
41. The length of time brain cells can survive without oxygen is about minutes
(a) 1 – 2 (b) 3 – 6 (c) 7 – 9 (d) 10 – 12
42. In systemic response to inflammation, endogenous pyrogens are released by
(a) monocytes (b) eosinophils (c) phagocytes (d) neutrophils
43. Turner syndrome is an example of a of X chromosome
(a) monosomy (b) disomy (c) trisomy (d) quadrosomy
44. Changes in gene structure which permanently change the sequence of DNA, which in turn can alter the nature and type of proteins made is called gene
(a) amplification (b) mutation (c) cloning (d) expression
45. One of the following congenital abnormalities is not compatible with life
(a) Tetralogy of fallot (b) Achondroplasia (c) Erb's palsy (d) Anencephaly
46. In the phases of chronic illness, the phase describes the stage at which the person is at risk for developing a chronic condition because of genetic factors or lifestyle behaviors that increase susceptibility to chronic illness
(a) acute (b) crisis (c) unstable (d) pretrajectory
47. Schick test is done to determine whether a person is susceptible to
(a) Tuberculosis (b) Diphteria (c) Pertusis (d) Tetanus
48. On 0 – 10 Numeric Pain Intensity Scale, moderate pain is placed on scale number
(a) 4 (b) 5 (c) 7 (d) 8
49. A division of certain tracts of the spinal cord is known as
(a) Cordotomy (b) Rhizotomy (c) Cordectomy (d) Rhizectomy



50. shifts occur in ascites, burns, peritonitis, bowel obstruction, and massive bleeding into a joint or body cavity
(a) half-space (b) first-space (c) second-space (d) third-space
51. The incubation period of measles is _____
(a) 3-7days
(b) 5-7days
(c) 7-14days
(d) 14-21days
52. Vitamin _____ is required by the liver for synthesis of prothrombin and some of the other clotting factors.
(a) A
(b) D
(c) E
(d) K
53. During expiration, the volume of the thorax _____ as the diaphragm _____
(a) Decreases, contracts
(b) Decreases, relaxes
(c) Increases, contracts
(d) Increases, relaxes
54. Which of these lung volumes/capacities is the largest?
(a) Expiratory reserve volume
(b) Inspiratory reserve volume
(c) Residual volume
(d) Tidal volume
55. An early indicator of hypoxia in a client is _____
(a) Cyanosis
(b) Tachypnea
(c) Restlessness
(d) Hyperthermia
56. Hemorrhoid symptoms and discomfort can be relieved by the following except _____
(a) High fiber diet
(b) Increased fluid intake
(c) Hydrophilic bulk-forming agents such as psyllium
(d) Sitz baths
57. A _____ is the surgical creation of an opening (ie, stoma) into the colon
(a) Colostomy
(b) Colectomy
(c) Illiostomy
(d) Cholecystotomy
58. Mechanical causes of intestinal obstruction include all the following except _____
(a) Intussusception
(b) Tumors
(c) Stenosis
(d) Paralytic ileus



59. Which of these symptoms is closely associated with pulmonary tuberculosis?
- (a) Night sweat
 - (b) Restlessness
 - (c) Dark green sputum
 - (d) Skin discolouration
60. The following may warrant surgical intervention for lung abscess except _____
- (a) Foul smelling sputum
 - (b) Resistant organisms
 - (c) Haemorrhage
 - (d) Recurrent disease
61. A normal pulmonary capillary wedge pressure ranges from _____
- (a) 10-12mmHg
 - (b) 8-10mmHg
 - (c) 7-15 mmHg
 - (d) 4-12mmHg
62. Kelly B lines are associated with _____
- (a) Lung abscess
 - (b) Pulmonary edema
 - (c) Tuberculosis
 - (d) Asthma
63. Protrusion of intestine through a weakened area in the abdominal muscle or wall is called
- (a) Volvulus
 - (b) Intussusception
 - (c) Hernia
 - (d) Adhesion
64. The most common mode of transmission of hepatitis A virus is _____
- (a) Injection drug use
 - (b) Contact with infected body secretions
 - (c) Hemodialysis
 - (d) Ingesting contaminated food
65. One of these is not a suppurative pulmonary disease
- (a) Lung abscess
 - (b) Cor-pulmonale
 - (c) Bronchiectasis
 - (d) Empyema
66. _____ is a type of occupational asthma caused by inhalation of cotton or flax dust
- (a) Silcosis
 - (b) Asbestosis
 - (c) Pneumoniocosis
 - (d) Byssinosis
67. The normal SpO₂ ranges is _____
- (a) 80-90%
 - (b) 95-100%
 - (c) 85 - 95%



- (d) 90-100%
68. The pleural space normally contains _____ amount of fluid
- (a) 5 to 15 mL
 - (b) 10 to 15 mL
 - (c) 12 to 15 mL
 - (d) 10 to 20 mL
69. The right main bronchus is wider, _____ and _____
- (a) Shorter and more vertical
 - (b) Longer and more vertical
 - (c) Longer and less vertical
 - (d) Shorter and less vertical
70. _____ is a constitutional tendency to produce significant amounts of IgE on exposure to small amounts of common antigens
- (a) Hypersensitivity
 - (b) Atrophy
 - (c) Asthma
 - (d) Heredity
71. According to "the rule of nines," a man burned extensively on his head and both upper limbs has burns on _____ percent of his body.
- (a) 9
 - (b) 18
 - (c) 27
 - (d) 36
72. Passive immunization against viral hepatitis requires _____
- (a) Live attenuated vaccines
 - (b) Dead vaccines
 - (c) Immunoglobulins
 - (d) Toxoids
73. Diet that may significantly reduce the risk of gastric cancer include _____
- (a) Smoked, salted foods
 - (b) Pickled foods
 - (c) Fruit and vegetable diet
 - (d) All of the above
74. A needle would pierce the epidermal layers of the forearm in which order?
- (a) basale, spinosum, granulosum, corneum
 - (b) basale, spinosum, granulosum, lucidum, corneum
 - (c) granulosum, basale, spinosum, corneum
 - (d) corneum, granulosum, spinosum, basale
75. The time from the beginning of diuresis to near completion of wound closure in burn patient is termed _____
- (a) Acute phase
 - (b) Emergent phase
 - (c) Rehabilitation phase
 - (d) Resuscitative phase
76. _____ is a skin obtained from living or recently deceased human



skin

- (a) Auto graft
- (b) Homograft
- (c) Heterograft
- (d) Xenograft

77. A 7-year-old child is admitted to the hospital with nephrotic syndrome.

In the assessment phase, the nurse is aware that a classic symptom is:

- (a) Increased urine output
- (b) Hematuria
- (c) Elevated blood pressure
- (d) Proteinuria

78. Endometriosis is:

- (a) Abnormal location of endometrial tissue that is hormone dependent
- (b) Abnormal growth of endometrial tissue within the uterus
- (c) small endometrial abscesses with bleeding outside the uterine cavity causing severe pain
- (d) Excessive endometrial tissue in the uterus causing pain, bloating, and premenstrual tension

79. After absorption, amino acid leaves the epithelial cells of the villi by _____ process

- (a) Passive process
- (b) Active process
- (c) Osmosis
- (d) Diffusion

80. Pain on swallowing is referred to as _____

- (a) Dyspepsia
- (b) Dysphagia
- (c) Odynophagia
- (d) Esophagitis

81. Pathognomic means _____

- (a) Serious
- (b) Diagnostic
- (c) Sad
- (d) Invariable

82. Phases of General Adaptation Syndrome according to Hans Selye include:

- (a) Alert, alarm and resistance
- (b) Alarm, exhaustion and resistance
- (c) Exhaustion, alarm and resistance
- (d) Alarm, resistance and exhaustion

83. Taxonomy of learning objectives are as follows except:



- (a) Psychomotor domains
- (b) Personality domains
- (c) Affective domains
- (d) Cognitive domains

84. Complex sugars (polysaccharides) include all of the following except:

- (a) Cellulose
- (b) Glycogen
- (c) Starch
- (d) Sucrose

85. All the conditions listed below are related to calcium deficiency except

- (a) Goiter
- (b) Osteomalacia
- (c) Rickets
- (d) Tetany

86. Which one of the foods listed below has the highest content of saturated fats

- (a) Eggs
- (b) Peanuts
- (c) Olives
- (d) Soyabeans

87. What would be the cardiac output of an adult with a stroke volume of 75ml and a pulse of 78 beats/minutes.

- (a) 5000 mls
- (b) 5550 mls
- (c) 5850 mls
- (d) 6000 mls

88. In communication, emotion and feelings are usually transmitted accurately by;

