

SELECT THE MOST APPROPRIATE OPTION

131. During the early postoperative period, the client who had a cataract extraction complains of nausea and severe eye pain over the operative site. The initial nursing action is to:

- a. Call the physician.
- b. Administer the ordered main medication and antiemetic.
- c. Reassure the client that this is normal.
- d. Turn the client on his or her operative side.

SELECT THE MOST APPROPRIATE OPTION

132. A nurse is assessing an electrocardiogram rhythm strip. The P waves and QRS complexes are regular. The PR interval is 0.16 second, and QRS complexes measure 0.06 second. The overall heart rate is 64 beats per minute. The nurse assesses the cardiac rhythm as:

- a. Normal sinus rhythm
- b. Sinus bradycardia
- c. Sick sinus syndrome
- d. First-degree heart block

SELECT THE MOST APPROPRIATE OPTION

133. A nurse is watching the cardiac monitor and notices that the rhythm suddenly changes. There are no P waves, the QRS complexes are wide, and the ventricular rate is regular but over 100. The nurse determines that the client is experiencing:

- a. Premature ventricular contractions
- b. Ventricular tachycardia
- c. Ventricular fibrillation
- d. Sinus tachycardia

SELECT THE MOST APPROPRIATE OPTION

134. A client is scheduled for a cardiac catheterization using a radiopaque dye. Which of the following assessments is most critical before the procedure?

- a. Intake and output
- b. Baseline peripheral pulse rates
- c. Height and weight
- d. Allergy to iodine or shellfish

SELECT THE MOST APPROPRIATE OPTION

135. Which of the following actions is the first priority of care for a client exhibiting signs and symptoms of coronary artery disease?

- a. Decrease anxiety.
- b. Enhance myocardial oxygenation.
- c. Administer sublingual nitroglycerin.
- d. Educate the client about his symptoms.

SELECT THE MOST APPROPRIATE OPTION

136. Medical treatment of coronary artery disease includes which of the following procedures?

- a. Cardiac catheterization
- b. Coronary artery bypass surgery
- c. Oral medication therapy
- d. Percutaneous transluminal coronary angioplasty

SELECT THE MOST APPROPRIATE OPTION

137. Which of the following symptoms is the most likely origin of pain the client described as knifelike chest pain that increases in intensity with inspiration?

- a. Cardiac
- b. Gastrointestinal
- c. Musculoskeletal
- d. Pulmonary

SELECT THE MOST APPROPRIATE OPTION

138. Which of the following blood tests is most indicative of cardiac damage?

- a. Lactate dehydrogenase
- b. Complete blood count (CBC)
- c. Troponin I
- d. Creatine kinase (CK)

SELECT THE MOST APPROPRIATE OPTION

139. Which of the following cardiac conditions does a fourth heart sound (S4) indicate?

- a. Dilated aorta.
- b. Normally functioning heart.
- c. Decreased myocardial contractility.
- d. Failure of the ventricle to eject all of the blood during systole

SELECT THE MOST APPROPRIATE OPTION

140. Which of the following classes of drugs is most widely used in the treatment of cardiomyopathy?

- a. Antihypertensive
- b. Beta-adrenergic blockers
- c. Calcium channel blockers
- d. Nitrates