

SELECT THE MOST APPROPRIATE OPTION

141. A nurse is conducting a health history with a client with a primary diagnosis of heart failure. Which of the following disorders reported by the client is unlikely to play a role in exacerbating the heart failure?

- a. Recent URI
- b. Nutritional anemia
- c. Peptic ulcer disease
- d. A-Fib

SELECT THE MOST APPROPRIATE OPTION

142. Acute pulmonary edema caused by heart failure is usually a result of damage to which of the following areas of the heart?

- a. Left atrium
- b. Right atrium
- c. Left ventricle
- d. Right ventricle

SELECT THE MOST APPROPRIATE OPTION

143. A nurse is preparing for the admission of a client with heart failure who is being sent directly to the hospital from the physician's office. The nurse would plan on having which of the following medications readily available for use?

- a. diltiazem (Cardizem)
- b. digoxin (Lanoxin)
- c. propranolol (Inderal)
- d. metoprolol (Lopressor)

SELECT THE MOST APPROPRIATE OPTION

144. Which of the following is NOT normally associated with immunosuppression?

- a. Diabetes
- b. Treatment with steroids
- c. Smoking
- d. Malnutrition.

SELECT THE MOST APPROPRIATE OPTION

145. Which of the following is NOT a consequence of chemotherapy?

- a. Neutropaenia
- b. Impaired T-cell function
- c. Complement deficiency
- d. Increased susceptibility to fungal infections

SELECT THE MOST APPROPRIATE OPTION

146. The HIV-positive patient

- a. HIV causes depletion of CD4 T-lymphocytes
- b. The commonest chest infection is PCP (*Pneumocystis jirovecii* pneumonia)
- c. In the United Kingdom, 10% of cases with *Mycobacterium tuberculosis* are co-infected with HIV
- d. Cytomegalovirus (CMV) infection is rare in HIV.

SELECT THE MOST APPROPRIATE OPTION

- 147.** Which statement is NOT true concerning identification of respiratory infections in the immunocompromised host?
- a. Chest computed tomography can be diagnostic for aspergillosis
 - b. Early Broncho-alveolar lavage can aid diagnosis in ~55% of cases
 - c. Pleural fluid is rarely investigated in such patients
 - d. CXR may show diffuse infiltrates but be otherwise non-specific.

SELECT THE MOST APPROPRIATE OPTION

148. The BCG vaccine is administered for immunity against

- a. Malaria
- b. Tuberculosis
- c. Jaundice
- d. Hepatitis

SELECT THE MOST APPROPRIATE OPTION

149. The nurse knows the major function of neutrophils is :

- a. Phagocytosis
- b. Haemostasis
- c. Homeostasis
- d. Haemolysis

SELECT THE MOST APPROPRIATE OPTION

- 150.** The development of early morning sickness is secondary to :
- a. Relaxing effect of progesterone on smooth muscles.
 - b. Cool weather of the early morning.
 - c. Development of the morula.
 - d. Relaxing effect of oestrogen on smooth muscles.