

SELECT THE MOST APPROPRIATE OPTION

21. A female patient tells you that when taking some antibiotics, she develops an itchy skin. This information should alert the nurse that the patient may be more likely to experience what form of shock ?

- a. Hypovolemic.
- b. Cardiogenic
- c. Anaphylactic
- d. Septic

SELECT THE MOST APPROPRIATE OPTION

22. Mr Johnson a 35 year-old man presents with cardiogenic shock. The nurse knows which medications to optimize preload:

- a. Diuretics
- b. Intravenous fluids
- c. Antibiotics
- d. Both intravenous fluid and diuretics

SELECT THE MOST APPROPRIATE OPTION

- 23.** Which of the following is NOT true ?
- a. Withholding life-sustaining treatment is ethically acceptable, but withdrawing such treatment is not.
 - b. To be truly autonomous, a patient must be fully informed and freely consenting.
 - c. Do Not Resuscitate order (DNR) is a medical order to withhold cardiopulmonary resuscitation (CPR).
 - d. A nurse's duty always to act in the best interests of his or her patient is based on the principle of beneficence

SELECT THE MOST APPROPRIATE OPTION

44. Mr Abu, a 35 year-old dispatch rider presents to your facility with diagnosis of Guillain-Barre syndrome. The nurse knows the typical presentation of this condition is :

- a. Rapid ascending paralysis
- b. Deficits of cranial nerves 1X and X
- c. Respiratory arrest
- d. Distal tingling of fingertips

SELECT THE MOST APPROPRIATE OPTION

25. The patient arrives in the emergency department with a suspected cervical spinal cord injury. Which of the following is an assessment priority ?

- a. Abdominal assessment
- b. Cardiac assessment
- c. Neurological assessment
- d. Respiratory assessment

SELECT THE MOST APPROPRIATE OPTION

26. All of the following are interventions for the patient with ineffective thermoregulation EXCEPT:

- a. Adjust room temperature
- b. Cover the patient with a warm blanket
- c. Cover the patient's head with a hat or scarf
- d. Use a heating pad

SELECT THE MOST APPROPRIATE OPTION

27. Which of the following macronutrients in parenteral nutrition may need to be increased in a patient who has large, nonhealing wounds?

- a. Carbohydrates
- b. Lipids
- c. Trace elements
- d. Protein

SELECT THE MOST APPROPRIATE OPTION

28. The nurse delivers a synchronised D.C. counter shock to a cardiac patient in a critical incidence, the nurse knows that the MOST appropriate term to describe this procedure is :

- a. CPR
- b. Cardiac pacing
- c. Defibrillation
- d. Cardioversion

SELECT THE MOST APPROPRIATE OPTION

29. The nurse delivers a NON synchronised D.C. counter shock to a cardiac patient in a critical incidence, the nurse knows that the MOST appropriate term to describe this procedure is :

- a. CPR
- b. Cardiac pacing
- c. Defibrillation
- d. Cardioversion

SELECT THE MOST APPROPRIATE OPTION

- 30.** The medium through which the nurses communicate and provide evidence of certain task done in the clinical setting is:
- a. Documentation
 - b. Record keeping
 - c. Electronic medical record
 - d. Handing and taking over