

33. Which of the under-listed bones form the Innominate bone?

- A. Ilium, scrum and symphysis pubis
- B. Superior iliac spine, ischial tuberosity and pubic ramus
- ☒ C. Ilium, ischium and ospubis
- D. Pubic bone, sacrum and coccyx

34. Which of these bones forms the posterior border of the bony pelvis?

- A. Sacrum, coccyx and lumber bones
- B. 2 innominate bones coccyx and sacrum
- ☒ C. Sacrum and coccyx
- D. Hollow of the sacrum and promontory of the sacrum

35. Which of the following bones constitutes the female pelvis?

- A. 1. Innominate bone, pubis and coccyx
- ☒ B. 2. Innominate bones, sacrum and coccyx
- C. Ilium, ischium and pubis
- D. Coccyx ,2 innominate bones sacrum

36. The under-listed is a useful landmark during vagina examination:

- A. Promontory of the sacrum
- B. Hollow of the sacrum
- ☒ C. Ischial spine
- D. Pubic arch

37. Which of the under-listed is the MOST important landmark of the pelvic brim?

- A. Hollow of the sacrum
- ☒ B. Sacral promontory
- C. Iliac crest
- D. Ischial spine

38. Sharp pointed Ischial spine on the examining finger indicate:

- A. Fetal head is at the brim
- B. Curve of the sacrum is straight in the cavity
- ☒ C. Reduced diameter diagonal conjugate of the brim
- D. Narrow sub-pubic angle of the outlet

39. Which of the following ligament would result in uterine prolapsed when overstretched during pregnancy?

- A. Round ligament
- ☒ B. Transverse-cervical ligament
- C. Sacroiliac ligament
- D. Poupart's ligament

Index Number:

Signature:

Date:

40. The superficial muscles of the pelvic floor include the following **EXCEPT**:

- A. Bulbo-cavernosus
- B. External anal sphincter
- C. Ischio-carvenosus
- ☒ D. Ischio-coccygeous

41. Which of the following is the ideal time to confirm pregnancy?

- A. As soon as the woman missed her period
- B. Few days after ovulation when one had unprotected sex
- ☒ C. 7 days after one missed her period
- D. 10 days after one missed her period

42. At what gestational age does the placenta takes over from the corpus luteum:

- ☒ A. 12 week
- B. 14th week
- C. 16th week
- D. 20th week

43. Maternal position which influence the lowest blood pressure reading is:

- ☒ A. Left lateral
- B. Right lateral
- C. Sitting up
- D. Supine position

44. Which of the following procedures would the midwife routinely perform at the ANC?

- i. Check BP and Weight
 - ii. Sickling and Wasserman test
 - iii. Urinalysis and Hemoglobin
 - iv. Vulva and Vagina examination
- A. I & ii only
 - B. I, iii & iv only
 - C. ii, iii & iv only
 - ☒ D. I, ii, iii & iv only

45. The term labor is a process by which

- A. The fetal head reach the 'O' station
- B. The fetus is expelled through the birth canal
- ☒ C. The fetus, placenta and membranes expelled through the birth canal
- D. Strong ,longer contractions and dilation of the cervix occurs to expel the fetus

46. How often should contraction be monitored in the active phase of labor?
☒ A. 30 minutes
B. 60 minutes
C. 2 hourly
D. 4 hourly
47. How long does the third stage of labor last in the multiparous women?
☒ A. 15 minutes
B. 45 minutes
C. 50 minutes
D. 60 minutes
48. The blood loss which is not accepted during the third stage of labor is:
A. 350ml
B. 400ml
C. 450 ml
☒ D. 500ml
49. Active management of the third stage of labor becomes effective if Oxytocin drug is administered:
A. When the head crown
B. When the head is delivered
☒ C. Delivery of the anterior shoulder
D. When the body is delivered
50. The fourth stage of labor can be described as the following:
A. One hour after delivery of the baby
☒ B. One hour after delivery of the placenta
C. Six hours after delivery of the baby
D. Six hours after delivery of the placenta

LECTURE: JANET SINTIM ABOAGYE (Mrs.)

1. Describe the ovarian hormone. **2 marks**
2. There are (4) four important joints on the pelvis list and describe them. **4 marks**
3. List the structures of the vulva **2 marks**
4. Describe the following gynecological positions:
 - a. Dorsal recumbent Position **2 marks**
 - b. Lithotomy Position **1 mark**
5. What are the factors of congenital abnormality(Give 3) **6 marks**
6. Enumerate one function of Incubator **1 mark**
7. Varicose veins are associated with dull aching pain. They usually disappear after delivery just to recur in subsequence pregnancy and may even be worse.
 - a. What advice will you give to her during pregnancy? **2 marks**