



METHODIST UNIVERSITY GHANA

DEPARTMENT OF NURSING AND MIDWIFERY

2. NURSING: END OF FIRST SEMESTER EXAMINATION: 2024/2025

COURSE CODE/TITLE: MNUR 204 MEDICINE AND MEDICAL NURSING

(3CREDITS)

INSTRUCTIONS:

ANSWER ALL QUESTIONS ON THE QUESTION PAPER BY CIRCIRLING THE CORRECT ANSWER FROM A-D.

QUESTIONS CARRY ONE MARK

ALLOWED: 1 HOUR

EXAMINER: STELLA SAGOE

Page 1 of 13

1. A 7-year-old child is brought to the clinic with complaints of abdominal pain, bloating, intermittent diarrhea and decreased appetite and weight loss. The physician orders a stool test, which reveals the presence of *Ascaris lumbricoides* eggs. Which of the following interventions should the nurse prioritize?

- A. Administer broad-spectrum antibiotics to prevent secondary infection
- B. Educate the parents about deworming therapy and personal hygiene practices
- C. Encourage the child to increase fluid intake to flush out the parasites
- D. Isolate the child to prevent transmission to other family members

2. A 32-year-old woman with hepatitis B is experiencing anxiety regarding her long-term prognosis.

What is the most appropriate nursing response?

- A. "Regular monitoring and adherence to your treatment plan can help manage your condition effectively."
- B. "There is no treatment available, so nothing can be done."
- C. "You should not worry, as this condition always resolves on its own."
- D. "Avoid all physical activities to prevent any complications."

3. A 45-year-old man from a rural village presents with swollen lymph nodes, high fever, and neurological symptoms. A spinal tap confirms *Trypanosoma brucei* infection. What complication should the nurse prioritize?

- A. Liver failure
- B. Meningoencephalitis
- C. Cardiac arrest
- D. Pulmonary embolism

4. A 36-year-old man with hepatitis B reports fatigue and loss of appetite during his outpatient visit.

What is the most appropriate nursing intervention?

- A. Assess nutritional status and provide dietary counseling to promote liver health
- B. Recommend a high-fat diet to boost energy
- C. Suggest immediate surgical consultation
- D. Advise complete fasting for several days

5. A 27 year old male diagnosed with hepatitis A in the community is scheduled for a follow up.

Which instruction should the nurse provide regarding prevention of spread in his household?

- A. "Ensure you practice good personal hygiene and avoid sharing personal items."
- B. "There is no need for any special precautions at home."
- C. "Isolate yourself completely from your family for 2 months."
- D. "Vaccinate all family members immediately regardless of their history."

6. During an initial health assessment, a nurse gathers a detailed family history from a patient. Which of the following statements best explains the significance of collecting this information?

- A. It confirms the patient's age
- B. It provides clues about genetic predispositions and risk factors
- C. It ensures that the patient has no allergies
- D. It is primarily used for billing purposes

7. A nurse is conducting an assessment of a patient with a potential gastrointestinal complaint. Which method is most useful for identifying subtle symptoms that the patient may not initially mention?

- A. Reading the patient's previous reports
- B. Using probing questions to explore all areas of discomfort
- C. Waiting for the patient to bring up additional concerns
- D. Focusing exclusively on physical examination findings

8. A patient in the emergency department complains of dizziness. To accurately assess the symptom, the nurse should:

- A. Ask the patient to describe the onset, duration, and associated factors of the dizziness
- B. Only check the patient's blood pressure.
- C. Assume the cause is dehydration
- D. Rely on previous medical records
- E.

9. During a routine health assessment, a nurse encounters a patient with signs of dehydration. Which piece of data is most critical to collect immediately?

- A. The patient's daily fluid intake
- B. The patient's skin turgor and mucous membrane status
- C. The patient's history of alcohol consumption

D. The patient's socioeconomic status

10. A nurse is reviewing an IV fluid order for a patient with sepsis that includes 0.9% sodium chloride at 200 mL/hr. Which vital sign should be most closely monitored to assess for fluid overload?

- A. Temperature
- B. Respiratory rate
- C. Pulse
- D. Blood pressure

11. A patient presents to the emergency department with a sudden onset of headache, neck stiffness, and photophobia. The nurse suspects bacterial meningitis. What is the initial precautionary measure to implement?

- A. Contact precautions
- B. Airborne precautions
- C. Droplet precautions
- D. Standard precautions

12. A 60 year old woman is admitted with new-onset confusion, fever, and a productive cough. The nurse suspects an influenza complication such as secondary bacterial pneumonia. Which intervention is a priority in this scenario?

- A. Initiate airborne precautions immediately
- B. Assess oxygen saturation and respiratory status while implementing droplet precautions
- C. Start antiviral therapy without further evaluation
- D. Isolate the patient using contact precautions

13. Which species of Plasmodium is known to cause the most severe form of malaria?

- A. Plasmodium vivax
- B. Plasmodium ovale
- C. Plasmodium malariae
- D. Plasmodium falciparum

14. A patient with a recent diagnosis of HIV presents with oral candidiasis. The nurse plans to provide patient education. Which intervention is most appropriate?

- A. Advise the patient that the infection will resolve without treatment
- B. Teach the patient about the importance of antiretroviral adherence and oral hygiene
- C. Recommend switching to a liquid diet permanently
- D. Instruct the patient to avoid all dairy products

15. A patient is admitted with fever, joint pain, and a rash after returning from a tropical region. The nurse suspects dengue fever. Which symptom is a key indicator of dengue hemorrhagic fever?

- A. Severe headache with photophobia
- B. High-grade fever with a sandpaper rash
- C. Bleeding from the gums and nose along with plasma leakage
- D. Persistent vomiting without bleeding

16. A patient with a recent history of unprotected sex presents with fever, sore throat, and a rash. The nurse suspects acute HIV infection. Which diagnostic test is most useful for early detection?

- A. HIV antibody test
- B. HIV RNA PCR test
- C. Complete blood count
- D. Urinalysis

17. A nurse is caring for a newly diagnosed TB patient who has been started on a 4-drug regimen. Which of the following statements by the patient indicates the need for further teaching?

- A. "I will need to take these medications for at least 6 months."
- B. "I can stop taking my medications once I feel better."
- C. "I should take my rifampin on an empty stomach."
- D. "I need to have regular liver function tests while on this treatment."

18. A nurse is caring for a 70-year-old immunocompromised patient with latent TB. The patient asks why treatment is needed if there are no symptoms. What is the best response by the nurse?

- A. "Since you're not contagious, there is no need for treatment."
- B. "Latent TB can activate when the immune system weakens, leading to serious illness."
- C. "You should wait until symptoms develop before starting treatment."
- D. "TB only becomes active in people with severe lung diseases."

19. A nurse is caring for a 5-year-old child diagnosed with marasmus. Which assessment finding is most consistent with this condition?

- A. Edematous face and extremities
- B. Thin extremities with prominent ribs
- C. Distended abdomen with hepatomegaly

D. Hyperpigmented skin with flaky dermatitis

20. A nurse is caring for a 6-month-old infant admitted with suspected meningitis. Which assessment finding would be most concerning?

- A. A positive Babinski reflex
- B. Frequent episodes of hiccups
- C. Bulging fontanel and high-pitched cry
- D. Pink, flat skin rash on the trunk

21. A 28-year-old restaurant worker presents with low-grade fever, diarrhea, and malaise. The nurse suspects paratyphoid fever. Which of the following statements is correct?

- A. Paratyphoid fever is more severe than typhoid fever.
- B. It is caused by *Salmonella enteritidis*
- C. It can be prevented by vaccination and proper food hygiene.
- D. Paratyphoid fever requires airborne precautions.

22. A patient with cholera presents with profuse watery diarrhea (rice-water stools), severe dehydration, and hypotension. What is the priority nursing intervention?

- A. Administer broad-spectrum antibiotics immediately.
- B. Start aggressive fluid and electrolyte replacement therapy.
- C. Provide small frequent meals to reduce nausea.
- D. Encourage increased dietary fiber intake.

23. A nurse is educating a community about cholera prevention. Which of the following statements is correct?

- A. Boiling water before drinking prevents cholera.
- B. Cholera spreads through the airborne route.
- C. There is no vaccine available for cholera.
- D. Antibiotics are the main treatment for cholera.

24. A 30-year-old nurse is caring for a patient with confirmed varicella (chickenpox). The nurse is worried about becoming infected. Which of the following is the best preventive measure for the nurse?

- A. Immediate initiation of antiviral therapy
- B. Administration of the varicella vaccine if not previously immunized
- C. Use of droplet precautions
- D. Administration of immunoglobulin after exposure

25. A pregnant woman at 30 weeks' gestation tests positive for HIV during routine screening. What is the best nursing action to reduce the risk of transmission to the baby?

- A. Advise the mother to avoid breastfeeding after delivery.
- B. Administer zidovudine (AZT) therapy as prescribed.
- C. Plan for a vaginal delivery at 40 weeks.
- D. Encourage the use of herbal supplements to boost immunity.

26. A 28-year-old patient with HIV is admitted with signs of dehydration, chronic diarrhea, and oral thrush. What is the priority nursing diagnosis?

- A. Impaired skin integrity related to dehydration.
- B. Risk for aspiration related to oral thrush.
- C. Deficient fluid volume related to diarrhea.
- D. Imbalanced nutrition related to opportunistic infections.

27. A 25-year-old female presents with fever, chills, and joint pain after returning from a malaria-endemic region. Which of the following is the best explanation for the cyclical nature of her symptoms?

- A. The virus undergoes rapid replication cycles
- B. The parasites synchronize their life cycle, causing periodic lysis of red blood cells
- C. The immune response only activates every 48 hours
- D. The bacteria causing the infection replicate cyclically

28. A patient with uncomplicated malaria is being discharged with an antimalarial medication regimen. Which statement indicates that the patient understands the discharge instructions?

- A. "I can stop the medication if I feel better."
- B. "I will complete the entire course of the antimalarial drugs as prescribed."
- C. "I only need to take the medication when I have a fever."
- D. "I will switch to an over-the-counter remedy if my symptoms persist."