

29. A nurse caring for a patient with malaria notices that the patient has developed jaundice. Which laboratory value is most likely to be abnormal?

- A. Elevated serum bilirubin
- B. Elevated serum potassium
- C. Low serum sodium
- D. Low serum calcium

30. A sexually active 19-year-old female asks about the HPV vaccine. Which statement by the nurse is correct?

- A. "The vaccine is only for women who have never been sexually active."
- B. "The vaccine protects against high-risk and low-risk HPV types and is most effective before exposure to the virus."
- C. "If you have had HPV before, the vaccine is not beneficial."
- D. "HPV only affects women, so men do not need vaccination."

31. A 28 year old man presents with a tender, soft chancre accompanied by painful inguinal lymphadenopathy. Which bacterial STI is most consistent with these findings?

- A. Syphilis
- B. Chancroid
- C. Gonorrhea
- D. Lymphogranuloma venereum

32. A 21 year old male presents with dysuria and a purulent discharge from his urethra. He denies any pain during intercourse. Which condition is most likely?

- A. Gonorrhea
- B. Syphilis
- C. Herpes simplex virus infection
- D. Human papillomavirus infection

33. A 25 year old female with syphilis is concerned about the impact of her diagnosis on her future pregnancy. Which statement by the nurse is most appropriate?

- A. "With prompt and proper treatment, the risk of congenital syphilis can be minimized."
- B. "There is no treatment available for syphilis during pregnancy."
- C. "You should avoid pregnancy indefinitely."

D. "Pregnancy complications are inevitable."

34. A 32 year old male returns from a trip to West Africa. He presents with a sudden high fever, headache, and muscle pain. He also reports nausea and a transient period of jaundice. Which of the following is the most appropriate immediate nursing action?

- A. Administer antipyretics and encourage fluid intake
- B. Prepare the patient for immediate blood transfusion
- C. Isolate the patient due to risk of airborne transmission
- D. Initiate broad spectrum antibiotics immediately

35. A 30 year old man presents with symptoms of diarrhea, abdominal pain, and fatigue after exposure to contaminated water. His condition is diagnosed as a parasitic infection. Which nursing intervention will best help him recover and avoid recurrence?

- A. Educate him on avoiding untreated water and practicing proper food hygiene
- B. Advise him to avoid all fruits and vegetables
- C. Suggest that he rely solely on over-the-counter medications
- D. Recommend that he ignore any mild symptoms

36. Patient is on Isoniazid, Rifampicin and Ethambutol. Which of the following phase is the treatment is

- A. continuation phase of the retreatment regimen for which duration is 5 months
- B. The patient is in the continuation phase of the retreatment regimen for which duration is 4 months
- C. The patient is in the continuation phase of the standard regimen for which duration is 5 months
- D. The patient is in the continuation phase of the standard regimen for which duration is 4 months.

37. Which of the following microorganism is the causative agent of chicken pox?

- A. Cerolutoxins
- B. Enterotoxins
- C. Treponema Pallidum
- D. Varicella zoster

38. As the nurse you know that one of the reasons for an increase in multi-drug-resistant tuberculosis is.....

- A. incorrect medication ordered
- B. increase in tuberculosis cases nationwide
- C. incorrect route of drug ordered

EXAMINER: STELLA SAGOE

Page 9 of 13

- D. noncompliance due to duration of medication treatment
39. Transmission of HIV from an infected individual to another occur.....
- A. most commonly as a result of sexual contact
 - B. In all infants born to women with HIV infection
 - C. Only when there is a large viral load in the blood
 - D. Frequently in health care workers with needle stick injuries
40. Which of the following is the route of transmission of tuberculosis?
- A. hand to mouth
 - B. Airborne
 - C. fecal-oral route
 - D. blood and body fluids
41. The following are diseases which are transmitted via the feco-oral route except.....
- A. Paratyphoid fever
 - B. Cholera
 - C. Chicken Pox
 - D. Amoebic Dysentery
42. What is the causative organism for Tuberculosis?
- A. Treponema Pallidum
 - B. Mycobacterium Bovis
 - C. Mycobacterium Lepae
 - D. Mycobacterium Maginatum
43. The primary stage of the syphilis is characterised by.....
- A. a chancre which appears within 10 days to 3 months after exposure
 - B. The chancre is usually painful and can remain detected inside the body
 - C. The chancre usually do not disappear within a few weeks
 - D. A chancre usually do not appear on the part on any part of the body
44. Which of the following influenza type is responsible for causing the most severe and diverse type, responsible for pandemics?
- A. influenza type A
 - B. influenza type B
 - C. influenza type C
 - D. influenza type D
45. Leprosy is a chronic infectious disease caused by.....
- A. mycobacterium belare
 - B. mycobacterium leprae
 - C. mycobacterium leape
 - D. mycobacterium leper

46. Micronutrient deficiency refers to deficiency of all the following nutrient except.....
- A. Iron
 - B. Vitamin A
 - C. Protein
 - D. Zinc
47. Which of the following investigations would assist in the diagnosis of typhoid fever?
- A. Blood for erythrocyte sedimentation rate and urine for routine examination
 - B. Blood for urea and electrolyte and stool for routine examination
 - C. Stool and urine for culture and sensitivity tests
 - D. Wassermann's test, stool for culture and sensitivity test
48. The nurse informs the patient of tuberculin test which is positive. Which of the following under listed statements indicates that the patient understands the test result?
- A. "Currently, I have no active tuberculosis"
 - B. "I have had complete healing of primary lesions"
 - C. "I have had previous exposure to tuberculosis"
 - D. "Truly, I have had immunity and cannot develop the disease"
49. A patient's laboratory report shows acid-fast rods in his sputum. These rods are presumed to be.....
- A. Bordetella pertussis
 - B. Diphtheria bacillus
 - C. Influenza virus
 - D. Mycobacterium tuberculosis
50. An example of primary prevention activities by the nurse would be.....
- A. Assisting in immunization programme
 - B. Correction of dietary deficiencies
 - C. Establishing goals for rehabilitation
 - D. Prevention of disabilities
51. Before a tuberculosis patient is declared non-infective the nurse must ensure that....
- A. No acid fast bacteria are in the sputum
 - B. The patient no longer has the disease
 - C. The patient's temperature is normal
 - D. The tuberculin skin test is negative
52. People should be taught to avoid food products in bulged cans because they might Contain.....
- A. Clostridia tetani
 - B. Clostridia botulinum
 - C. Escherichia coli
 - D. Salmonella

53. Prophylaxis for hepatitis B includes...

- A. avoiding expired tin food
- B. Observing food hygiene
- C. Preventing constipation
- D. Screening of blood donors

54. As the nurse you know that one of the reasons for an increase in multi-drug-resistant tuberculosis is.....

- A. incorrect medication ordered
- B. increase in tuberculosis cases nationwide
- C. incorrect route of drug ordered
- D. noncompliance due to duration of medication treatment needed

55. Which of the following statement about the life cycle of the malarial parasites true?

- I. asexual multiplication of the parasites occurs in the erythrocytes
- II. sexual multiplication of the parasites occurs in the erythrocytes
- III. malaria-infected female *Anopheles* mosquito inoculates sporozoites into the human host.
- IV. Infection of humans with the parasites occurs through a bite of a mosquito

- A. I, II and III
- B. I and III
- C. I, II and IV
- D. I only

56. The mode of transmission for leprosy includes all of the following except.....

- A. Direct contact with an infectious person
- B. indirect contact with an infectious person
- C. Percutaneous spread
- D. Airborne spread

57. The pre-ulcerative forms of buruli Ulcer includes.....

- I. Nodule
 - II. Plague
 - III. ulcerative oedema
 - IV. Non ulcerative
- A. I, AND IV
 - B. I, II AND IV
 - C. I AND II
 - D. I, II AND III

58. A 50 year old woman develops sudden high fever, severe headache, and a petechial rash after a hiking trip. The nurse suspects meningococcal disease. What is the most critical initial nursing action?

- A. Place the patient in isolation with airborne precautions
- B. Initiate droplet precautions and promptly notify the physician
- C. Start broad-spectrum antibiotics immediately
- D. Administer antipyretics and observe

59. A 28-year-old patient with HIV is admitted with signs of dehydration, chronic diarrhea, and oral thrush. What is the priority nursing diagnosis?

- A. Impaired skin integrity related to dehydration.
- B. Risk for aspiration related to oral thrush.
- C. Deficient fluid volume related to diarrhea.
- D. Imbalanced nutrition related to opportunistic infections.

60. Kwashiorkor is caused by a deficiency of both protein and calories.

- A. TRUE
- B. FALSE