

- B. Uterine Curette
- C. Shirokars Clerclage needle
- D. Kocher's forceps / clamps

108. Breasts should always be examined with the woman:

- A. Standing up with her arms extended in front of her
- B. Sitting with her arms held out to the side then above her head
- C. Sitting with her arms relaxed at her sides and then raised above her head
- D. Lying down with her arms across her abdomen

109. When palpating a woman's breasts:

- A. It is easier to examine the breasts with the woman lying flat on her back as this will flatten the breasts
- B. Lying down makes the examination more difficult as the muscles tend to tense up
- C. It is best to examine a breast with the woman lying on her side
- D. There is no need to ask the woman to lie down as breasts need only be examined in the sitting position

110. Which of the following is a potential risk or complication of hysterosalpingography (HSG)?

- A. Excessive bleeding from the uterus.
- B. Infection in the fallopian tubes or uterus.
- C. Urinary retention.
- D. Prolonged menstrual bleeding.

111. When is the best time to perform a hysterosalpingography (HSG)?

- A. During the menstrual period.
- B. Just before ovulation.
- C. Early in the menstrual cycle, typically between day 7 and 10.
- D. Any time during the menstrual cycle.

112. In assessing sensory function, which of the following tests is used to evaluate the patient's ability to perceive vibration?

- A. Two-point discrimination
- B. Light touch test
- C. Tuning fork test
- D. Sharp/dull sensation test

113. What is the best test for assessing the function of Cranial Nerve VIII (Vestibulocochlear nerve)?

- A. Whisper test
- B. Weber test

- C. Rinne test
- D. All of the above

114. The cranial nerve responsible for both both sensory and motor functions in neurovascular assessment is?

- A. Trochlear nerve
- B. Trigeminal nerve
- C. Hypoglossal nerve
- D. Vagus nerve

115. Which of the following conditions can an Electroencephalogram (EEG) help diagnose?

- A. Epilepsy
- B. Stroke
- C. Migraine
- D. Heart disease

116. What is the primary purpose of an Electroencephalogram (EEG)?

- A. To measure blood pressure
- B. To record the electrical activity of the brain
- C. To assess the activity of the heart
- D. To visualize brain tumors

117. A patient in the ICU following trauma is being monitored for compartment syndrome. The nurse notes that the patient is complaining of severe pain, and the nurse finds the affected limb to be hard, swollen, and tense. Which of the following interventions should the nurse anticipate?

- A. Prepare for a fasciotomy to relieve pressure.
- B. Administer intravenous fluids to reduce swelling.
- C. Administer pain medications and reassure the patient that symptoms will resolve.
- D. Apply ice packs to the affected area to reduce the pain.

118. Which of the following tissues is primarily imaged using Optical Coherence Tomography (OCT)?

- A. Skin
- B. Muscle
- C. Retina
- D. Brain

119. Which of the following is the correct technique for instilling eye drops?

- A. Apply the drop directly onto the cornea

- B. Place the drop on the lower lid without touching the eye
- C. Squeeze the bottle into the inner corner of the eye
- D. Keep the eye wide open and blink rapidly after instilling the drop

120. What is a potential sign that ear irrigation was performed incorrectly or caused a complication?

- A. Ear discomfort or pain
- B. A feeling of fullness or fluid in the ear
- C. Bleeding or discharge from the ear
- D. All of the above