

INDEX NUMBER.....DATE.....

METHODIST UNIVERSITY COLLEGE GHANA



FACULTY OF SCIENCE

DEPARTMENT OF NURSING & APPLIED SCIENCE

(DANSOMAN & TEMA COMPUS)

END OF FIRST SEMESTER EXAMINATION, 2024/2025

B.S.c REGISTERED GENERAL NURSING

COURSE CODE: MNUR 305

COURSE TITLE: SURGICAL NURSING II

TIME: 2 Hours

Lecturer: Mr. Stephen Obeng

INSTRUCTIONS:

1. DO NOT OPEN THE BOOKLET UNTIL YOU ARE TOLD TO DO SO
2. READ THE QUESTIONS CAREFULLY AND PROVIDE ONLY RELEVANT ANSWERS
3. WRITE CLEARLY IN THE SPACES PROVIDED OR CIRCLE APPROPRIATELY USING A BLUE PEN
4. STOP WRITING AS SOON AS YOU ARE INSTRUCTED TO DO SO
5. REMAIN IN YOUR SEAT UNTIL THE PAPERS ARE COLLECTED

"Madam U, A 25 yr old woman, was rushed to the emergency unit on account of Road Traffic Accident (RTA). Upon arrival, she had dyspnoea, bruises on the chest, and looked worried. The nurse was asked to prepare this patient for surgery"

Use the above scenario to answer questions 1-5

1. Which of the following objectives of nursing care would the nurse consider a priority?
A. Arresting bleeding
B. Ensuring patency of airway
C. Minimising anxiety
Ans.....
2. Which of the following assessments would the nurse consider mandatory when preparing the patient for surgery?
A. Auscultate for bilateral lung sounds
B. Check for bowel sounds in all 4 quadrants
C. Both A and B
Ans.....
3. Before surgery, the nurse would ensure that at least which of the following labs is performed?
A. Angiography
B. Echocardiogram
C. Chest X-ray
Ans.....
4. The surgeon decides to perform Tube thoracostomy. The correct explanation given by the nurse would be which of the following?
A. A tube is inserted to drain air, fluid, and blood in the pleural space
B. A tube is inserted to drain gas, bile and food from the stomach
C. A tube is placed to divert bile from the duodenum
Ans.....
5. After surgery, patient returned to the ward with the tube in question (4) above, draining 50mls of pure blood. Based on this finding, the most appropriate diagnosis for Madam U would be which of the following?
A. Empyema
B. Haemothorax
C. Pneumothorax
Ans.....

"Consider the three surgical treatments; I- Colostomy II- laryngectomy III- Gastrectomy"

Use the above to answer questions 6-10

6. Which procedure is the treatment of choice for a person who complains of abdominal pains a few minutes after eating, vomits with blood in it, and has poor growth pattern?
A. I only
B. III only
C. I and III only
Ans.....
7. After this procedure there is a need to care and suction tracheostomy to keep airway patent, encourage patient to use non verbal forms of communication such as sign language and bells, serve patient with light diet to make swallowing easier
A. II only
B. II and III only
C. I, II, and III
Ans.....

8. Which is a major surgery that requires general anaesthesia, involves extensive tissue damage, and is associated with higher estimated blood loss?
- A. I and II only
 - B. II and III only
 - C. I, II and III

Ans.....

9. After this procedure, patient may develop which group of complications including Vitamin B12 deficiency, pyloric stenosis, acid reflux, paralytic ileus and dumping syndrome?
- A. I only
 - B. III only
 - C. I, II and III

Ans.....

10. Before discharge, patient is taught how to care for the stoma with mild soap and water solution, change the ostomy bag when 1/3 full and assess skin around stoma for excoriations and signs of infection
- A. I only
 - B. III only
 - C. I and II only

Ans.....

"A patient has been referred to the cardiology unit for evaluation of possible Mitral Valve Stenosis. During history, patient admitted she has been involved in multiple unprotected sex, 2 abortions, and 1 dental surgery for the past 6 months. She is currently depressed and does not want to undergo a heart surgery"

Use this scenario to answer the questions 11-15

11. Which of the information given by the patient has relevance to the development of Mitral Valve stenosis?
- A. Abortion of pregnancy
 - B. Unprotected sex
 - C. Recent dental surgery

Ans.....

12. When assessing the patient above, the nurse would pay particular attention towhen auscultating the chest
- A. borborygmi
 - B. diminished lung sounds
 - C. murmurs

Ans.....

13. Another name for Mitral Valve Stenosis is.....
- A. Hirschsprung's Disease
 - B. Hole in heart
 - C. Rheumatic Heart Disease

Ans.....

14. As part of physiological preparations for open heart surgery, patient is asked to withhold the intake of which medication 3-4 days before surgery?
- A. Antibiotics
 - B. Anticoagulants
 - C. Antihypertensives

Ans.....

15. The nurse explains that possible complications after repair of mitral valve stenosis includes build up of blood around the heart. This condition is referred to as.....
- A. cardiac tamponade
 - B. paralytic ileus
 - C. pericarditis

Ans.....

16. When assessing the chest region of a patient, the nurse observes that the ribs rise when patient is exhaling. This finding is documented as.....

- A. orthopnoea
- B. paradoxical breathing pattern
- C. tachypnea

Ans.....

17. An irreversible dilation of the terminal bronchioles and alveoli as result of increase intra-alveoli air pressure is termed?

- A. Emphysema
- B. Empyema
- C. Pneumothorax

Ans.....

18. When suctioning a patient with tracheostomy, the nurse must remember to.....

- A. insert the catheter until the cough reflex is stimulated
- B. remove the inner cannular before inserting the catheter
- C. use a new catheter with each suction

Ans.....

19. A nurse assessing the neck region after tracheostomy for a patient. What finding is indicative of subcutaneous emphysema?

- A. A barrel-shaped chest
- B. Use of accessory muscles for breathing
- C. Feeling of crepitus on palpation of the skin

Ans.....

20. What is the main purpose of an under-water seal drainage system

- A. Drain air and blood from the pleural cavity
- B. Drain air, fluid and blood from the pleural cavity
- C. Prevent air from entering the pleural cavity

Ans.....

Consider the following medication used in the management of patients with cardiovascular and Gastrointestinal tract disorders : I- Omeprazole II. Metronidazole III. Aspirin

Use this information to answer questions 21-25

21. Which of the drugs is given to minimise acid secretion in patients with high risk of duodenal ulcer perforation?

- A. I only
- B. III only
- C. I, II and III

Ans.....

22. Which drug is used in managing deep vein thrombosis, yet is associated with peptic ulcer development?

- A. II only
- B. III only
- C. II and III

Ans.....

23. As part of bowel preparation, which medication may be given to reduce the population of intestinal flora before GIT surgery?

- A. I only
- B. II only
- C. I, II and III

Ans.....

24. Which drug when given together with ranitidine (a histamine receptor blocker), increases the patients risk of GIT infections
 A. I only
 B. II only
 C. I and II
 Ans.....
25. An antibiotic effective against anaerobic bacteria?
 A. I
 B. II
 C. III
 Ans.....
26. When managing a patient with deep vein thrombosis, it is important to place the affected leg.....to promote venous return
 A. Above heart level
 B. In dependent position
 C. Below heart level
 Ans.....
27. A patient with a chest tube should assume which position?
 A. High Fowlers
 B. Low Fowlers
 C. Prone
 Ans.....
28. When suctioning a tracheostomy, it must not exceed
 A. 5 seconds
 B. 10 seconds
 C. 15 seconds
 Ans.....
29. After suctioning a tracheostomy tube, the nurse observed patient coughing blood, this is documented as
 A. Haemoptysis
 B. Haematemesis
 C. Haematuria
 Ans.....
30. After partial laryngectomy, the priority assessment is
 A. Asking patient to speak
 B. Checking for airway patency
 C. Checking for ability to swallow
 Ans.....
31. In order to deliver the highest amount of oxygen, which device may be used?
 A. Intranasal cannular
 B. Face mask
 C. Endotracheal tube
 Ans.....
32. What sign would indicate the onset of cardiogenic shock after open heart surgery?
 A. Bipedal oedema
 B. Distention of jugular veins
 C. Blood pressure less than 90/60mmHg
 Ans.....

33. The nurse is preparing the neck region for total laryngectomy. The correct order of skin preparation would be;
- clean with antiseptic, shave, drape, wash
 - wash, shave, clean with antiseptic, drape
 - drape, wash, clean with antiseptic, shave
- Ans.....
34. What would be the appropriate intervention when a patient reports with dyspnoea?
- Inform the doctor, check the respiration rate and depth, place in high fowlers
 - Place in high fowlers, check the respiration rate, inform doctor
 - Check the respiration rate, place in high fowlers, inform doctor
- Ans.....
35. In deep vein thrombosis, the nurse expects which of the following?
- Reduction in leg size diameter
 - Skin temperature to be cold
 - Superficial veins to be prominent and enlarged
- Ans.....
36. Early signs of laryngeal cancer include
- Dyspnoea
 - Hoarse voice
 - Both
- Ans.....
37. Risk factors for developing lung cancer include which of the following?
- Air pollution
 - Chronic respiratory infection
 - Heavy alcohol ingestion
 - Poor dental hygiene
- I, II and III
 - I, II and IV
 - I, II, III and IV
- Ans.....
38. After an angiography, Mr. U was found to have occlusion of the anterior tibial artery. Which symptoms by the patient is consistent with this finding?
- Swelling of the leg
 - A pale looking sore with minimal pain on the toes
 - A painful, discharging sore on the leg of the affected part
- Ans.....
39. You have been asked to perform a neurovascular check for a patient suspected of chronic arterial disease. Which assessment would indicate late onset of the disease?
- Patient can dorsiflex but not against resistance
 - There is absence of pulse in the affected foot
 - There is severe pain in the affected leg
- Ans.....
40. Deep breathing exercises is essential in the management of a patient on a chest tube. When is it most appropriate to teach the patient this exercise?
- Pre-operatively
 - Perioperatively
 - Post operatively
- Ans.....

41. Which diet would the nurse recommend for a patient diagnosed with ulcerative colitis?
 A. High fibre, low fat
 B. Low residue, high protein
 C. Low protein, high calorie
 Ans.....
42. The most serious complication associated with chronic inflammation of the bowels is which of the following?
 A. Obstruction
 B. Paralytic ileus
 C. Perforation
 Ans.....
43. Which position would the nurse place a patient ready to receive a barium enema?
 A. Fowler's
 B. Left Sim's
 C. Knee chest
 D.
 Ans.....
44. A patient with colostomy should take which kind of diet?
 A. As close to normal as possible
 B. Low in fibre
 C. Rich in proteins
 Ans.....
45. The objectives for managing a patient with peritonitis would be to do which of the following?
 A. Remove the infected content and correct the cause
 B. Resection and anastomosis of the intestines
 C. Resection of the intestines and correct the cause
 Ans.....
46. What is the main reason for passing a nasogastric tube post operatively after gastric surgery?
 A. To prevent aspiration of stomach content
 B. To prevent stomach from distention
 C. To serve as a means of feeding
 Ans.....
47. An abdominal hernia has parts and they include which of the following?
 A. Content
 B. Neck
 C. Omphalocele
 Ans.....
48. A client with inguinal hernia asks the nurse why he should have surgery when he has had hernia for years, the nurse understands that surgery is recommended to
 A. decrease secretion of bile salts
 B. increase intestinal motility
 C. prevent strangulation
 Ans.....
49. The organism commonly identified and implicated in the peptic ulcer disease is which of the following?
 A. E coli
 B. Helicobacter pylori
 C. Fusiform bacteria
 Ans.....
50. The most common symptom of oesophageal diseases is which of the following?
 A. Dysphagia
 B. Odynophagia
 C. Vomiting
 Ans.....

"Mr. T, a 37yr old Plumber has a history of passing occult stool for the past three days and been booked for colonoscopy. At the moment, he is in your care at the surgical ward."

Use this scenario to answer questions 51-55

51. The patient asks the nurse to explain to him the purpose of this test. What would be the most appropriate response?

- A. The test is done to detect abnormalities of the bowels
- B. The test is done to cleanse the colon of ingested toxins
- C. The test is done to detect and repair the sites of bleeding

Ans.....

52. Preparation of patient for the above procedure **DOES NOT** include which of the following?

- A. Keeping patient on NPO 12 hours before the procedure
- B. Serving patient with light diet 24 hours before the procedure
- C. Serving patient with prescribed laxative the night before procedure

Ans.....

53. Which of the following would the nurse include when educating the patient about the outcomes of the procedure?

- A. An urge to defecate after the procedure is normal
- B. The bleeding will reduce after the procedure
- C. Stool will look whitish or pale in colour

Ans.....

54. After the procedure, it was found that patient had ulcers in the colon and rectum. A diagnosis of colorectal cancer was made by the surgeon. Apart from the occult stool, which other clinical manifestation could have aided in this diagnosis?

- A. Abdominal distention
- B. Haematemesis
- C. Haemoptysis

Ans.....

55. What would be the goals of surgical treatment for Mr. T?

- A. To minimise spread of cancer by removing all diseased part of colon
- B. To relieve bowel obstruction by incising luminal growths of tumour
- C. To remove cancerous lesions whilst creating an outlet for stool passage

Ans.....

56. A priority diagnosis for a patient who has undergone cardiac surgery will be which of the following?

- A. Acute pain related to operative trauma
- B. Alteration in renal perfusion related to decreased cardiac output (potential)
- C. Decreased cardiac output related to blood loss

Ans.....

57. A chest tube is inserted often into which space?

- A. Between T2 and T3 ribs
- B. Between T3 and T4 ribs
- C. Between T4 and T5 ribs

Ans.....

41. Which diet would the nurse recommend for a patient diagnosed with ulcerative colitis?
 A. High fibre, low fat
 B. Low residue, high protein
 C. Low protein, high calorie
 Ans.....
42. The most serious complication associated with chronic inflammation of the bowels is which of the following?
 A. Obstruction
 B. Paralytic ileus
 C. Perforation
 Ans.....
43. Which position would the nurse place a patient ready to receive a barium enema?
 A. Fowler's
 B. Left Sim's
 C. Knee chest
 D.
 Ans.....
44. A patient with colostomy should take which kind of diet?
 A. As close to normal as possible
 B. Low in fibre
 C. Rich in proteins
 Ans.....
45. The objectives for managing a patient with peritonitis would be to do which of the following?
 A. Remove the infected content and correct the cause
 B. Resection and anastomosis of the intestines
 C. Resection of the intestines and correct the cause
 Ans.....
46. What is the main reason for passing a nasogastric tube post operatively after gastric surgery?
 A. To prevent aspiration of stomach content
 B. To prevent stomach from distention
 C. To serve as a means of feeding
 Ans.....
47. An abdominal hernia has parts and they include which of the following?
 A. Content
 B. Neck
 C. Omphalocele
 Ans.....
48. A client with inguinal hernia asks the nurse why he should have surgery when he has had hernia for years. the nurse understands that surgery is recommended to
 A. decrease secretion of bile salts
 B. increase intestinal motility
 C. prevent strangulation
 Ans.....
49. The organism commonly identified and implicated in the peptic ulcer disease is which of the following?
 A. E coli
 B. Helicobacter pylori
 C. Fusiform bacteria
 Ans.....
50. The most common symptom of oesophageal diseases is which of the following?
 A. Dysphagia
 B. Odynophagia
 C. Vomiting
 Ans.....

58. Hyperlipidaemia, sedentary lifestyle, diabetes and hypertension are risk factors for which of the following conditions?

- A. Deep vein thrombosis
- B. Varicose veins
- C. Peripheral arterial disease

Ans.....

59. Which test would be done to show the build-up of plaques in the arteries of the lower leg?

- A. Neurological assessment
- B. Angiography
- C. Wound

swab

Ans.....

60. Varicose veins develop as a result of which of the following?

- A. Defective valves
- B. Congestion in veins
- C. Weakness in tunica media

Ans.....

SECTION B

RESPIRATORY AND GASTROINTESTINAL SURGERY

Answer all questions in this section

1. A patient has been admitted into the emergency unit with history of chest injury sustained in a road traffic accident.

a. Describe how the nurse would assess the patient for any respiratory complications.
8marks

b. A chest ray was ordered by the physician, what findings would necessitate the passage of a chest tube
2marks

c. Describe the nursing management given to a patient on a chest tube
10marks

TOTAL = 20 MARKS

2. Mr Y, a 23yr old plumber has been admitted into the surgical ward on account of intestinal obstruction. He is currently on an NG tube connected to suction.

A. Mention 5 clinical manifestations of intestinal obstruction
5marks

B. Formulate a nursing diagnosis for any two (2) of the problems identified in (A)
above
5marks

C. What nursing interventions is given to a patient on a nasogastric tube connected to suction (intestinal obstruction)
10marks

TOTAL = 20 MARKS