

METHODIST UNIVERSITY GHANA**DEPARTMENT OF NURSING AND MIDWIFERY****BSC. NURSING****END OF SECOND SEMESTER EXAMINATION: 2024/2025****COURSE CODE/TITLE: MNUR 306, SURGERY AND SURGICAL NURSING III
ORTHOPAEDICS, THYROID, BURNS, NEUROSURGERY, OPHTHALMOLOGY &
ENT SURGERY****3 CREDITS: TIME ALLOWED: 2HRS 15MINS****INSTRUCTIONS:**

1. Do not open this booklet until you are told to do so
2. For the section A, answer all questions in this booklet
3. Choose the appropriate options A-C and indicate in the spaces provided on the right-hand side of each question
4. For section B, provide your answers in the answer booklet given you
5. All forms of examination malpractices will be duly punished
6. Ensure you have been well searched, leave all items including phones, smart watches and any unprescribed electronic gadget out of the hall
7. In the situation where you think there is a typing error or there is no answer to a given question, put a question mark against the question, it will be addressed when marking of scripts

SECTION A: FOR QUESTIONS 1-60, CHOOSE FROM THE OPTIONS A-C THE ONE THAT IS MOST SUITABLE. TIME ALLOWED = 1HR 15MINS

"Madam U, A 35 yr old woman, was rushed to the emergency unit on account of Road Traffic Accident (RTA). Upon arrival, she had lacerations on the right thigh, bleeding, and could disorientated to time, place and person. His blood pressure reads 90/60mmHg and SP0₂= 98% on room air. A diagnosis of fracture was made by the doctor.

Use the above scenario to answer questions 1-5

1. What would be the priority intervention by the nurse?
 - A. Arrest bleeding and initiate fluid replacement as ordered
 - B. Immobilise fracture site and initiate anticoagulant therapy as ordered
 - C. Reduce broken bones and initiate pain treatment as orderedAns.....
2. What complication of fracture may have set in based on the presenting signs and symptoms above?
 - A. Haemorrhagic shock
 - B. Deep vein thrombosis
 - C. Pulmonary embolismAns.....
3. When teaching a student nurse what it means to "reduce" a fractured bone, which response by the student nurse indicates the need for more teaching?
 - A. To reduce a fracture is to align the two ends of the broken bones
 - B. To reduce a fracture is to manipulate the broken bones to aid in healing
 - C. To reduce a fracture is to put in serve drugs to minimise pain and swellingAns.....
4. Which intervention by the nurse will minimise the patients risk of developing deep vein thrombosis?
 - A. Applying a tourniquet above the fracture site for not more than 15minutes
 - B. Elevating the fractured leg with pillows above heart level
 - C. Performing regular neurological assessments for the affected limbAns.....
5. After the x-ray, the bone was found to be in broken in both the proximal and distal parts of the femur. The appropriate diagnosis would be.....
 - A. Comminuted fracture
 - B. Compound fracture
 - C. Segmented fractureAns.....

Following a tackle, Mr. U, a 25yr old footballer was rushed into the emergency unit on account of ankle sprain. He was unable to walk, ankle was swollen and rated his pain level at 8/10.

Use this scenario to answer questions 6-10

6. Diagnosis of a sprain can be confirmed with which of the following tests?
 - I- CT scan
 - II- MRI

III- X-ray

- A. I only
- B. I and II only
- C. I, II and III

Ans.....

7. . Classification of ankle sprains is done under the following grades **EXCEPT**?

- A. Grade 2 (moderate)
- B. Grade 3 (severe)
- C. Grade 4 (chronic)

Ans.....

8. Based on the information given in the scenario above, which of the following nursing diagnosis would be most appropriate?

- A. Acute pain related to inflammatory response to bone infection
- B. Disturbed body image related to presence of large tumour in the bone
- C. Impaired mobility related to overstretching of ligaments

Ans.....

9. After review of the test(s) in question 6, the surgeon decides to manage the condition conservatively. Which of the underlisted approaches is **NOT** included in this treatment approach?

- A. Casting
- B. Immobilization boots
- C. Surgical repair of damaged structure(s)

Ans.....

10. Following treatment, Mr. U was asked to stay away from football for the next 3 months. Which principle of orthopaedic management has been applied?

- A. Resuscitation
- B. Reduction
- C. Restriction

Ans.....

Mr. Issaka, a 42 year old driver was involved in a road traffic accident and sustained a compound fracture of the tibia. She is on admission at the trauma emergency unit.

Use this scenario to answer questions 11-20

11. Which of the following measures would be taken to aid in bone alignment?

- A. Application of traction
- B. Closed reduction
- C. Open reduction

Ans.....

12 When educating relatives on his condition, the nurse states which of the following as a likely complication to be experienced by Mr. Issaka in the first 24hours of fracture?

- A. Compartment syndrome
- B. Delayed union
- C. Non-union syndrome

Ans.....

13. After undergoing the procedure in question (11), patient appeared stable on the ward and had normal vital signs. Few hours later, his brother frantically called you to his room and says Issaka is suddenly acting confused, had difficulty in breathing, pleuritic chest pain and cough. A CT scan of the chest confirmed the onset of pulmonary embolism. When assessing Hamid, the nurse must elicit for the following information EXCEPT?

- A. Feeling of heaviness in the lower limbs
- B. Paleness of palm and conjunctiva
- C. Warmth at the calf or ankle

Ans.....

14. Which further test will confirm the onset of pulmonary embolism?
Which of the following findings is likely to be associated with the condition?

- A. Decreased A-a gradient
- B. Decreased pulmonary arterial pressure
- C. Positive D-dimer test

Ans.....

15. Following the procedure in question (11), a cast was applied on Mr. Issaka. Today, he presents with increased pain, tingling and numbness. The lower extremity is tender with swelling and increased pain with passive movement. The patient has decreased sensation over the foot on the affected side. Which of the following is indicated?

- A. CT scan of the lower extremity
- B. Measurement of compartment syndrome
- C. Ventilation-perfusion scan

Ans.....

Mr. T, was rushed to the emergency unit in an unconscious state following a road traffic accident while driving a motor bicycle. A diagnosis of head injury (skull fracture) was made by the doctor.

Use this scenario to answer questions 16-20.

16. What would be the best method for assessing patient's level of consciousness?

- A. Perform electroencephalogram
- B. Perform physical assessment
- C. Use Glasgow coma scale

Ans.....

17. To confirm the presence and extent of the skull fracture, which of the following investigations will be requested for the patient?

- I. Angiography
- II. CT scan
- III. MRI
- IV. X-ray

- A. I, II and IV
- B. II, III and IV
- C. I, II, III and IV

Ans.....

18. After the test (s) in question 17, blood clots were found in the right cerebrum. Which of the following signs should the nurse expect in the patient?

- A. Left hemiplegia
- B. Quadriplegia
- C. Right hemiplegia

Ans.....

19. The surgeon decides to perform craniotomy and has ordered phenytoin to be administered prior to the surgery. Why is it necessary to administer the prescribed medication before the patient goes for surgery?

- A. To reduce brain swelling
- B. To reduce infection
- C. To reduce the risk of seizures

Ans.....

20. The purpose of craniotomy include which of the following

- I. Evacuate a blood clot
- II. Relieve intracranial pressure
- III. Stop haemorrhage in the brain

- A. I and II
- B. I & III
- C. I, II and III

Ans.....

Following a fall from a coconut tree, Mr. Y, was rushed into the emergency unit on account of difficulty in breathing, inability to move all four limbs and lacerations at the back.

Use this scenario to answer questions 21-25.

21. In a suspected case of spinal cord injury, what would be the nurse's appropriate emergency care?

- A. Put patient in lateral position
- B. Put patient in supine position
- C. Turn patient regularly

Ans.....

22. When asked by the patient's relatives the reason for the difficulty in breathing, the nurse responds that it could be due to possible damage to which level of the spinal cord?

- A. C1-C4
- B. C5-C8
- C. T1-T6

Ans.....

23. Apart from the reported signs, which of the following problems are associated with spinal cord injury?

- A. loss of consciousness
- B. impaired vision
- C. incontinence to stool and urine

Ans.....

24. Upon arrival, the doctor orders for prednisolone to be administered immediately. The nurse understands the purpose of this drug is to

- A. reduce infection around the spinal cord
- B. reduce pain around the spinal cord
- C. reduce swelling around the spinal cord

Ans.....

25. Three (3) days after starting intravenous prednisolone, Mr. Y was able to raise the right leg but not against gravity. The nurse documents this muscle strength as

- A. 2 out of 5
- B. 3 out of 5
- C. 4 out of 5

Ans.....

Three fire fighters were rushed into the emergency unit A with burns sustained when attempting to quench fire in a building. Unfortunately, two of them died leaving only one. The survivor had sustained burns on the anterior trunk, and right arm.

Use this scenario to answer questions 26-30.

26. What is the Total Body Surface Area (TBSA) of the survivor's burns?

- A. 9%
- B. 18%
- C. 27%

Ans.....

27. Which of the following is associated with increased mortality in burns?

- A. Age greater than 50 yrs
- B. Inhalation injury
- C. Superficial burns over 40% total body surface area

Ans.....

28. Which of the following assessment findings would indicate a third degree burn?

- A. Absence of pain at the sight
- B. Blister formation
- C. Dark colouration of the skin

Ans.....

29. The objectives of managing a patient with burns would include which of the following?

- I. Prevention of deformity
- II. Prevention of infection
- III. Provision of adequate diet
- IV. Replacement of lost fluid and electrolyte

- A. I, III and IV
- B. I, II and III
- C. I, II, III and IV

Ans.....

30. The survivor has been scheduled for skin grafting. In selecting the donor site for skin grafts, which of the following criteria are taken into consideration?

- I. Achieving the closest possible colour match
- II. Considering the cosmetic effect of the donor site after healing
- III. Matching the texture
- IV. Obtaining the thickest possible skin graft without disturbing healing of the donor site

- A. II and IV
- B. I, II, III and IV
- C. I, II and IV

Ans.....

Mrs Loretta Asomafo, aged 34 years, is admitted and being managed for non-toxic goitre.

Use this scenario to answer questions 31-35

31. Which of the following could be the cause of Mrs Loretta's condition?

- A. Grave's disease
- B. Hashimoto's thyroiditis
- C. Toxic Multinodular goitre

Ans.....

32. In the case where hypothyroidism is suspected, the nurse will pay particular attention when assessing for which of the following signs and symptoms?

- A. Fatigue
- B. Fever
- C. Weight loss

Ans.....

33. Which of the following is an indication for surgical intervention of non-toxic goitre?

- A. Enlarged thyroid gland causing swallowing and respiratory problems
- B. Excessive secretions of the thyroid hormones
- C. Inadequate secretions of the thyroid hormones

Ans.....

34. When preparing Mrs. Loretta for thyroidectomy, which of the following medication will be given as part of preop medication?

- A. Levothyroxine
- B. Methimazole
- C. Propranolol

Ans.....