



(All rights reserved)  
METHODIST UNIVERSITY GHANA

**PATHOLOGY**

**MNUR 309**

**END-OF-FIRST SEMESTER EXAMINATION**

**TIME ALLOWED: 2 HOURS: 30 MINUTES**

**ANSWER ALL THE QUESTIONS ON THE QUESTION PAPER**

**LEVEL 300 DAY AND WEEKEND**

**DANSOMAN AND TEMA CAMPUS**

---

**INDEX NUMBER .....**

**CIRCLE THE APPROPRIATE ANSWER**

- 1) Which of the following is a cell death?
  - A. Apoptosis
  - B. Lipolysis
  - C. Glycogenesis
  - D. Gluconeogenesis
  
- 2) The single most important local factor causing delay in wound healing is :
  - A. Glucocorticoids.
  - B. Mechanical factors.
  - C. Infection.
  - D. Nutritional deficiency.

- 3) Healing by 1<sup>st</sup> intention:
- A. Operative covering of the wound by graft is the usual cause.
  - B. The surface of the wound is quickly covered by epithelium.
  - C. The process of wound healing takes longer than secondary intention.
  - D. Granulation tissue is absent.
- 4) A surgical wound heals by:
- A. Regeneration.
  - B. Organization.
  - C. Granulation tissue.
  - D. Primary intension.
- 5) These are factors help the process of skin wound healing, except:
- A. Cortisone.
  - B. Good vascularity.
  - C. Zinc.
  - D. Vitamin C.
- 6) The proper formation of collagen in a healing wound requires:
- A. High level of adrenocortical hormone.
  - B. Cholesterol.
  - C. Vitamin C.
  - D. Vitamin K.
- 7) Regeneration means:
- A. Replacement of the damaged tissue by fibrosis.
  - B. Replacement of the damaged tissue by new one of the same type.
  - C. Replacement of the damaged tissue by new one of different type.
  - D. None of the above.
- 8) Healing of wounds is more rapid in young persons than in the elderly because of :
- A. More innervation.
  - B. Less innervation.
  - C. More vascularity.
  - D. Less vascularity.

9) The following factors will delay healing of a bony fracture except:

- A. Stabilization.
- B. Infection.
- C. Misalignment.
- D. Interposed soft tissue.

10) The wrong statement about Healing by secondary intention is:

- A. Follows uninfected surgical incision approximated by surgical sutures.
- B. Presence of wound contraction.
- C. More intense inflammatory reaction.
- D. Larger amounts of granulation tissue.

11) The following factors promote repair, except:

- A. Young age.
- B. Zinc supplementation.
- C. Corticosteroids therapy.
- D. Vitamin C.

12) These are true for granulation tissue except:

- A. Moist.
- B. Sensitive.
- C. Resist infection.
- D. Bleeds easily on touch.

13) Which of the following is physical agent of cell injury?

- A. Hot Surface
- B. Dil. HCl
- C. Viruses
- D. Hypoxia

14) Hypoxia is occurs in following condition except

- A. Anaemia
- B. Carbon monoxide poisoning
- C. Lung disease
- D. Thyroid disease

15) Adaptation means reversible change in .

- A. Size of cell
- B. Functions of cell
- C. Phenotype of cell
- D. All of the above

16) Which of the above is not a cellular adaptation?

- A. Hyperplasia



- B. Metaplasia
  - C. Hypoplasia
  - D. Hypertrophy
- 17) Inflammation is differ from infection.
- A. True
  - B. False
- 18) Redness in inflammation is occur due to .
- A. Increase hydro static pressure
  - B. Vasoconstriction
  - C. Vasolidation
  - D. migration of leukocytes
- 19) Swelling in inflammation is also called .
- A. Ischemia
  - B. Edema
  - C. Vasodilation of blood vessels in dermis
  - D. Infiltration of neutrophil
- 20) The cell which lost ability to proliferate is called .
- A. Stable
  - B. Labile
  - C. Permanant
  - D. All of the above
- 21) Which of the following factors are delay the healing process?
- A. Infection
  - B. Poor blood supply
  - C. Movement
  - D. All of the above
- 22) What do you mean by autoimmune diseases?
- A. Hyper activity of immune responses
  - B. Hypo activity of immune responses
  - C. Decrease ability to identify between self & non -self
  - D. Increase ability to identify between self & non -self
- 23) The cellular response to injurious stimuli depends on.
- A. Nature of injury
  - B. Duration of injury
  - C. Severity of injury
  - D. All of the above
- 24) Which of the following is not a type of cellular adaptation?
- A. Hypectrophy
  - B. atrophy
  - C. Hyperplasia
  - D. Superplasia

- 25) All are complications of wound healing, except:
- A. Keloid formation.
  - B. Dermoid cyst.
  - C. Wound contraction deformity.
  - D. Loss of skin appendages.
- 26) The following is correct for the complication of bone fracture healing:
- A. Fibrous union.
  - B. Thromboembolism.
  - C. Fistula formation.
  - D. Malignant transformation.
- 27) Regarding wound healing:
- A. Granulation tissue appears by 3<sup>rd</sup> day.
  - B. Steroids promote healing.
  - C. Hypoxia can help healing process.
  - D. None of the above.
- 28) A "keloid" is a type of:
- A. Cancer.
  - B. Cellular hyperplasia.
  - C. Scar.
  - D. Infarct.
- 29) These are true about granulation tissue except:
- A. Contains fibroblast.
  - B. Always contain granulomas.
  - C. Contains thin-walled capillaries.
  - D. Actively contracts.
- 30) Following local factors can delay the healing of bone fractures, except:
- A. Compromised vascularity.
  - B. Immobilization.
  - C. Bacterial infection.
  - D. Radiation.
- 31) The processes involved in healing are all except:
- A. Induction of inflammation.
  - B. Proliferation of parenchymal cells.
  - C. Angiogenesis & granulation tissue formation.
  - D. None of the above.
- 32) Which of the following is NOT capable of regeneration?

- A. Epithelial tissue.
  - B. Cardiac tissue.
  - C. Skin.
  - D. Liver.
- 33) A large & deep damage to the skin is healed by:
- A. 2<sup>nd</sup> intention.
  - B. 1<sup>st</sup> intention.
  - C. Regeneration.
  - D. None of the above.
- 34) In healing of skin wound by 1<sup>st</sup> intention, the following features are seen before the 3<sup>rd</sup> day, except:
- A. Neutrophils appear at the margin of the damage.
  - B. Movement of epithelial cells from the wound edges.
  - C. Wound space is filled with granulation tissue & maximum neovascularization.
  - D. None of the above.
- 35) Regeneration means:
- A. Replacement of injured cells by proliferation of surviving cells of same type.
  - B. Replacement of injured tissue by granulation & fibrous tissue.
  - C. Both.
  - D. None.
- 36) This is not a feature of granulation tissue:
- A. A specialized type of repair tissue.
  - B. Newly formed capillaries and fibroblasts.
  - C. Red granular surface, moist, and bleeds easily.
  - D. Sensitive to touch.
- 37) Repair of the peripheral nerves occurs by:
- A. Resolution.
  - B. Organization.
  - C. Gliosis.
  - D. Regeneration.
- 38) The bone formation around a healing fracture is called:
- A. Woven bone.
  - B. Lamellar bone.
  - C. Osteoid bone.
  - D. Callus.



- 39) After injury, which cell type is the least likely to regenerate:
- A. Basal cells of epidermis.
  - B. Hepatocytes.
  - C. Neurons.
  - D. Cells of the endometrium.
- 40) The following lesion does not heal by 2<sup>nd</sup> intention
- A. Ulceration.
  - B. Infarction.
  - C. Surgical wound.
  - D. Abscess.
- 41) Organization means replacement of the damaged tissue by:
- A. New tissue of the same type.
  - B. New tissue of different type.
  - C. Granulation tissue.
  - D. None of the above.
- 42) The following are true about Granulation tissue except:
- A. Is a feature of wound healing.
  - B. Contains fibroblasts.
  - C. Contains thin-walled capillaries.
  - D. Often contains granuloma.
- 43) Types of healing include all except:
- A. Resolution.
  - B. Organization.
  - C. Regeneration.
  - D. Degeneration.
- 44) Which of the following statements is **true** about pathologic hypertrophy?
- A. It is always beneficial for the organ.
  - B. It occurs due to increased workload or hormonal stimulation.
  - C. **It often leads to organ dysfunction over time.**
  - D. It is primarily caused by a decrease in workload.
- 45) What is the best definition of melanoma?
- A. A benign proliferation of pigment-producing cells in the skin.
  - B. A malignant proliferation of pigment-producing cells in the skin or other organs.
  - C. A growth on the skin without any pigment production.
  - D. A field of pathology focusing on molecular abnormalities.
- 46) What does the term "microscopic" refer to?
- A. Visible only under a microscope and not with the naked eye.
  - B. A method used to enlarge images of macroscopic objects.
  - C. A tool for cutting tissues for pathological examination.
  - D. A process for identifying molecules in cells.

- 47) Which of the following best defines a microtome?
- A. A device used to magnify tissues for observation.
  - B. A sharp blade used for surgical excisions.
  - C. A laboratory instrument used to cut thin tissue sections for microscopic examination.
  - D. A dye used to stain tissues for better visualization.
- 48) What is a mole in dermatological terms?
- A. A malignant growth of pigment-producing cells in the skin.
  - B. A growth on the skin, which may or may not contain pigment.
  - C. A pigmented patch of skin larger than 6 mm.
  - D. A tissue abnormality visible only microscopically.
- 49) What is molecular pathology?
- A. A process for obtaining tissue samples using a needle.
  - B. A focus on clinical pathology only.
  - C. A field in pathology that integrates molecular studies of cells with clinical and anatomic pathology.
  - D. A laboratory technique for cutting tissues into thin sections.
- 50) Which of the following is not classified as an environmental factor causing disease?
- A. Physical agents
  - B. Genetic mutations
  - C. Chemical exposures
  - D. Nutritional deficiencies
- 51) Which of the following is an example of a physical agent that can cause disease?
- A. Exposure to radiation
  - B. Airborne viral infections
  - C. High-fat diet
  - D. Exposure to lead
- 52) Diseases caused by malnutrition are classified under which category of environmental factors?
- A. Immunological factors
  - B. Nutritional deficiencies and excesses
  - C. Chemical agents
  - D. Psychogenic factors
- 53) What is the term used to describe the progression of a disease in the absence of any intervention?
- A. Pathogenesis
  - B. Natural history of the disease
  - C. Clinical course of the disease
  - D. Disease prognosis
- 54) Which of the following is the period between exposure to a risk factor and the biological onset of a disease?
- A. Incubation period
  - B. Latency period
  - C. Clinical onset
  - D. Recovery phase



- 55) A healthcare provider examines a patient with a history of viral infection. Understanding the evolution of disease helps the provider to:
- A. Predict the progression from initial infection to clinical symptoms
  - B. Ignore the early symptoms and focus on the final stage
  - C. Only treat symptoms without identifying the cause
  - D. Prescribe general antibiotics without specific testing
- 56) Why is it important to study the signs and symptoms of a disease in pathology?
- A. To identify the disease quickly and ensure appropriate treatment
  - B. To focus solely on genetic diseases
  - C. To avoid examining minor symptoms
  - D. To disregard diseases that cannot be visually diagnosed
- 57) Understanding the nature, spread, and precautions of common diseases allows healthcare providers to:
- A. Avoid preventive measures and focus on treatment
  - B. Implement protocols that reduce the risk of disease transmission
  - C. Only treat patients with advanced symptoms
  - D. Focus on rare diseases rather than common ones
- 58) Why is the study of pathology important for nurses?
- A. It offers nurses a surface-level understanding of diseases, emphasizing memorization over in-depth comprehension, allowing them to recognize common symptoms.
  - B. It enables nurses to critically analyze the origins and mechanisms of diseases, linking cellular changes to clinical symptoms, thus supporting a more holistic and informed approach to patient care.
  - C. It helps nurses manage their workload by categorizing patients based on symptom severity alone, reducing time spent on understanding individual patient histories.
  - D. It provides nurses with minimal information about illnesses, focusing solely on treatment protocols without addressing underlying disease mechanisms.
- 59) How does knowledge of pathology enhance a nurse's understanding of disease etiology and pathogenesis?
- A. It enables nurses to offer supportive care without considering the underlying cause, focusing on symptom management rather than disease prevention or progression.
  - B. It allows nurses to make connections between causes of disease, risk factors, and how diseases develop, equipping them to provide preventive education and anticipate complications.
  - C. It equips nurses to perform clinical tasks strictly based on physician instructions, reducing the need to understand the disease process.
  - D. It reinforces a limited scope of knowledge where nurses identify common symptoms but are not involved in understanding disease pathways or progression.
- 60) What is the purpose of assigning an accession number to a specimen in pathology?
- A. To categorize the specimen based on the type of disease suspected
  - B. To provide a unique identifier for each specimen for accurate tracking and reference
  - C. To label the specimen with the patient's name
  - D. To indicate the specimen's size and tissue type
- 61) A patient presents with skin damage and discoloration caused by prolonged sun exposure. This condition would be described as:

- A. Actinic
- B. Carcinogenic
- C. Autolytic
- D. Anatomic

- 62) Which of the following areas falls under anatomic pathology?
- A. Genetic testing and analysis of blood cells
  - B. Cytopathology, surgical pathology, and autopsy evaluations
  - C. Biochemical analysis of body fluids
  - D. Administration of therapeutic treatments for tumors
- 63) In pathology, what does a biopsy involve?
- A. Creating a tissue block to observe microscopic structures
  - B. Removing tissue or cells from a living body to analyze for diagnostic purposes
  - C. Preparing wax-encased tissue sections for examination
  - D. Removing the entire organ for detailed examination
- 64) What is the primary focus of cytopathology?
- A. The study of tissue structures in large sections to identify disease
  - B. The examination of individual cells from body sites to determine the cause or nature of disease
  - C. Analysis of genetic material to predict future diseases
  - D. The study of blood only for signs of infection
- 65) What does "biological onset of disease" refer to?
- A. The appearance of clinical signs and symptoms
  - B. The initiation of the disease process at the cellular level
  - C. The recovery phase of the disease
  - D. The time period following medical intervention
- 66) The term incubation period is best described as:
- A. The period between exposure to an agent and the development of clinical symptoms
  - B. The time during which the disease resolves without intervention
  - C. The duration between clinical onset and recovery
  - D. The period after the biological onset of the disease
- 67) What distinguishes biological death from clinical death?
- A. Biological death is reversible with immediate resuscitation efforts.
  - B. Biological death involves irreversible cessation of all brain functions.
  - C. Clinical death occurs after biological death.
  - D. Clinical death includes permanent cellular destruction.
- 68) Which of the following is not a possible outcome when a cell is exposed to an injurious agent?
- A. Cellular adaptation
  - B. Reversible injury
  - C. Irreversible injury leading to cell death
  - D. Immediate mutation of the cell's DNA
- 69) What distinguishes necrosis from apoptosis?
- A. Necrosis is a programmed process, while apoptosis is accidental.
  - B. Necrosis involves uncontrolled cell death, while apoptosis is regulated.