



METHODIST UNIVERSITY GHANA
DEPARTMENT OF NURSING AND MIDWIFERY
BSC. NURSING: END OF FIRST SEMESTER
EXAMINATION: 2024/2025

**COURSE CODE/TITLE: MNUR 312 OBSTETRIC AND
GYNAECOLOGICAL NURSING**
(3 CREDITS)

INSTRUCTIONS:

ANSWER ALL QUESTIONS IN SECTION A

ANSWER SECTION A ON THE QUESTION PAPER

TIME ALLOWED: 1 HOUR, 30 MINUTES

**SECTION A: ANSWER ALL QUESTIONS IN THIS BY
CIRCLING THE MOST APPROPRIATE ANSWER
FROM (A-D). ONE MARK IS ASSIGNED TO EACH
QUESTION**

EXAMINER: FAUSTINA AGYEMAN

1. The kegel's exercise is done in pregnancy in order to:
 - A. Prevent leg varicosities
 - B. Relieve backache and oedema
 - C. Strengthen perineal muscles
 - D. Strengthen abdominal muscles

2. The structure in the female genitalia which is analogous to that in the male genitalia is known as:
 - A. Prepuce
 - B. Frenulum
 - C. Clitoris
 - D. Fourchette

3. The following are the functions of amniotic fluid **EXCEPT**:
 - A. Cushions, the fetus from abdominal trauma
 - B. Serves as a nutrient for the fetus
 - C. Maintains the external temperature
 - D. Facilitates fetal movement

4. The following are functions of the placenta **EXCEPT**:
 - A. Exchange
 - B. Protection
 - C. Secretion
 - D. Reproduction

5. The bones of the vault of the foetal skull are formed from
 - A. Cartilages
 - B. Fontanelles
 - C. Head bones
 - D. Membranes

6. Fertilization usually occurs in the..... region of the fallopian tube.
 - A. Ampullary
 - B. Fimbrial
 - C. Isthmus
 - D. Cornual

7. In describing the umbilical cord to a newly delivered mother the nurse says that, the average length of the umbilical cord in humans is:
 - A. 20 cm
 - B. 30 cm
 - C. 50 cm
 - D. 60cm

8. The axillary tail of spence is a structure found in the:
 - A. Breast
 - B. Bladder
 - C. Placenta
 - D. Uterus

9. The functional part of the ovary is known as:

- A. Cortex
- B. Hilum
- C. Medulla
- D. Mesovarium

10. Which of the hormones below controls the passage of milk?

- A. Oestrogen
- B. Oxytocin
- C. Progesterone
- D. Prolactin

11. The neurohormonal reflex is also known as:

- A. moro reflex
- B. let-down reflex
- C. rooting reflex
- D. suckling reflex

12. The position of the uterus is that of:

- A. Anteversion and anteflexion
- B. Anteversion and dorsiflexion
- C. Retroversion and dorsiflexion
- D. Retroversion and anteflexion

13. The pain experienced by women during their mid-cycle is termed:

- A. Abor vitae
- B. Cordaequine
- C. Spinnbarkheit
- D. Mittleschmerz

14. Which of the following fetal positions is most favorable for child birth?

- A. Frank breech presentation
- B. Occipito anterior position
- C. Transverse lie
- D. Vertex presentation

15. A client at term states, "I would like to breastfeed, but my mother-in law told me my breast are too small and I won't have enough milk for my baby". The best response by the nurse would be which of the following?

- A. "milk production is increased by the hormone oestrogen you can ask your doctor for a prescription to take"
- B. "the size of the breast doesn't matter. All women have the same amount of milk producing tissue"
- C. "your breast are small but if you don't produce enough milk, you can give the baby some formula"
- D. "you will produce more milk if you use a breast pump and then give it to your baby in a bottle"

16. What is the approximate time that the blastocyst spends travelling to the uterus for implantation?

- A. 2 days
- B. 4 days

- C. 7 days
- D. 10 days

17. The pituitary hormone that stimulates the production of milk from the mammary glands is:

- A. Prolactin
- B. Oxytocin
- C. Estrogen
- D. Progesterone

18. The pad of subcutaneous adipose tissues lying in front of the pubis in females is known as:

- A. Labia majora.
- B. Mons veneris.
- C. Clitoris
- D. Labia minora.

19. The vaginal pH from puberty to menopause is acidic mainly because of the presence of which microorganism?

- A. Acidophilus bacillus.
- B. Doderlein's bacilli.
- C. E.Coli.
- D. Klebsiella.

20. The pouch of Douglas is related to the vaginal canal

- A. Superiorly.
- B. Laterally.
- C. Posteriorly.
- D. Anteriorly.

21. In the second stage of labour the uterine contractions are aided by the:

- A. Anal and abdominal muscles
- B. Anterior and posterior pelvic floor muscles
- C. Bladder and pelvic floor muscles
- D. Diaphragm and abdominal muscles

22. The active phase of labour is described as:

- A. Period of full dilation till the expulsion of the foetus
- B. Period when the cervix dilate from 4cm until about 7cm
- C. Period when the cervix dilate from 4cm until 10 cm
- D. Period when the cervix is 8-10cm

23. Which statement below best describes the retraction ring?

- A. Neuromuscular harmony between the lower and upper uterine segment
- B. The demarcation between the lower and upper uterine segment
- C. The demarcation between the upper and lower uterine segment when it is overstretched
- D. When there is thinning and lengthening of the lower uterine segment

24. The nurse teaching a client describes the cardinal mechanism of labour to follow which of the following sequence?

- A. Descent, flexion, lateral flexion, internal rotation, external rotation, restitution, crowning
- B. Descent, flexion, internal rotation, extension, restitution, external rotation, lateral flexion
- C. Flexion, descent, external rotation, restitution, internal rotation, crowning, lateral flexion
- D. Flexion, descent, internal rotation, crowning, extension, restitution, external rotation, lateral flexion

25. The onset of the 2nd stage of labour can be positively confirmed when:

- A. Foetal head is visible in the vagina
- B. Mother vomits
- C. Mother feels expulsive contractions
- D. No cervix is felt on vaginal examination

26. The discharge from the vagina during the first 3 to 4 days after delivery is known as:

- A. Lochia alba
- B. Lochia serosa
- C. Lochia nigra
- D. Lochia rubra

27. During the puerperium, there is breakdown of muscle tissue, this process is known as:

- A. Pathogenesis
- B. Autolysis
- C. Ischaemia
- D. Proteolysis

28. The phospholipid in the lungs which helps to reduce surface tension in the alveoli after birth is called:

- A. Sulphur
- B. Surfactant
- C. Glycogen
- D. Lysozyme

29. Ama Gyasiwaa delivered a baby girl at the labour ward with a heartbeat of 90bpm and an irregular respiration but the colour was all pink. The baby also sneezed and there was some flexion of the limbs. Using the Apgar what will be score of the baby at 1 minute?

- A. 5
- B. 6
- C. 7
- D. 8

30. Madam Fofo was diagnosed with threatened abortion. Which of the following is a sign of her condition?

- a) Severe vaginal bleeding
- b) Open cervical os
- c) Slight vaginal bleeding
- d) Expulsion of foetal parts

31. Why should a midwife avoid vaginal examination in a pregnant woman with vaginal bleeding? a) It may cause additional anxiety
b) It can lead to infection
c) It may aggravate the bleeding
d) It is unnecessary
32. A nurse is caring for a puerperal woman who had placenta previa, reviews her plan of care and prepares to monitor the client for which of the following complications
- A. Disseminated intravascular coagulation
 - B. Chronic hyper tension
 - C. Infection
 - D. Post Partum Hemorrhage
33. The role played by the oblique muscle layer of the uterus during the 3rd stage of labour is to:
- A. Control bleeding
 - B. Dilate os
 - C. Expel the fetus
 - D. Efface the os
34. During which phase of the menstrual cycle does embedment of the blastocyst occur?
- A. Follicular phase
 - B. Luteal phase
 - C. Secretory phase
 - D. Ovulatory phase
35. Which of the under-mentioned pelvic floor muscle is considered as the most important due to its function and location?
- A. Ischiocarvenosus
 - B. Ischeococcygeus
 - C. Bulbocarvenosus
 - D. Pubococcygeus
36. The following are all effects of untreated pelvic floor trauma except:
- A. Cystocele
 - B. Stress incontinence
 - C. Cervical polyps
 - D. Cervical prolapsed
37. Which of the following terms applies to the tiny, blanched, slightly raised end arterioles found on the face, neck, arms, and chest during pregnancy?
- A. Epulis
 - B. Linea nigra
 - C. Striae gravidarum
 - D. Spider naevi
38. A nurse is reviewing the record of a client who has just been told that a pregnancy test is positive. The physician has documented the presence of a Goodell's sign. The nurse determines this sign indicates:
- A. A softening of the cervix

- B. A soft blowing sound on auscultation of uterus
- C. The presence of hCG in the urine
- D. The presence of fetal movement

39. The nurse is aware that an adaptation of pregnancy is an increased blood supply to the pelvic region that results in a purplish discoloration of the vaginal mucosa, which is known as:

- A. Ladin's sign
- B. Hegar's sign
- C. Goodell's sign
- D. Chadwick's sign

40. The following are all effects of untreated pelvic floor trauma **EXCEPT:**

- A. Cystocele
- B. Stress incontinence
- C. Cervical polyps
- D. Cervical prolapsed

Use the case history below to answer questions 41-43

Madam Akosua, a 25year old woman is on admission at the gynaecology ward in your facility with the diagnosis of ectopic pregnancy.

41. Which of these is **not** a sign or symptom of ectopic pregnancy?

- A. Lower abdominal pain
- B. Purulent discharge
- C. Syncope
- D. Vaginal bleeding

42. The most common site of implantation of her pregnancy is likely to be in the

- A. Ampulla
- B. Cervix
- C. Interstitial
- D. Vagina

43. All of these will be done to aid her diagnosis **EXCEPT:**

- A. Echocardiogram
- B. High level of HCG
- C. History of amenorrhea
- D. Transvaginal ultrasound

44. Which part of the blastocyst produces human chorionic gonadotrophin?

- A. Body stalk
- B. Cytotrophoblast
- C. Mesoderm
- D. Syncytiotrophoblast

45. The deep pelvic floor muscles can also be referred to as?

- A. Coccygeal muscles
- B. Hammock muscles
- C. Perineal body
- D. Transverse perineal muscle

46. Which of the under listed is **NOT** a predisposing factor of ectopic pregnancy?

- A. Intrauterine contraceptive device
- B. Pelvic inflammatory disease
- C. Post partum haemorrhage
- D. Failed Tubal ligation

47. To reduce the incidence of neural tube defect such as spinal bifida, women of child bearing age are recommended to consume;

- A. Foods high in vitamin c
- B. Foods high in folic acid
- C. Foods high in iron
- D. Food high in protein

48. Why is Cesearian section the preferred mode of delivery in complete placenta prea via?

- A. To prevent maternal exhaustion
- B. To reduce labour pain
- C. To prevent torrential haemorrhage and fetal asphyxia
- D. To hasten delivery

49. A client at 12 weeks' gestation has just been told that she is carrying dizygotic twins. She asks the nurse what the difference is between monozygotic and dizygotic twins. Which of the following explanations by the nurse would be **most** accurate?

- A. Dizygotic twins come from one fertilized egg that split.
- B. Dizygotic twins come from two different eggs and sperm.
- C. Monozygotic twins come from two different eggs and sperm.
- D. Monozygotic twins come from one egg and two sperm.

50.. Which of the following methods are appropriate for counteracting rumors and misconceptions about contraceptives?

- A. Finding where the rumors came from and checking to see if there is any basis for it
- B. Giving less information so the client is not confused.
- C. Not telling the client about side effects because it might make them frightened.
- D. Using strong scientific facts to counteract misinformation.

51. Besides a miscarriage, which of the following is another major risk in the first trimester of pregnancy?

- A. Ectopic pregnancy
- B. Premature delivery
- C. Pre-eclampsia
- D. Placenta abruptio

52. Which of the following can be considered as a maternal cause of abortion?

- A. Chromosomal abnormality
- B. Disease fertilized ovum
- C. Cervical incompetence
- D. Poor implantation of blastocyst

53. Monitoring contractions is very important during labour. To monitor uterine contractions, what should the obstetric nurse do?

- A. Check the duration of contraction when the client begins to shout
- B. Instruct the client to take note of the duration of contractions
- C. Observe for the clients facial expression to know that the contraction has started or stopped.
- D. Spread the fingers over the fundus to monitor the contractions

54.. You are performing abdominal examination on a woman who is 9 month pregnant. While lying supine, she felt dizzy, had pallor and tachycardia. The correct assessment of the woman's condition is; she is:

- A. experiencing the beginning of labour
- B. going into shock
- C. having sudden elevation of blood pressure
- D. having supine hypotension

55. You want to perform a pelvic examination on one of your pregnant clients. You prepare your client for the procedure by:

- A. Asking her to empty her bladder
- B. Doing a vaginal preparation
- C. Giving the client a perineal care
- D. Taking her vital signs and recording it

56. In the latter part of the 3rd trimester, the mother may experience shortness of breath. This complaint may be explained as:

- A. A normal occurrence in pregnancy because the fetus is using more oxygen
- B. The fundus of the uterus is high, pushing the diaphragm upwards
- C. The woman is having an allergic reaction to the pregnancy and its hormones
- D. The woman may be experiencing a complication of pregnancy

57. The cluster of cells that is formed immediately after fertilization is known as?

- A. Blastocyst
- B. Inner cell mass
- C. Morula
- D. Zygote

58. During the embryonic development the ectoderm, mesoderm and endoderm together forms the.....

- A. Amniotic sac