

- B. Embryonic plate
- C. Inner cell mass
- D. Trophoblast

59. The human milk is produced in the female breast by the:

- A. Acini cells
- B. Alveoli cells
- C. Lactiferous ducts
- D. Myoepithelia cells

60. Which of the structure listed below slows down the passage of the fertilised ovum in the fallopian tube?

- A. Arbor vitae
- B. Infundibulum
- C. Isthmus
- D. Plicae

61. If a woman's cycle is 35 days, which of the following is responsible for the difference in the cycle.

- A. Menstrual
- B. Ovulatory
- C. Regenerative
- D. Secretory

62. Papanicolaou smear is usually done to determine cancer of;

- A. Breast
- B. Cervix
- C. Fallopian tubes
- D. Ovaries

63. The first foetal movement felt by the mother is known as:

- A. Ballottement
- B. Engagement
- C. Lightening
- D. Quickening

64. The cervix has the following features?

- I. Contains a well formed canal
- II. Has a junction of squamous and columnar epithelium
- III. Has an internal and external os
- IV. Secretes acid mucus
- A. I, II, III
- B. II, III, IV
- C. I, II, IV
- D. I, II, III, IV

65. Which one of the following can be described as relating anteriorly to the upper vagina?

- A. Anus
- B. Fornices
- C. Pouch of Douglas
- D. Urinary bladder

66. The enzyme responsible for the breakdown of bilirubin during haemolysis is known as:

- A. Glucose 6 phosphate dehydrogenase

- B. Glucose 6 dehydrogenase
- C. Glucoronyl transferase
- D. Glucoronyl dehydrogenase

67. The following are normal characteristics of a newborn

- I. The colour is pink
 - II. Has a prominent abdomen
 - III. Lies in an attitude of flexion
 - IV. Has a lean body
- A. I, II, AND III
 - B. I, II AND IV
 - C. II III AND IV
 - D. I, III AND IV

68. The endometrium of the pregnant uterus is known as?

- A. Chorionic villi.
- B. Decidua.
- C. Trophoblast.
- D. Morula.

69. Madam Gloria who is 10 weeks pregnant reported to you antenatal clinic with the complaint of headache, chills, pyrexia and vomiting. She was later diagnosed with severe Malaria, which of the following medication would you recommend for her treatment

- A. Amodiaquine-artesunate
- B. Artemeter-lumefantrine
- C. Intravenous/ tablet Quinine
- D. Sulphadoxine-pyrimethamine

70. In a lecture on sexual functioning, the nurse plans to include the fact that ovulation occurs when the:

- A. Oxytocin is too high
- B. Blood level of LH is too high
- C. Progesterone level is high
- D. Endometrial wall is sloughed off.

71. During a client's physical examination, the nurse notes that the lower uterine segment is soft on palpation. The nurse would document this finding as the:

- A. Hegar's sign
- B. McDonald's sign
- C. Chadwick's sign
- D. Goodell's sign

72. Which haemoglobin results represents the lowest acceptable value for a woman in the third trimester of pregnancy?

- A. 10.5 g/dl
- B. 11 g/dl
- C. 12 g/dl
- D. 13 g/dl

73. The process of stimulation of uterine contractions (both in frequency and intensity) that are already present but found to be inadequate is known as?

- A. Induction of labour.

- B. Augmentation of labour.
- C. Stripping the membrane.
- D. Cervical ripening.

74. The nurse is aware that an adaptation of pregnancy is an increased blood supply to the pelvic region that results in a purplish discoloration of the vaginal mucosa, which is known as:

- A. Ladin's sign
- B. Hegar's sign
- C. Goodell's sign
- D. Chadwick's sign

75. Which of the layers of the myometrium is the outermost layer?

- A. The circular muscles
- B. The transverse muscles
- C. The longitudinal muscles
- D. The oblique muscles

76. The frenulum and prepuce of the clitoris are formed by the?

- A. Fossa Navicularis
- B. Mons veneris
- C. Labia majora
- D. Labia minora

77. The dilated portion of the lactiferous duct where milk is stored is known as:

- A. Alveolus
- B. Myoepithelial cells
- C. Ampulla
- D. Nipple

78. Which of the following statements describe the third stage of labour correctly?

- A. Begins once baby is born and ends when bleeding stops from the vagina
- B. Begins once baby and placenta is expelled ends when uterus contracts
- C. Begins once baby is born and ends when placenta and membranes are expelled.
- D. Begins when the cervix is fully dilated till the baby is delivered and bleeding is controlled

79. All of the following are monitored in the mother during the fourth stage of labour except

- A. Contraction of the uterus
- B. Involution of the vagina
- C. Mother's vital signs
- D. Vaginal bleeding

80. Madam Adwoa visited the postpartum clinic on the tenth (10) day after her delivery. During her physical examination the obstetric nurse expects the level of the uterus to be at

- A. between symphysis pubis and umbilicus
- B. Just above symphysis pubis or not palpable
- C. Just below the level of the umbilicus
- D. Just above the umbilicus or close to the breast

81. During the fourth stage of labour Madam Araba complains of after pain. An obstetric nurse in explaining her condition to her, outlines the sequence of "after pain" to Madam Araba.

- A. Baby suckle –oxytocin released –uterus contracts- after pain
- B. Baby suckle –uterus contracts- oxytocin released –after pain
- C. Uterus contracts- baby suckle –oxytocin released –after pain
- D. Baby suckle –perinium contracts- oxytocin released –after pain

82.The obstetric nurse administers a single dose of vitamin K intramuscularly to a new –born after birth to promote

- A. Blood clotting system
- B. Conjugation of bilirubin
- C. Enhance breastfeeding
- D. Prevention of infection

83.Which action best explain the main role of surfactant in the neonate

- A. Assist with ciliary body maturity in the upper airway
- B. Helps maintain a rhythmic breathing pattern
- C. Help the lungs remain expanded after the initiation of breathing
- D. Promotes clearing mucus from the respiratory tract

84.A mother of a term baby asks what the thick, white, cheesy coating on her baby's skin is. Which of the following correctly describe this finding?

- A. Lanugo
- B. Milia
- C. Nervusflammeus
- D. Vernix

85.Madam Afi just delivered a baby girl at the labor ward where you are working. When do you think it's appropriate to initiate breastfeeding.

- A. After 30minutes
- B. Any time she wants
- C. Within 30minutese
- D. Within 60minutes

86.When conducting an abdominal examination on a pregnant woman at the Antenatal clinic. The obstetric nurse will go through which of the following steps

- A. Auscultation, Inspection and Palpation
- B. Inspection, Palpation and Auscultation
- C. Inspection, Auscultation and Palpation
- D. Palpation, Inspection and Auscultation

87.Madam Vivian a 32years old primip has just been treated for septic abortion, the following are all short term complications she can develop Except...

- A.Infertility
- B. Pyelonephritis
- C. Septicaemia
- D. Septic shock

88.Which of the following statements below is true about placenta abruption ?

- A. Bleeding is associated with enlargement of uterus
- B. Bleeding starts as small recurrent hemorrhage

- C. Blood loss is accompanied by pain
- D. Recent history of headache and visual disturbances

89. Which of the following is not a consideration in the management of a client with placenta previa

- A. The amount of blood loss
- B. The woman's ability to cope
- C. The location of the placenta
- D. The stage of the pregnancy

90. What will be your description of Madam Aku's condition, who reported to your facility with bleeding from the genital tract after 34 weeks of gestation and before the onset of labour

- A. Antepartum hemorrhage
- B. Ectopic pregnancy
- C. Intrapartum hemorrhage
- D. Postpartum hemorrhage

91. After the separation of the placenta, arrest of haemorrhage is achieved through the following factors except?

- A. Manual compression of the placenta
- B. Fibrinolytic system activation
- C. Contraction and uterine wall in apposition
- D. Retraction of oblique muscle fibres

92. A situation following a missed abortion where the zygote is surrounded by layers of blood is known as:

- A. Blood mole
- B. Caneous mole
- C. Decidual mole
- D. Tubal mole

93. The most effective home remedy for the treatment of Pruritus Vulvae include

- A. Use warm water and a gentle cleanser to wash your genital area.
- B. Use scented soap, lotions and bubble bath to reduce itching.
- C. Use expensive feminine hygiene products such as sprays and douches
- D. Wearing of wet panties to prevent friction on the vulvae

94. Which of the following is NOT considered as a treatment regime for ovarian cysts

- A. Hysterectomy
- B. Health lifestyle
- C. Laparoscopy
- D. Use of oral pills

95. Before the placenta functions, the corpus luteum is the primary source for synthesis of which of the following hormones.

- A. Cortisol and thyroxine

- B. Oestrogen and progesterone
- C. Leutinizing and follicle stimulating
- D. Prolactin and oxytocin

96. Ama Gyasiwaa delivered a baby girl at the labour ward with a heartbeat of 90bpm an irregular respiration but the colour was all pink. The baby also sneezed and there was some flexion of the limbs. Using the Apgar, what will be the score of the baby at 1 minute.

- A. 5
- B. 6
- C. 7
- D. 8

97. Two(2)hours after Madam Dorcas was give Pethidine she delivered a baby girl who was asphyxiated. Which of the following drugs of choice would you recommend to be given to the baby?

- A. Naloxone hydrochloride
- B. Sodium bicarboante
- C. Dexamethazone
- D. 5% Dextrose saline

98. Which of the following methods of placental separation does the seperation begin from the middle of the placenta?

- A. Matthew Duston method
- B. Matthew Duncan method
- C. Schultze method
- D. Schultze Duncan method

99. During neonatal resuscitation the obstetric nurse's focus or aim include the following:

- I. Thermal protection ,correction of acidosis
- II. Prevention of hypothermia, effective circulation
- III. Maintain clear airway and good ventilation
- IV. Maintain good oxygenation and feeding

- A. I, II & III
- B. II, III & IV
- C. I, III & IV
- D. I, II, & IV

100. During resuscitation of a newborn the nurse observed that baby had acidosis. Which of the following drugs of choice would you recommend she gives to the baby?

- A. Naloxone hydrochloride
- B. Sodium bicarboante

C. Dexamethazone

D. 5% Dextrose saline

101. During the fourth stage of labour the baby is also monitored carefully. All of the following are key factors to pay attention to **EXCEPT**:

- A. Crying rate
- B. Feeding
- C. Respiration
- D. Temperature

102. How often do you have to check and record the cervical dilatation on the partograph during labour?

- A. 1 hourly
- B. 2 hourly
- C. 4 hourly
- D. 6 hourly

103. Lactation amenorrhoea is a kind of periodic abstinence in which chances of fertilization is prevented up to a maximum period after delivery of

- A. One month
- B. One year
- C. Six months
- D. Two months

104. What will Madam Anima's expected date of delivery be if the date for her last normal menstrual period was 20th September 2014?

- A. 27th July 2014
- B. 26th July 2015
- C. 27th June 2015
- D. 26th June 2014

105. Which of the under listed ligaments mainly supports the breast?

- A. Broad ligaments.
- B. Cooper's ligaments.
- C. Ligamentum fascia.
- D. Ovarian ligaments.

106. The vertex of the foetal skull is bounded by:

- A. Anterior and posterior fontanelles and parietal eminence.
- B. Glabella, anterior fontanelles and temporal bones.
- C. Mentum, glabella and facial bones.
- D. Parietal eminences, anterior fontanelles and occiput.

107. After the third stage of labour the client is encouraged to empty the bladder frequently because a full bladder:

- A. Prevents descent of the foetal head
- B. Prevents the uterus from contracting well
- C. Leads to vesico-vaginal fistula
- D. Causes recto-vaginal fistula

108. During resuscitation of a baby after birth using the ambu bag, how many breaths are given per minute?

- A. 20 breathes per minute
- B. 30 breathes per minute
- C. 40 breathes per minute
- D. 50 breathes per minute

109. In the latter part of the 3rd trimester, the mother may experience shortness of breath. This complaint may be explained as:

- A. A normal occurrence in pregnancy because the fetus is using more oxygen
- B. The fundus of the uterus is high pushing the diaphragm upwards
- C. The woman is having allergic reaction to the pregnancy and its hormones
- D. The woman may be experiencing complication of pregnancy

110. The pelvis is made- up of which of the following bones?

- A. Ilium, ischium & pubis.
- B. Ilium, ischium, pubis, sacrum & coccyx.
- C. Sacrum, Ischium, ilium & pubis.
- D. Trochanter, sacrum, coccyx, ilium & pubis.

111. A postmenopausal woman undergoes an ultrasound, and her ovaries appear small and shrunken. What is the most likely reason for this?

- A. Hormonal changes leading to loss of ovarian function
- B. Increased development of new follicles
- C. Hypertrophy of the ovarian tissue
- D. Increased blood supply to the ovary

112. A nurse is explaining ovulation to a patient trying to conceive. What advice should she give about the best time to have intercourse?

- A. During menstruation
- B. Just after ovulation has occurred
- C. A few days before and around ovulation
- D. After the secretory phase

Use the case history below to answer question 113- 115

Madam Ama reported to your A.N.C with complain of extreme, persistent nausea and vomiting which occurred throughout the day, inhibiting her ability to do her household chores.

113. As an obstetric nurse, what will be your diagnosis for her condition?

- A. Hydatidiform mole
- B. Hyperemesis gravidarum
- C. Multiple pregnancy
- D. Polyhydraminous

114. Which of the medication below will be your drug of choice in her management

- A. Artemeter and Lumefantrine
- B. Avomine and Metacloperamide
- C. Methyldopa and Phenegan

EXAMINER: FAUSTINA AGYEMAN

17

D. Promethazine HcL and Pethidine

115. What education would you **NOT** give her on discharge

- A. Continue with iron supplements.
- B. Eating small, frequent meals.
- C. Eating bland foods.
- D. Sucking on ginger and or minty toffees

From question 116 to 120 match the following terms in column A to its appropriate meaning in column B

QUESTION	COLUMN A	ANSWER	COLUMN B
116.	Menorrhagia		A. bleeding in between menstrual periods
117.	Metrorrhagia		B. reduction in the number of days or the amount of menstrual flow
118.	Amenorrhoea		C. Painful cramps before or during menstruation
119.	Hypomenorrhoea		D. Heavy and excessive menstrual bleeding
20.	Dysmenorrhoea		E. Absence of menstruation for more than six months
			F. infrequent menstruation (greater than 35 days)
			G. cyclical bleeding that is both excessive and too frequent