


CANDIDATE'S NUMBER:..... SIGNATURE:.....

METHODIST UNIVERSITY COLLEGE GHANA



FACULTY OF SCIENCE

DEPARTMENT OF NURSING & APPLIED SCIENCE

(DANSOMAN & TEMA COMPUS)

END OF FIRST SEMESTER EXAMINATION, 2024/2025

B.S.c REGISTERED GENERAL NURSING

COURSE CODE: MNUR 401

COURSE TITLE: MENTAL HEALTH NURSING

TIME: 2 Hours

Lectures: Ebenezer Anokwah

INSTRUCTIONS:

1. DO NOT OPEN THE BOOKLET UNTIL YOU ARE TOLD TO DO SO
2. READ THE QUESTIONS CAREFULLY AND PROVIDE ONLY RELEVANT ANSWERS
3. WRITE CLEARLY IN THE SPACES PROVIDED OR CIRCLE APPROPRIATELY USING A BLUE PEN
4. STOP WRITING AS SOON AS YOU ARE INSTRUCTED TO DO SO
5. REMAIN IN YOUR SEAT UNTIL THE PAPERS ARE COLLECTED

EXAMINER: EBENEZER ANOKWAH

Page 1 of 20

CANDIDATE'S NUMBER:..... SIGNATURE:.....

1. A 76-year-old man is weeping and is quite agitated following the death of his wife from cancer just 6 hours ago. He is not following anyone to talk with or comfort him. He repeats, "I can't go on without her. I don't know what I am going to do." The nurse includes in the plan of care:
 - A. calling family members
 - B. nutritional needs
 - C. sleep and rest
 - D. suicide precautions

2. Which of the following are common types of delusions in schizophrenia?
 - I. Depersonalization
 - II. Grandiose delusions
 - III. Nihilistic delusions
 - IV. Paranoid delusions
 - A. I, II, III
 - B. I, II, IV
 - C. II, III, IV
 - D. I, III, IV

3. Which of the following factors contribute to a rise in depression among elderly people?
 - A. Isolation and loneliness
 - B. Lack of effective support system
 - C. Reduced self-esteem
 - D. Struggle to cope with trauma

4. Electroconvulsive therapy (ECT) treatment is thought to alleviate symptoms of depression by which of these actions?
 - A. Changing neurotransmitters levels in the brain cells
 - B. Curing any brain injury
 - C. Enhancing the efficacy of psychotropic drugs
 - D. Stimulating the thyroid gland

5. The nurse is teaching a new group of mental health aides. The nurse should teach the aides that setting limits is **most** important for a/an:
 - A. anxious patient.
 - B. depressed patient.
 - C. manic patient.
 - D. suicidal patient.

6. The nurse is caring for a patient in an acute manic state. What is the **most** effective nursing action for this patient?
 - A. Assigning him to group activities
 - B. Assisting him with self-care
 - C. Helping him express his feelings
 - D. Reducing his stimulation

7. Which of the following are examples of delusional thinking?
- I. Believing that one has special powers
 - II. Feeling that others are plotting against oneself
 - III. Hearing voices that others do not hear
 - IV. Having unfounded fears of being poisoned
- A. I, II, III
B. I, II, IV
C. II, III, IV
D. I, III, IV
8. The nurse is caring for a patient with schizophrenia. Which of the following outcomes is **least** desirable? The patient:
- A. demonstrates the ability to meet his own self-care needs.
 - B. does not engage in delusional thinking.
 - C. does not harm himself or others.
 - D. spends more time by himself.
9. A patient is known to express tangential thinking. The nurse would assess for which of the following when interacting with the patient?
- A. Excessive and fast talking about an array of ideas
 - B. Jumping from one idea to another
 - C. Stopping abruptly in the middle of expressing himself
 - D. Wandering off the topic and never answering the question
10. The nurse is planning care for a patient admitted to the psychiatric unit with a diagnosis of paranoid schizophrenia. Which nursing diagnosis should receive the **highest priority**?
- A. Imbalanced nutrition
 - B. Impaired verbal communication
 - C. Ineffective coping
 - D. Risk for self- or other-directed violence
11. A **priority** nursing intervention initiated with a patient diagnosed of paranoid schizophrenia is to:
- A. develop a trusting relationship with her
 - B. encourage her to find other interests
 - C. help her substitute feeling for her mother
 - D. tell her to forget the past
12. A thinking that is delayed and indirect in reaching the point of communication due to unnecessary details and tedious explanations is known as:
- A. circumstantiality
 - B. perseveration
 - C. tangentiality
 - D. verbigeration

CANDIDATE'S NUMBER:..... SIGNATURE:.....

13. Which one of these measures is the **most appropriate** approach by the nurse to control manic patient who monopolizes a group therapy session?
- A. Ask the patient to leave
 - B. Refer the patient to another group
 - C. Suggest that the patient stop talking and try listening to others
 - D. Tell the patient to stop monopolizing the group
14. A patient has received treatment for depression for three weeks. Which behaviour suggests that the patient is recovering from depression? The patient:
- A. shows no emotion when visitors leave.
 - B. spends most of the day sitting alone in the corner of the room.
 - C. talks about the difficulties of returning to college after discharge.
 - D. wears a hospital gown instead of street clothes.
15. A patient states, "I am a bird, you know, rat, cat, no one knows. He, That it." This is an example of:
- A. associative looseness
 - B. cognitive distortion
 - C. flight of ideas
 - D. word salad
16. A patient is admitted with a diagnosis of paranoid personality disorder. Which signs would this patient exhibit during social situations?
- A. Aggressive behaviour
 - B. Emotional affect
 - C. Independence needs
 - D. Paranoid thoughts
17. A patient with schizophrenia who receives fluphenazine (Prolixin) develops pseudoparkinsonism and akinesia. What drug would the nurse administer to minimize extrapyramidal symptoms?
- A. Benztropine (Cogentin)
 - B. Clonazepam (Klonopin)
 - C. Dantrolene (Dantrium)
 - D. Diazepam (Valium)
18. The nurse is caring for a patient who is experiencing false sensory perceptions with no basis in reality. These perceptions are known as:
- A. delusions.
 - B. hallucinations.
 - C. loosening associations.
 - D. verbigeration
19. Which of the following is a core component of psychiatric nursing practice?
- A. Administering medications
 - B. Conducting medical surgeries
 - C. Performing physical examinations
 - D. Providing psychotherapy

EXAMINER: EBENEZER ANOKWAH

Page 4 of 20

4

20. A patient suffers from depression after the accidental death of her daughter. After a suicide attempt, the patient is admitted to the psychiatric unit. During the admission interview, the patient tells the nurse that she no longer wants to die. The nurse should:
- avoid any further discussion of suicide, unless the patient brings up the topic.
 - inspect the patient's personal belongings for potentially dangerous objects.
 - place the patient in a private room, away from the nurses' station, so that she has privacy to work through the stages of the grieving process.
 - suggest that the patient no longer requires close observation.
21. Which of the following neurotransmitters are most commonly associated with depression?
- Dopamine
 - GABA
 - Norepinephrine
 - Serotonin
- I, II, III
 - I, III, IV
 - II, III, IV
 - I, II, IV
22. In providing supportive therapy to the depressed patient, the nurse is aware that depression is often caused by the repression of:
- anger
 - anxiety
 - fear
 - grief
23. One morning, the patient says to the nurse. "I do love my mother, but sometimes I wish she would just go ahead and die." This statement reflects feelings of:
- ambivalence
 - anxiety
 - conflict
 - conversion
24. A nurse is caring for a patient who has bipolar disorder and in manic state. The **most appropriate** choice of meal for the patient would be:
- banana or roasted ripe plantain
 - beef stew and rice
 - macroni and waakye
 - okro soup and banku
25. The nurse encourages the patient with mania to meet nutritional needs. Which is the **best** approach to assist in meeting adequate dietary intake?
- Avoid between-meal snacks to encourage appetite.
 - Provide entertainment during meals such as television or music.
 - Serve meals in small, bite-size pieces.
 - Sit with the patient as long as necessary to complete the meal.

CANDIDATE'S NUMBER:..... SIGNATURE:.....

26. Which of the following are typical physical symptoms of depression?
- I. Fatigue
 - II. Increased appetite
 - III. Insomnia
 - IV. Weight loss
- A. I, II, III
B. I, II, IV
C. I, III, IV
D. II, III, IV
27. A patient in the manic phase of bipolar disorder constantly belittles other patients and demands special favours from the nurses. Which nursing intervention would be **most appropriate** for this patient?
- A. Ask other patients and staff members to ignore the patient's behaviour.
 - B. Offer the patient a variety of stimulating activities to distract him from belittling or making demands of others.
 - C. Offer the patient an antianxiety drug when belittling or demanding behaviour occurs.
 - D. Set limits with consequences for belittling or demanding behaviour.
28. Major tranquilizers are the drug of choice to relieve symptoms of:
- A. depression
 - B. mania
 - C. psychosis
 - D. substance intoxication
29. Which of the following treatment is regarded by mental health experts as the **best** treatment for depression with remission rate of about 70-90%?
- A. Antidepressants
 - B. Antipsychotics
 - C. Electroconvulsive therapy (ECT)
 - D. Psychotherapy
30. The nurse is caring for a patient who is suicidal. When accompanying the patient to the bathroom, the nurse should:
- A. allow him to shave.
 - B. give him privacy in the bathroom.
 - C. observe him.
 - D. open the window and allow him to get some fresh air.
31. Maslow sees the individual of being capable of reaching a peak capacity of fulfilling his human potential and of being satisfied with this no matter what it is. Maslow called this peak experience:
- A. alarm reaction
 - B. existentialism
 - C. homeostasis
 - D. self-actualization

32. Which of the following are positive symptoms of schizophrenia?
- I. Delusions
 - II. Disorganized speech
 - III. Hallucinations
 - IV. Social withdrawal
- A. I, II, III
 - B. I, II, IV
 - C. II, III, IV
 - D. I, III, IV
33. Which of the following is the **best** nursing intervention for a manic patient?
- A. Channel energy into organizing active social event for the unit.
 - B. Divert energy and attention to various low-key activities
 - C. Encourage vigorous physical exercise to sustain energy
 - D. Seclude the patient until manic phase has subsided
34. A client who is manic threatens others on the unit. Which would be the **initial** nursing action in response to this behaviour?
- A. Administering a sedative that has been prescribed to be used when necessary.
 - B. Clearing the area of all other clients
 - C. Insisting the client take a time-out in his room
 - D. Setting limits on aggressive and intimidating behaviour
35. An adolescent who has been diagnosed with schizophrenia, is boasting to peers that he doesn't need an education or "anything else." He keeps insisting that he can make a million dollars before he is twenty by creating his own business. He is exhibiting:
- A. delusional thinking
 - B. delusion of grandeur
 - C. magical thinking
 - D. unrealistic thinking
36. The nurse-therapist utilizing cognitive therapy in working with a 35-year-old woman diagnosed with depression. The focus of his approach to therapy is to:
- A. learn to focus on thought, not feeling
 - B. learn to intellectualize feelings
 - C. replace concrete thinking with abstract thinking
 - D. replace irrational, negative thinking
37. In the space of 5 minutes, the client has been laughing and euphoric, then angry, and then crying for no reason that is apparent to the nurse. This behaviour would be **best** described as:
- A. flight of ideas.
 - B. labile mood.
 - C. lack of insight.
 - D. tangential thinking.

7

CANDIDATE'S NUMBER:..... SIGNATURE:.....

38. Which of the following are negative symptoms of schizophrenia?

- I. Anhedonia
- II. Affective flattening
- III. Alogia
- IV. Grandiosity

- A. I, II, III
- B. I, II, IV
- C. II, III, IV
- D. I, III, IV

39. Throughout the assessment, the client shows disorganized thinking, jumping from one idea to another with no clear relationship between the thoughts. The nurse would assess the client as having which of the following?

- A. Ideas of reference
- B. Loosening associations
- C. Tangential thinking
- D. Word salad

40. A client who has schizophrenia is having a conversation with the nurse suddenly stops talking in the middle of a sentence. The client is experiencing which type of thought disruption? Thought:

- A. blocking
- B. broadcasting
- C. insertion
- D. withdrawal

41. Which of the following examines the rate and distribution of mental disorders in the population?

- A. Epidemiology
- B. Historical research
- C. Population census
- D. Single-subject (case) study

42. Which of the following statements best describes an individual with cyclothymic personality?

- A. Attention seeking and dramatization of issues
- B. Mood swings, alternating between elation and depression
- C. Socially withdrawn, jealous and ideas of reference
- D. Suspiciousness, jealousy, stubbornness

43. A patient showing manic behaviour will exhibit which of the under listed symptoms?

- A. Compulsion, panic, regressive behaviour
- B. Hypochondriasis, hostility, insomnia
- C. Inflated self-esteem, elation, increased speech
- D. Insomnia, confabulations, mannerisms

44. Which of the following are risk factors for developing depression?

- I. Chronic illness
- II. Family history of depression
- III. High self-esteem
- IV. Traumatic events

- A. I, II, III
- B. I, II, IV
- C. II, III, IV
- D. I, III, IV,

45. If patients do not abide by their diet restrictions while taking a monoamine oxidase inhibitor (MAOI), it is likely that they will develop a/an:

- A. hypertensive crisis
- B. leucopenia
- C. oculogyric crisis
- D. pseudoparkinsonism

46. Which of the following foods are **contraindicated** when using a monoamine oxidase inhibitor antidepressant?

- A. Beef/chicken livers, avocados & vanilla
- B. Caffeine, herrings & pawpaw
- C. Plantain, yoghurt & beer
- D. Red wine, yeast products and orange

47. The description of an individual's personality before developing the mental illness is referred to as:

- A. anxiety disorder
- B. co-morbid personality
- C. personality disorder
- D. premorbid personality

48. A patient is admitted with a diagnosis of delusions of grandeur. This diagnosis shows a belief that one is:

- A. being persecuted.
- B. connected to events unrelated to oneself.
- C. highly important or famous.
- D. responsible for the evil in the world.

49. A 22-year-old patient is diagnosed with dependent personality disorder. Which of these behaviours is **most** likely evidence of ineffective individual coping?

- A. Avoiding developing relationships
- B. Inability to make choices and decisions without advice
- C. Recurrent self-destructive behaviour with history of depression
- D. Showing interest only in solitary activities

9

CANDIDATE'S NUMBER:..... SIGNATURE:.....

50. The schizophrenic patient made a comment, "my body is turning into dust". This is an example of:
- A. depersonalization
 - B. nihilistic delusion
 - C. persecutory delusion
 - D. somatic delusion
51. A patient with schizophrenia reads the advice column in the newspaper daily. When asked why the client is so interested in the advice column, the client replies, "This person is my guide and tells me what I must do every day". The nurse would **best** describe this type of thinking as which of the following?
- A. Grandiose delusion
 - B. Personalization
 - C. Referential delusion
 - D. Thought insertion
52. Waxy flexibility and neologisms are typical disorganized behaviours found in one of these types of schizophrenia:
- A. catatonia
 - B. folie a deux
 - C. simple schizophrenia
 - D. paranoid
53. The **best** response to a patient who is verbalizing words that **cannot** be understood is:
- A. "Go on says what you really mean."
 - B. "Please repeat yourself."
 - C. "Say that again so that I can understand."
 - D. "You are not making sense."
54. The nursing assessment indicates the patient is creating new words. This is documented as:
- A. cryptic language
 - B. loose associations
 - C. magical thinking
 - D. neologisms
55. What is a key feature of "normality" in the context of mental health?
- A. Absence of all psychological symptoms
 - B. Complete absence of any distress
 - C. Consistent functioning within a socially acceptable range
 - D. Constant emotional highs and lows
56. The nurse is teaching a psychiatric patient about her prescribed drugs, chlorpromazine and benztropine. Why is benztropine administered? To:
- A. control nausea and vomiting
 - B. reduce extrapyramidal symptoms
 - C. reduce psychotic symptoms
 - D. relieve anxiety